

Madison County Ditch Improvement Record.

A. W. Wilson Ditch Construction

Contract for Labor of Construction (See Page 501)

Auditors Office, Madison County, Ohio.
May 1st, A. D. 1907.

In the matter of
Ditch Imp. Petitioned
for by A. W. Wilson

Contract for Labor of Construction.

Whereas, The above styled improvement has been duly ordered, and advertised for sale according to law, and the construction of Working Section No. 1-2-3-4, of 8235 feet; Section No. 1, 1197 Av. Yds. # 226.43; Section No. 2-2452, Av. Yds # 465.88; Section No. 3-3594 Av. Yds. # 685.82 Section No. 4, 1360 Av. Yds. # 258.40 was sold by the County Surveyor, on the 1st day of May, 1907, to the undersigned, for One Thousand Six Hundred $\frac{57}{100}$ Dollars, pursuant to said order and notice. Now, in consideration of the premises, it is agreed by me, to and with whomsoever may be interested therein, that I will do and perform all the labor of constructing said improvement in accordance with the specifications for constructing the same, as shown in the record of the proceedings thereof, the same to be completed on or before the 1st day of August, 1907; Provided however, this contract shall be of no force and effect until approved by the Board of Commissioners of Madison Co., Ohio.

G. L. McCafferty,
County Surveyor.

Samuel Willoughby
Contractor.

Contractors Bond.

Auditors Office, Madison County, Ohio.
May 1st 1907.

In the matter of
Ditch Imp. Petitioned
for by A. W. Wilson

Contractors Bond.

Know all Men by these Presents, That Samuel A. Willoughby as principal, and as sureties are held and bound unto the State of Ohio, in the penal sum of Thirty Two Hundred $\frac{67}{100}$ Dollars, good and lawful money.

Signed and dated this 1st day of May 1907.

The condition of the Above Obligation is such, however, that whereas, the above bonded principal contractor has bid off the labor of constructing Working Section No. 1-2-3-4, has duly entered into the accepted account, subject to the condition that the same shall be approved by the Commissioners of said Madison County, and has agreed to fully do and perform all labor of constructing said improvement in accordance with the plans and specifications of said improvement, as shown in the record of said proceedings, on or before the 1st day of August, 1907.

Now, if the said Samuel A. Willoughby shall well and truly perform all the obligations of his contract and complete the same within the time fixed by said contract and pay all damages which may accrue by reason of a failure to complete the same within the time agreed upon in said contract, and pay for all labor and material and for all debts incurred in the performance of this contract, then this obligation shall be void, otherwise to be in full force and effect in law.

Samuel Willoughby
Thomas Adams
Frank Pemberton

This Contract and Bond, and Sureties on said Bond approved this

Madison County Ditch Improvement Record.

The A. W. Wilson Ditch Construction.

day of 1907.
H. S. Mc Cafferty
County Surveyor.

H. P. Sheenworth
President of Board of Commissioners
Auditors Office, Madison County, Ohio,
May 1. A. D. 1907.

Report of the
Sale of Labor of
Construction

In the matter of }
Ditch Imp. Petitioned } Report of Sale of the Labor of Construction.
for by A. W. Wilson }

To the Honorable Commissioners of Madison County, Ohio:

Gentlemen: In obedience to your direction and also in pursuance of the notice, duly given by the Auditor of the sale of the work of constructing the above styled improvement, at the time and place therein specified, I offered the said several working sections for sale to the lowest responsible bidder at public outcry and sold the same to the persons hereinafter named, and took their contracts, and bonds respectively conditioned according to law, and return the same herewith for your approval.

No. of Working Section.	To Whom Sold.	Am't. for which it was sold.	When to be Completed.
1-2-3-4	Samuel A. Willoughby.	\$1600. <u>57</u>	August 1, 1907.

Madison County Ditch Improvement Record.

A. W. Wilson Joint Ditch Construction.

Petition

Lindow, Ohio, Dec. 4th A. D. 1906, Petition for location, construction and tiling of a ditch.

To the Honorable Board of Commissioners, Madison County, Ohio:

The undersigned owners of lots and land which will be drained or benefited by the improvement herein prayed for, hereby make application to your honorable body, and now file with the Auditor of said County, this, their petition, and now and hereby pray for the location, construction, and tiling of a ditch on the route hereinafter set forth.

The necessity for and the benefits of the improvement so prayed for is that it will drain and reclaim the lands along the line thereof and adjacent thereto, and will promote the public health, convenience and welfare.

The following is the beginning, route and terminus of said proposed improvement, to-wit: commencing at the north line of the dower land of Martha J. Wilson and in a line of J. S. Beachy; thence following an open ditch through the lands of said Wilson, W. S. Yoder, A. W. Wilson, Wm. M. Wilson, Joseph Williamson (crossing the middle pike) Wm. M. Wilson, A. B. Millikin, and A. E. Sherwood to the East pike and there terminating. The course of said ditch being a general easterly direction a distance in all of about 4 miles.

Your petitioners pray that said ditch may be tiled from the beginning point as above described so far as you may deem expedient and necessary, and that it may be made an open ditch from the end of the tile as established by you for enough to give a good and sufficient outlet to the lands draining therein, and also for the location, construction and tiling of all necessary laterals to said ditch, all of the same being located in various Townships, Madison County, Ohio.

The names of all Persons and Corporations, either public or private, who in the opinion of the petitioners are in any way affected or benefited thereby as follows:

W. S. Yoder	S. E. Marburger (tenant)
J. S. Beachy	Grant Paul (")
Martha J. Wilson	Andrew Hauck (")
A. B. Wilson (tenant)	Coleraine McCoy (")
A. W. Wilson	John Maxwell (")
W. M. Wilson	Walter Lawrence (")
Joe Williamson	Madison County
J. W. Price	George Harris (")
Sarah Price	A. B. Millikin
A. E. Sherwood	

Mable Dyer	A. W. Wilson	} Petitioners
Mrs. Lamb (tenant)	A. B. Millikin	

Madison County Ditch Improvement Record.

A. W. Wilson Joint Ditch Construction.

Petitioner's
Bond.

Know all men by These Presents, That A. W. Wilson as principal, and A. C. Millikin and H. H. Johnston as sureties, are held and firmly bound unto the State of Ohio in the penal sum of Two Hundred Dollars, good and lawful money, for which we bind ourselves, and our heirs, executors and administrators.

Seigned by us and dated this 4th day of Dec. A. D. 1906.

The condition of the above obligation is such, nevertheless, that, whereas, on the 4th day Dec. 1906, the above bounden A. W. Wilson et al made application to the Commissioners of Madison County, and on said day filed with the Auditor his petition for the location, construction and tiling of a ditch in pursuance of the statute in such case made and provided, on the following route and termini, to-wit: commencing at the north line of the down land of Martha J. Wilson and in a line of J. S. Beuchy; thence following an open ditch through the lands of said Wilson, M. S. Godwin, A. W. Wilson, Wm. W. Wilson, Jos. Williamson, (crossing the Middle Pike), Wm. M. Wilson, A. C. Millikin and A. E. Sherwood to the East Pike and there terminating. The course of said ditch being a general easterly direction, a distance in all of about 4 miles.

your petitioners pray that said ditch may be tiled from the beginning point as above described as far as you may deem expedient and necessary, and that it may be made an open ditch from the end of the tile as established by you for enough to give a good and sufficient outlet to the lands draining thereto, and also for the location, construction and tiling of all necessary laterals to said ditch. All of the same being located in Cassada Township, Madison County, Ohio.

Now if the above bounden A. W. Wilson shall pay all costs, if the prayer of said petition be not granted, or if for any other cause the same shall be denied, then this obligation shall be void.

The above bond and the sureties thereon, are approved by me this 4th day of December 1906.

J. J. Shaffer,
County Auditor.

A. W. Wilson
A. C. Millikin
H. H. Johnston.

Office of Auditor of Madison County Ohio.
December 4, 1906.

To the Honorable Board of Commissioners of said County:

Gentlemen: You are hereby notified that a petition and bond for a Ditch improvement has been filed in this office on the 4th day of December, 1906, a copy of which petition is attached below; and as required by law I have filed the 26th day of December A. D. 1906, at 10 o'clock A. M., at the beginning of said proposed ditch described in said petition, for your hearing of said matter.

J. J. Shaffer, Auditor.

Copy of Ditch Petition.

Landon Ohio, December 4th, 1906, Petition for construction, location and

Notice to
Commissioners
of Petition
filed and time
for hearing.

Madison County Ditch Improvement Record.

A. W. Wilson Ditch Construction.

and tiling of a ditch.

To the Honorable Board of Commissioners Madison County, Ohio:

The undersigned owners of lots and land which will be drained or benefited by the improvement herein prayed for, hereby make application to your honorable body, and now file with the Auditor of said County, this, their petition, and now and hereby pray for the location, construction and tiling of a ditch on the route hereinafter set forth.

The necessity for and the benefits of the improvements so prayed for is that it will drain and reclaim the lands along the line thereof and adjacent thereto, and will promote the public health, convenience and welfare.

The following is the beginning, route and terminus of said proposed improvement, to-wit: Commencing at the north line of the down land of Martha J. Wilson and in a line of J. S. Beachy thence following an open ditch through the lands of said Wilson, W. S. Yoder, A. W. Wilson, Joseph Williamson (crossing the middle Pike) Wm. W. Wilson, A. B. Millikin and A. E. Sherwood to the East Pike and there terminating. The course of said ditch being a general easterly direction, a distance in all of about 4 miles.

Your petitioners pray that said ditch may be tiled from the beginning point as above described so far as you may deem expedient and necessary, and that it may be made an open ditch from the end of the tile as established by you far enough to give a good and sufficient outlet to the lands draining therein, and also for the location, construction and tiling of all necessary laterals to said ditch, all of the same being located in Laramie Township, Madison County, Ohio.

The names of all Persons and Corporations, either public or private, whose the opinions of the petitioners are in any way affected or benefited thereby are as follows:

W. S. Yoder
J. S. Beachy
Martha J. Wilson
H. B. Wilson (tenant)
A. W. Wilson
W. W. Wilson
Joe. Williamson
J. W. Price
Sarah Price
Mable Dye
Mrs. Lamb (tenant)

S. E. Marburger (tenant)
Grant Paul (")
Andrew Hauck (")
Leone M. Long (")
John Maxwell (")
Walter Converse (")
Madison County
George Stearns (")
A. B. Millikin (")
A. E. Sherwood (")

A. W. Wilson Petitioners
A. B. Millikin

I hereby certify the foregoing to be a true copy of a ditch petition filed in my office on the 4th day of December, 1906.

J. J. Shaffer
County Auditor.

Madison County Ditch Improvement Record.

(W. W. Wilson, Joint Ditch Construction)

Commissioner's Office, Madison County,
London, Ohio. December 4th, 1906.

notice of
filing a
petition
with bond and
time fixed for

In the matter of
Ditch Imps. petitioned
for by A. W. Wilson et al

Notice of filing of petition with bond
and time fixed for view.

The County Auditor having delivered to this board
a certified copy of a petition filed with him on the 4th day of
December, 1906, signed by A. W. Wilson et al, praying for the location,
construction and tiling of a county ditch along the route and
between the termini stated below, to-wit:

Commencing at the north line of the Doven land of Martha
J. Wilson and in a line of J. S. Beachley; thence following an open
ditch through the lands of said Wilson, M. S. Yoder, A. W. Wilson,
Wm. M. Wilson, Joseph Williamson (covering the Middle Pike) Wm.
M. Wilson, A. C. Millikin and A. E. Sherwood to the East pike
and there terminating. The course of said ditch being a general
easterly direction a distance in all of about 4 miles. The
petitioners pray that said ditch may be tiled from the beginning
point as above described, so far as you may deem expedient
and necessary, and that it may be made an open ditch from
the end of the tile as established by you far enough to give a
good and sufficient outlet to the land draining thereinto, and
also for the location, construction and tiling of all necessary
laterals to said ditch. All of the same being located in
Bourbon Township, Madison County, Ohio.

And it appearing that said petitioners have given bond as
required by law, which bond has been approved by said Auditor,
and said Auditor having fixed the 26th day of December, 1906, at
10 o'clock, as the time for hearing said petition. It is ordered
that this board meet on said day at the place of beginning
of said ditch as described in the petition to hear proof offered
by any of the parties affected by said improvement and other
persons competent to testify and to determine as to the necessity
of said improvement.

On the question of the adoption of the foregoing entry relating
to said petition and ditch, the roll being called, all members
voted "Aye."

Board adjourned to meet in regular session, Wednesday,
December 5th, 1906, at 10 o'clock A. M.

W. P. Kenworthy Pres. }
J. W. Bowers }
Geo. E. Roberts }
Commissioners
of
Madison County.

J. J. Shaffer
Auditor & Clerk.

Madison County Ditch Improvement Record.

A. W. Wilson Ditch Improvement

Auditors Office, Madison County, Ohio.

Dec. 5. A. D. 1906.

Notice to Lot or Land Owners

In the matter of Ditch Imp. Petitioned for by A. W. Wilson et al.

Notice to Lot or Land Owners.

To the Lot or Land Owners and to the Corporations, either Public or Private, affected by said Improvement:

You, and each of you, are hereby notified that on the 4th day of December, 1906, A. W. Wilson and others, filed a petition with the Auditor of Madison County, the prayer of which is for the location, construction and tiling of a Ditch on the following starting point, route and termination to-wit: Commencing at the north line of the lower land of Martha J. Wilson and in a line of J. S. Beachy; thence following an open ditch through the lands of said Wilson, W. S. Yoder, A. W. Wilson, Wm. W. Wilson, Joseph Williamson (crossing the Middle Pike) Wm. W. Wilson, A. B. Millikin and A. E. Sherwood to the East Pike and there terminating. The course of said ditch being a general easterly direction, a distance in all of about 4 miles.

The petitioners pray that said ditch may be tiled from the beginning point as above described so far as you may deem expedient and necessary and that it may be made an open ditch from the end of the tile as by you established far enough to give a good and sufficient outlet to the lands draining thereto and also for the location, construction and tiling of all necessary laterals to said ditch. All of same being in Bureau Township, Madison County, Ohio:

You are also notified that the following time and place have been fixed when and where the Commissioners of said County, will meet for the hearing of said petition, to-wit: Wednesday Dec. 26, 1906, at 10 o'clock A. M. at the beginning of said proposed ditch improvement for the purpose of hearing any and all proof offered by any of the parties affected by said ditch improvement, whether the said ditch will be conducive to the public health, convenience and welfare; and whether the route described is the best route; and any and all objections to said proposed ditch improvement.

Any application for compensation or damages, or for any change of route, must be in writing and filed with the Commissioners on or before the day set for hearing.

No further notice of any proceedings in this matter will be given.

J. J. Shaffer Auditor of Madison County.

Proof of Personal Notice

Auditors Office, Madison County, Ohio.

December 8th, 1906.

The State of Ohio, s. s. Madison County

Proof of Personal Notice.

On this 8th day of December 1906, personally came Harry Tyler who being duly sworn according to law, deposes and says that on the days hereinafter named, he served the aforesaid notice on the persons hereinafter named, by delivering to each person

Madison County Ditch Improvement Record.

A. W. Wilson Ditch Construction.

opposite where name appears "D." a true copy of the unexecuted notice; and on those opposite where name appears "P." by leaving the same at their usual place of residence.

Name of Person Served.	How Served.	When Served.
M. S. Yoder	D.	Dec. 6th. 1906.
J. S. Beachy	D.	" " "
Martha J. Wilson	D.	" 8 "
H. H. Wilson	"	" " "
W. W. Wilson	"	" 6 "
J. W. Price	P.	" " "
Sarah Price	D.	" " "
A. L. Millikin	D.	" 8 "
A. E. Sherwood	P.	" 7 "
S. E. Marburger	D.	" " "
Grant Paul	D.	" " "
Andrew Hauck	P.	" " "
Leoline M. Loy	D.	" " "
John Maxwell	P.	" " "
Walter Converse	D.	" " "
Geo. Stamm	D.	" " "
Mrs. Lamb	D.	" " "

and further this deponent with not.

Harry Pyles.

Sworn to by Harry Pyles before me, and by him subscribed in my presence this 8th day of December 1906.

J. J. Shaffer
County Auditor.

Ditch Notice.

The State of Ohio, Madison County, ss.

R. H. Shaw, being duly sworn, says he is the Business Manager of The London Prices, a weekly newspaper printed and in general circulation in said county, and that a notice of which the annexed is a copy, was published in said newspaper for at least 2 consecutive times, beginning on the 6th day of December 1906.

R. H. Shaw

Sworn to and subscribed before me this 14th day of Dec. 1906.

J. J. Shaffer
County Auditor.

Ditch Notice.

Auditors Office, Madison County, Ohio }
December 5 A.D., 1906 }

Notice to Non-resident Lot or Land Owners.

In the matter of Ditch Improvement petitioned for by A. W. Wilson et al. to the Lot or Land Owners, and to the Corporations, either Public or Private, affected by said Improvement;

You and each of you are hereby notified that on the 4th day of December 1906, A. W. Wilson and others filed a petition with the

Madison County Ditch Improvement Record.

A. W. Wilson Ditch Construction.

Auditor of Madison County, the prayer of which is for the location, construction and tiling of a Ditch on the following starting point, route and terminus, to-wit:

Commencing at the north line of the lower land of Matthew J. Wilson, and in a line of J. S. Beachy; thence following an open ditch through the lands of said Wilson, W. S. Yoder, A. W. Wilson, Wm. W. Wilson, Joseph Williamson (crossing the Middle Pike) Wm. W. Wilson, A. L. Millikin and A. E. Sherwood to the East side and there terminating. The course of said ditch being a general easterly direction a distance in all of about 4 miles.

The petitioners pray that said ditch may be tiled from the beginning point as above described so far as you may deem expedient and necessary, and that it may be an open ditch from the end of the tile as established by you far enough to give a good and sufficient outlet to the lands draining thereto, and also for the location, construction and tiling of all necessary laterals to said ditch, all of the same being in Lawrence Township, Madison County Ohio.

You are also notified that the following time and place have been fixed when and where the Commissioners of said county will meet for the hearing of said petition, to-wit: Wednesday, December 26, 1906, at 10 o'clock A.M. at the beginning of said proposed ditch improvement for the purpose of hearing any and all proof offered by any of the parties affected by said ditch improvement, whether the said ditch improvement will be conducive to the public health convenience and welfare; and whether the route described is the best route; and any and all objections to said proposed ditch improvement.

Any application for compensation or damage, or for any change of route, must be in writing and filed with the commissioners or before the day set for hearing.

No further notice of any proceedings in this matter will be given.

Dec. 6, 1906.

J. J. Shaffer
Auditor of Madison County.

Claims for
Compensation
and Damages.

In the matter of the Ditch Petitioned for by A. W. Wilson et al, filed with the Commissioners of Madison County, Ohio.

Now comes Jos. Williamson, through whose land said proposed ditch improvement runs and makes application for compensation for land taken in sum of \$300.⁰⁰ and damages for land used in the construction of said ditch improvement, in the sum of \$300.⁰⁰ and for damages to bridges \$25.⁰⁰, and damage to fencing \$100.⁰⁰ making a total of \$725.⁰⁰

Joseph Williamson.

In the matter of the Ditch Petitioned for by A. W. Wilson et al, filed with the Commissioners of Madison County, Ohio.

Now comes Andrew Hoelt, tenant on the lands of Jos. Williamson through whose land said proposed ditch improvement runs and

Madison County Ditch Improvement Record.

A. W. Wilson Ditch Construction.

and makes application for compensation and damages for land used in the construction of said ditch improvement and for destruction of grass lands along the route thereof and for being practically deprived of the use of said grass lands during the construction of said ditch and being prevented from turning hogs and other stock in said pasture lands and damages which said stock may do to his growing crops during said construction by reason of the fences and water gaps being left open and torn down in the sum of \$400.00.

Andrew Hoelt.

In the matter of the A. W. Wilson County Ditch.

To the Board of County Commissioners:

W. M. Long respectfully represents that by reason of land appropriated and damage to crops planted on the land, the construction of said ditch will damage him in the sum of \$100.00 and asks that the Hon. Board allow him said sum for the said damage so sustained.

In the matter of the A. W. Wilson County Ditch.

To the Hon. Board of County Commissioners:

John W. Maxwell respectfully represents that he is a tenant on the land owned by Wm. W. Wilson, and by reason of the construction of the aforesaid ditch he will suffer damage to growing crops in the sum of \$150.00 and by reason of land appropriated therefor will be damaged in the sum of \$50.00.

He therefore asks that he be allowed damage in the sum of \$200.00

John W. Maxwell.

Commissioners Office, Madison County,

Linds, Ohio, December 31, 1906.

Commissioners Finding on Petition.

In the matter of Ditch Imp. petitioned for by A. W. Wilson, et al.

Commissioners Finding on Petition.

This day the Commissioners of Madison County, being in session and a copy of a petition for the location, construction and tiling of a county ditch having been delivered to us by the County Auditor, and it appearing to us that the proper bond has been filed with the Auditor, and by him approved, conditioned for the payment of all costs if the prayer of the petition be not granted or be dismissed for any cause, we, therefore, on the 26th day of December, 1906, the day fixed by the Auditor for hearings, did meet at the place of beginning of said ditch, as described in the petition, and heard all proof offered by any of the parties affected by said improvement and others competent to testify; and we went over and along the line of said improvement, and by actual view of the said ditch and the premises along and adjacent thereto; and to be drained or

Madison County Ditch Improvement Record.

A. W. Wilson Ditch Construction.

benefited thereby, determined the necessity thereof. And we do hereby find that said improvement is necessary and will be conducive to the public health, convenience and welfare, and a benefit to the lots and lands along the line thereof by furnishing drainage thereto.

And we further find that the route described is the best, viz: Commencing at the north line of the dower land of Martha J. Wilson and in a line of J. S. Beachy; thence following an open ditch through the lands of said Wilson, W. S. Yoder, A. W. Wilson, Wm. M. Wilson, Joseph Williamson (crossing the Middle Pike), Wm. M. Wilson, A. B. Milliken and A. E. Sherwood to the East side and there terminating.

We also find that due and legal notice has been given to each person or corporation benefited or affected by said proposed improvement.

It is ordered that the main ditch be tiled from the beginning point above described to

It is further ordered that the following laterals be located, viz:
Lateral No. 1 - Beginning at the north west corner of Martha J. Wilson's dower; thence through her lands to the main ditch about 25 rods to the north line of said dower.

Lateral No. 2 - Beginning on the dower lands of Martha J. Wilson near her west line; thence across her lands to the main ditch at a point about 75 rods southerly from her north line.

Lateral No. 3 - Beginning on Martha J. Wilson's dower, about 120 rods southerly from the north line of said dower and about 75 rods easterly from the west line of said dower; thence in a north easterly course through said dower to the main ditch.

Lateral No. 4 - Beginning on the dower lands of Martha J. Wilson about 25 rods west of the line between her lands and the lands of W. S. Yoder; thence in an easterly course through the said Martha J. Wilson's lands and the lands of said W. S. Yoder to the main ditch about 60 rods easterly from said line.

Lateral No. 5 - Beginning on the dower lands of Martha J. Wilson about 100 rods westerly from the line between said dower and the lands of A. W. Wilson; thence in an easterly course through said dower lands and the lands of the said A. W. Wilson to the main ditch about 100 rods easterly from said line.

Lateral No. 6 - Beginning on the lands of A. W. Wilson, near his north line; thence across his lands to the main ditch about 40 rods southerly from said line.

Lateral No. 7 - Beginning on Martha J. Wilson's dower about 20 rods westerly from the line between the lands of said dower and the lands of A. W. Wilson; thence across said dower land and the said A. W. Wilson lands to main ditch about 35 rods west of William Wilson's line.

Lateral No. 8 - Beginning on A. W. Wilson's lands about 35 rods west of his east line; thence through said Wilson's land to main

Madison County Ditch Improvement Record.

A. W. Wilson Ditch Construction.

ditch about 20 rods west of his east line.

Lateral No. 9 - Beginning on the lands of W. S. Yoder about 2 rods north of his south line; thence through his lands and the lands of Wm. W. Wilson to the main ditch about 60 rods east of said Wilson's west line.

Lateral No. 10 - Beginning on the lands of A. E. Sherwood near the line between said Sherwood's land and Wm. W. Wilson's land; thence in a north easterly course across said Sherwood's lands and A. L. Millikin's lands to main ditch about 40 rods east of said Wilson's line.

We also find that claims for compensation and damages have been made in writing by John A. Maxwell, Colburn Mc Coy, Andrew Stodd, Jos. Williamson which applications are ordered filed.

And we do hereby order the Auditor to enter this our finding in writing on the Commissioners Journal. And we do further authorize the Auditor to enter upon said journal an order directing the County Surveyor to go upon the line as described in the petition and survey and level the same and to perform such other duties as are required in sections 4454, 4455 and 4456 P. S. as now in force and effect, and to file his report with the County Auditor on or before the time hereinafter fixed for hearing the same.

It is further ordered that the 12th day of March, 1907, at 10 o'clock, A. M. at the Commissioners Office, is hereby fixed for the hearing of applications for any appropriations of lands for said improvement and damages said parties affected by said improvement, or any of them may sustain thereby and for the approval of the report of the Surveyor, to which time and place the proceedings herein now stand adjourned.

On the question of the adoption of the foregoing entries and findings relating to said petition and ditch, the roll being called all members voted "Aye."

Board adjourned to meet in regular session, Monday, January 7th 1907, at 10 o'clock, A. M.

W. P. Lohmuth Pres. Commissioners
J. W. Bowers of
Jno. E. Roberts Madison County.

J. J. Shaffer
Auditor & Clerk.

Findings on
Petition - copy
for Surveyor.

See the matter of
Ditch Imp. Petitioned
for by A. W. Wilson et al

Auditor's Office, Madison County, Ohio.
December 31, A. D. 1906.

This day the Commissioners of Madison County, being in special session, members present, W. P. Lohmuth, J. W. Bowers and Jno. E. Roberts, and a copy of a petition for the location,

Madison County Ditch Improvement Record.

W. W. Wilson Ditch Construction.

construction, and filing of a county ditch having been delivered to us by the County Auditor, and it appearing to us that the proposed bond has been filed with the Auditor, and by him approved, conditioned for the payment of all costs if the prayer of the petition be not granted or be dismissed for any cause, we, therefore, on the 26th day of December 1906, the day fixed by the Auditor for hearings, did meet at the place of beginning of said ditch, as described in the petition, and heard all proof offered by any of the parties affected by said improvement and other persons competent to testify; and we went over and along the line of said improvement, and by actual view of the said ditch and the premises along and adjacent thereto and to be drained or benefited thereby, determined the necessity thereof. And we do hereby find that said improvement is necessary, and will be conducive to the public health, convenience and welfare, and a benefit to the lots and lands along the line thereof by furnishing drainage thereto.

And we further find that the route described is the best.

The following route was determined upon by us, viz: Commencing at the north line of the dower land of Martha J. Wilson, and in a line of J. S. Beachy; thence following in an open ditch through the lands of said Wilson, M. S. Yoder, A. W. Wilson, Wm. W. Wilson, Joseph Williamson (crossing the Middle Pike) Wm. W. Wilson, A. L. Milliken and A. E. Sherwood to the East side and there terminating.

And we do hereby order the Auditor to enter this, our finding, in writing, in the Commissioners' Journal. And we do further authorize the Auditor to enter upon said journal an order directing the County Surveyor to go upon the line as described in the petition, or as changed by us in accordance with Section 4489 P.S., as described above, and survey and level the same, and set a stake at every hundred feet, ascending down stream, and to embody in said order directions to the said Surveyor to make and return a schedule of all lots or lands, and public or corporate roads or railroad, that will be benefited, and an apportionment of the estimated cost of locating and constructing said improvement, in money, according to the benefits which will result to each, and to perform such other duties as are required in Sections 4454, 4455 and 4456 P.S., as now in force and effect, and to file his report with the County Auditor on or before the time hereinafter fixed for hearing the cause.

It is further ordered that the 12th day of March 1907, at 10 o'clock A.M., at the County Auditor's office, is hereby fixed for the hearing of applications for any appropriations of land taken for said improvement and damages said parties affected by said improvement, or any of them may sustain thereby, and for the approval of the report of the Surveyor.

J. J. Shaffer
Auditor

W. P. Chenneth

President Board of Commissioners

I certify the foregoing to be correctly copied from the records of the proceedings of the board.

J. J. Shaffer, Auditor.

Madison County Ditch Improvement Record.

J. W. Wilson Ditch Construction.

Adjourned
Hearing on
Engineer's
Report.

Commissioner's Office, Madison County,
London, Ohio, March 12th 1907.

Board of Commissioners met this 12th day of March, 1907, pursuant to their order of December 31st 1907.

Present: W. P. Cheever, Jr., E. Roberts.

In the matter of
Ditch Imp. Petitioned
for by A. W. Wilson et al

Adjourned Hearing on Engineer's Report.

This being the day to which the above styled matter was adjourned and the engineer not being ready to submit his report and apportionment; Ordered, that the hearing on said report of engineer be adjourned to March 27th 1907, at 10 o'clock, A. M.

On roll call on approval of the above matter W. P. Cheever, Jr., E. Roberts voted "Aye."

W. P. Cheever, Jr. Pres. }
E. Roberts }
Commissioners
of
Madison County.

Report and
Schedules of
Engineer.

Auditor's Office, Madison County, Ohio.
March 27th A. D. 1907.

In the matter of
Ditch Imp. Petitioned
for by A. W. Wilson

Report and Schedules of Engineer.

To the Honorable, the Board of Commissioners of Madison County, Ohio:

The undersigned Engineer, in obedience to the direction of your Honorable Body, made on the 26th day of December, 1906, has proceeded in the above matter, and has made a level and survey of the line of said proposed ditch improvement, and set a stake at every hundred feet numbering down stream; and I have made a note of the intersections of lines and boundaries of lands, township and county lines, land marks, bench marks, and road and railroad crossings; and I herewith make report, of the same, with profile, and plat and an estimate of the number of the cubic yards of earth or other substance to be removed, and the cost per cubic yard for each working section on said report indicated and of each section of one hundred feet.

I have also made, and return herewith, a schedule of all lots and lands, and public and private roads and railroads, together with the name of the owners of said railroad companies, and the names of the lessees operating the same, that will be benefited by said improvements, and an apportionment of the cost of location and construction, to each lot and tract of land, road and railroad, according to the benefits which will result to each from the said improvement; and in apportioning the costs of such improvement the benefits to any lots or lands by siting the same in whole or in part, have been by me considered with other benefits; and a specification of the manner in which the improvement shall be made and completed.

Madison County Ditch Improvement Record.

The W. W. Wilson Ditch Improvement.

the number of flood gates, water-ways, farm crossings and bridges, including skirts and dimensions thereof; and such other matters as the undersigned deem important. The said survey, level reports and schedules are herewith attached and made a part thereof.

The following is an itemized cost bill, made by me, in the discharge of my duty, under your order.

N. S. Mc Cafferty	Engineer	4 days at \$5.00 per day	\$ 20 00
W. P. Rainey	"	25 " " 3.46 " "	86 50
J. H. Asher	"	17 " " 5.00 " "	85 00
Jesse Paine	Podman	7 " " 2.00 " "	14 00
Wm. James	Chamman	6 " " 2.00 " "	12 00
Henry Smith	"	5 " " 2.00 " "	10 00
Ralph Asher	"	1 " " 2.00 " "	2 00
Joseph Holden	"	6 " " 2.00 " "	12 00
Wm. Smith	Aprman	2 " " 2.00 " "	4 00
Richard Emery	Flag	3 " " 2.00 " "	6 00
Other Expenses:			
Burnham and Gordon			
	Team and hand	6 days @ 4.25	25 50
W. A. Baber			
	Horse and buggy	6 days @ 1.50	9 00
M. B. Irwin			
	475 - 18" Stakes	@ 1/4 5.94	
	483 - 12" "	@ 1.483	10 77
Total			\$ 296 77

The foregoing cost Bill allowed by us 1907
N. S. Mc Cafferty, Engineer.

W. P. Cheworth }
J. W. Brown } County Commissioners.
Geo. E. Roberts }

Report of Engineer Slope Schedule "A."

Stake every 100 feet if numbering dimensions	Surface Elevation.	Grade Elevation	Total fall from station.	Entire depth.	cut.	Course and Distance.
B.	100.00					
0	98.14	93.39		4.75	4.75	Nickory about 300' Right on Jonas Beachy's land
1	98.19	93.19		5.00	5.00	
2	96.35	92.99		3.36	2.82	
3	98.41	92.99		5.62	2.82	
4	98.21	92.59		5.62	2.92	
5	98.11	92.39		5.72	3.22	Apple tree - Right
B	98.26					
6	97.50	92.19		5.31	3.52	
7	97.21	91.99		5.22	4.02	
8	97.65	91.79	1.60	5.86	3.82	
9	97.68	91.69		3.99	3.52	
10	97.67	91.59		6.08	3.62	

Madison County Ditch Improvement Record.

The W. W. Wilson Ditch Improvement.

Report of Engineer.						Slope	Schedule "A"
Stationing 100 feet numbering above station	Surface Elevation	Grade Elevation	Vertical Curve from Sta. 0.	Entire Depth	cut.	Course and Distance.	
+44	96.32	91.54		4.78			
11	97.90	91.49		6.41	3.63		
12	98.22	91.39		6.83	3.83		
13	97.96	91.29		6.67	3.83		
14	97.82	91.19		6.63	4.13		
15	97.50	91.09		6.41	4.23		
16	97.42	90.99		6.43	4.23		
17	97.45	90.89		6.56	4.10		
+25	97.13	90.87		6.26			
18	97.26	90.79		6.47	4.20		
19	97.41	90.69		6.78	4.60		
20	97.29	90.59		6.70	4.30		
21	96.75	90.49		6.26	4.09		
22	96.37	90.39		5.98	4.20		
23	96.04	90.29		5.75	4.20		
+32	96.78	90.26		6.52			
24	96.63	90.19		6.44	4.24		
B	98.99						W. Oak. 200' Left.
25	97.30	90.09		7.21	4.24		
26	97.26	89.99		7.27	4.34		
27	96.78	89.89		6.89	4.44		
+58	97.08	89.84		7.24			
28	95.75	89.79		6.96	4.64		
29	96.93	89.69		7.24	4.84		
30	96.81	89.59		7.22	4.57		
31	96.49	89.49		7.01	3.97		
32	96.86	89.39	4.00	7.47	4.47		
+73	97.28	89.31	4.08	7.97			
33	97.29	89.29		8.00	8.00		
+75	96.65	89.22		7.43			
34	96.61	89.19		7.42	4.27		
35	96.36	89.09		7.27	4.77		
+17	96.42	89.07		7.35			
36	96.76	88.99		7.77	4.37		
37	95.92	88.89		7.03	4.87		
38	95.96	88.79		7.17	5.07		
39	95.86	88.69		7.17	4.17		
40	95.61	88.59		7.02	4.87		
41	95.01	88.49		6.52	4.37		
42	94.75	88.39		6.36	5.06		
43	95.15	88.29		6.86	4.96		
B.	96.72						Burr Oak 125' P. opps 43
44	95.52	88.19		7.33	5.16		
45	95.55	88.09		7.46	5.26		
+38	95.38	88.05		7.33			

Madison County Ditch Improvement Record.
The A. W. Wilson Ditch Improvement.

Stationing 100 feet measuring down stream	Surface Elevation	Grade Elevation	Total feet from station 0.	Vertical Depth	Dist.	Course and Distance.
39	95.86	88.69		7.17	4.17	
40	95.61	88.59		7.02	4.87	
41	95.01	88.49		6.52	4.37	
42	94.75	88.39		6.36	5.06	
43	95.15	88.29		6.86	4.96	
B.	96.72					
44	95.52	88.19		7.33	5.16	Burr oak 125' P of ps 43
45	95.55	88.09		7.46	5.26	
+38	95.38	88.05		7.33		
46	95.05	87.99		7.06	5.16	
47	94.90	87.89		7.01	5.16	
48	94.95	87.79		7.16		
49	94.78	87.69		7.09		
50	94.85	87.59		7.26		
51	95.03	87.49		7.24	5.56	
+31	94.84	87.46		7.38		
52	94.12	87.39		6.73	4.66	
+56	95.10	87.34		7.76		
53	94.74	87.29		7.45	4.66	
54	94.75	87.19		7.56	4.46	
55	94.80	87.09		7.71	4.66	
56	94.45	86.99		7.46	4.56	
57	92.58	86.89		5.69	4.26	
58	94.27	86.79		7.48	4.66	
59	93.93	86.69		7.24	4.66	
60	93.82	86.59		7.23	4.76	
61	93.80	86.49		7.31	4.76	
62	93.55	86.39		7.16	4.96	
63	93.50	86.29		7.21	4.70	
64	93.31	86.19	7.20	7.12	4.80	
B.	93.81					Burr Oak Right
65	93.75	86.09		7.66	4.90	
66	93.18	85.99		7.19	4.50	
67	93.69	85.89		7.80	3.90	
68	93.83	85.79		8.04	4.80	
+70	91.69	85.72		5.97		As to stumps opp. sta. 70
69	93.09	85.69		7.40	5.52	
70	93.16	83.59		7.57	5.22	
B.	93.81					
71	93.07	85.49		7.58	5.52	
+41	93.03	85.40		7.58		
72	92.02	85.35		7.46	5.46	
73	93.38	85.29		8.09	5.46	
74	92.94	85.19		7.75	5.36	
75	92.20	85.09		7.11	4.76	
76	92.30	84.99		7.31	5.26	

Madison County Ditch Improvement Record.

The A. W. Wilson Ditch Construction

Stake every 100 feet of distance at least	Surface Elevation	Grade Elevation	Total feet from Sta. 0	Entire Depth	Cut.	Course and Distances.	
B.	93.14					Elm snag right.	
+87	91.81	84.90		6.91			
77	92.19	84.89		7.30	4.95		
78	92.86	84.79		8.07	4.75		
79	92.22	84.69		7.53	4.75		
+75	91.09	84.62		7.47			
80	91.61	84.59		7.02	4.59		
81	91.70	84.49		7.21	4.44		
82	91.18	84.39		6.79	4.64		
+85	90.80	84.07		6.73			
83	90.79	84.29		6.50	4.59		
84	91.05	84.19		6.86	4.19		
B	93.21						Elm 75' Right
85	90.70	84.09		6.51	3.69		
86	90.18	83.99		6.20	3.79		
87	89.62	83.89		5.73	3.56		
+46	89.49	83.84		5.65			
88	89.65	83.79		5.86	3.68		
89	89.58	83.69		5.89	3.38		
90	89.37	83.59	9.80	5.78	3.78		
91	89.36	83.39	-26	5.97	3.38		
92	89.17	83.19		5.98	3.48		
B	89.97					Dead Elm Left.	
93	89.01	82.99		6.02	3.60		
94	88.39	82.79		5.60	3.40		
95	88.23	82.59		5.64	2.90		
96	88.29	82.39	11.00	5.90	3.50		
97	87.49	82.19	-26	5.30	3.00		
98	97.44	81.99		5.45	3.30		
99	87.01	81.79		5.22	3.35		
100	87.29	81.59		5.70	3.25		
1	86.59	81.39		5.18	2.75		
2	86.04	81.19		4.85	2.85		
3	86.06	80.99		5.07	3.25		
4	86.17	80.79		5.35	3.15		
5	85.93	80.59	12.80	5.34	2.75		
B	86.16						Fence Post Right
6	85.09	80.29		5.80	2.49		
7	85.37	79.99		5.38	2.99		
8	84.70	79.69		5.01	2.69		
9	84.57	79.39		5.18	2.99		
110	84.38	79.09		5.29	3.19		
1	84.36	78.79		5.57	3.19		
2	84.33	78.49		5.84	3.16		
+71	84.11	78.28		5.83	2.98		
113	83.94	78.19		5.75	3.17		

Madison County Ditch Improvement Record.

The Old Mill Ditch Construction

Report of Engineer							Slope		Schedule "A."
Stake No. 100 feet running down street	Surface Elevation	Grade Elevation	Total feet from Sta. 10	Entire Depth	cut.	low yds.	course and distance.		
114	83.62	77.89		5.73	3.17				
115	81.70	77.59	17.80	4.11	3.07				
116	83.66	77.19		6.47	2.77				
117	82.49	76.79		5.65	2.87				
118	82.00	76.39		5.61	3.54				
B	83.11								End Fence Post.
+43	81.93	76.22		5.71					
119	81.80	75.99		5.81	3.04				
120	81.53	75.59		5.94	2.89				
1	80.53	75.19		5.34	3.14				
2	80.54	74.79		5.75	3.59				
3	81.21	74.39		6.82	3.49				
+20	81.50	74.31		7.19					
4	81.34	73.99		7.35					
B	81.17	73.73							S.W.C. of Culvert
124+65	of new	73.00							
5	79.52	72.86	20.53	6.66	4.56				
6	78.16	72.66		5.50	4.26	190			
7	79.35	72.46		6.89	4.66	143			
8	78.02	72.26		5.76	4.66	153			
130	78.07	71.86	21.53	6.21	4.26	2.37			
1	78.60	71.66		6.94	4.13	128			
2	76.99	71.46		5.53	4.58	138			
3	74.47	71.26		6.21	4.88	160			
+35	78.70	71.19		7.51					
4	76.87	71.06		5.81	4.98	206			
5	77.56	70.86	22.53	6.70	4.68	200			
6	77.21	70.71		6.50	4.43	149			
7	76.89	70.56		6.33	4.28	138			
+85	78.11	70.46		7.65					
8	77.64	70.41		7.23	4.13	129			
9	77.76	70.26		7.50	4.30	129			
140	76.04	70.11		5.93	4.45	139			
1	76.62	69.96		6.66	4.30	139			
B	77.87								Burr Oak Right
2	77.21	69.81		7.40	4.55	142			
3	77.16	69.66		7.50	4.26	441			
+28	77.13	69.62		7.51					
4	75.67	69.51		6.16	4.34	135			
+45	76.78	69.44		7.34					
5	74.65	69.36		5.29	3.99	128			
6	75.84	69.21		6.63	4.24	125			
7	75.95	69.06		5.89	4.29	133			
8	75.28	68.91		6.37	3.64	117			
9	74.48	68.76		5.72	4.23	116			

Madison County Ditch Improvement Record.

The W. W. Wilson Ditch Construction

Report of Engineer:								Slope -		Schedule "A"	
Station 100 feet numbered down stream	Surface Elevation	Grade Elevation	Total fall from Sta. 0.	Centre Depth	Cent.	Length feet	Course and Distance.				
+66	66.61	61.22		5.38							
4	65.96	61.17		4.53	3.66	103					
5	65.98	61.01		4.97	3.62	103					
6	65.73	60.85		4.88	3.38	94					
7	65.07	60.69		4.38	3.24	85					
8	64.82	60.53		4.29	2.70	71					
9	64.78	60.37		4.41	2.86	64					
190	64.18	60.21	33.18	3.97	2.32	57					
1	63.68	59.99		3.69	2.54	51					
2	63.71	59.77		3.94	3.29	70					
192+30	63.99	59.66		4.33							
3	63.74	59.55		4.19	2.31	66					
4	63.88	59.33		4.55	2.23	46					
5	63.26	59.11		4.15	2.35	46					
6	63.12	58.89		4.23	1.97	42					
7	62.66	58.67		3.99	1.39	29					
B	63.02								nail in Gate Post Left.		
8	62.43	58.45		3.98	1.80	16					
9	61.99	58.23		3.76	1.72	9					
200	59.50	58.01		1.49	1.44	7					
1	61.42	57.79		3.63	1.51	5					
2	61.38	57.57		3.81	1.43	5					
3	61.55	57.35		4.20	1.60	6					
4	60.80	57.13		3.67	1.47	6					
5	58.94	56.91		2.03	3.9	4					
+56	59.30	56.80		3.50							
6	58.70	56.69		2.01	11	2					
207	59.40	56.47	36.92	2.93	1.23	3					
							lateral No. 1.		at Sta. 1+60. Nail in Left.		
B	100.00										
0	99.20	96.45		2.75	2.75						
1	99.33	95.95		3.38	3.38						
2	99.00	95.45		3.55	3.55						
3	98.20	94.95		3.25	3.25						
4	97.76	94.45		3.31	3.31						
+65	97.10	94.12		2.98	2.98						
							lateral No. 2		at Sta. 7+10. Begins on land of Jonas Beachy.		
0	97.32	94.64		3.28							
1	98.27	93.96		4.31							
2	98.63	93.88		4.75							
3	99.17	93.80		5.37							
4	99.42	93.72		5.70							
5	99.52	93.64		5.88							

same as depot.

Madison County Ditch Improvement Record.

The W. W. Wilson Ditch Construction

Report of Engineer								Slope	Schedule "A."
Stake every 100 feet marked across stream	Surface Elevations	Grade Elevations	Total fall from Sta. 0.	Bottom Depth	cut	bank yards	Course and Distance.		
6	100.00	93.56		6.44					
7	99.94	93.48		6.46					
8	100.12	93.40		6.72					
9	100.02	93.32		6.70					
10	99.43	93.24	.80	6.19	same as depth.				
11	99.06	93.16		5.90					
B	99.90	-.08						Barron Oak Right.	
12	99.48	93.08		6.40					
13	99.20	93.00		6.20					
14	98.49	92.92		5.57					
+41	98.59	92.89		5.70					
15	97.98	92.84		5.14					
16	97.79	92.76		5.03					
17	97.76	92.68		5.08					
18	97.67	92.60		5.07					
19	97.55	92.52		5.03					
20	97.65	92.44		5.21					
21	97.59	92.36		5.23					
B	98.27							Apple tree S. of main	
22	97.31	92.28		5.03					
23	97.11	92.20		4.91					
+15	97.02	92.18		4.84					
B	98.76							at Sta. 11+72.	
0	98.08	95.08		3.00					
1	98.03	94.58		3.45					
2	97.51	94.08		3.43					
3	97.72	93.58		4.14					
+95	96.49	93.08		3.41					
								Lateral No. 3.	
0	98.11	94.61		3.50					
1	98.48	94.21		4.27					
2	97.80	93.81		3.99					
3	97.63	93.41		4.23					
+38	97.39	93.26		4.13					
4	97.37	93.01		4.36					
5	97.25	92.61		4.64					
6	97.19	92.21		4.98					
+80	95.78	91.79		3.99					
								Lateral No. 4.	
0	97.95	94.95		3.00					
1	97.62	94.55		3.07					
2	98.03	94.15		3.88					
								Lateral No. 5.	
0	97.95	94.95		3.00					
1	97.62	94.55		3.07					
2	98.03	94.15		3.88					

Madison County Ditch Improvement Record.

The W. W. Wilson Ditch Construction

Stake way 100 feet from stream	Surface Elevation	Grade Elevation	Total Fall from Sta. 0.	Bottom Depth	cut.	Course and Distance.
3	97.33	93.75		3.58		
4	97.06	93.35		3.71		
5	97.13	92.95		4.18		
6	97.08	92.55		4.53		
+63	95.38	90.30	2.65	3.08		
						Lateral No. 6.
0	96.58	93.58		3.00		at 21+62
1	96.32	93.18		3.64		
2	96.76	92.78		3.98		
3	96.10	92.68		3.42		
4	95.32	92.28		3.04		
5	95.51	91.88		3.63		
+75	95.52	91.58	2.00	3.94		
						Lateral No. 7
B	98.04					at 31+68
0	97.28	94.28		3.00		
1	97.31	94.03		3.28		
2	97.43	93.78		3.65		
3	97.78	93.53		4.25		
4	97.00	93.28		3.72		
B	99.14					Burr Oak Right.
+59	96.57	93.13		3.44		
5	96.28	93.03		3.25		
6	96.28	92.78		3.50		
7	96.09	92.33		3.56		
8	95.84	91.03		4.81		
+83	95.52	89.80	4.48	5.72		
						Lateral No. 8.
0	96.97	94.30		2.67	2.67	at sta. 33+40
1	97.46	94.05		3.41	3.41	
+80	97.09	93.85		3.24	3.24	
2	97.46	93.80		3.66	2.41	
3	97.60	93.25		4.05	2.56	
B	100.55					
4	95.57	93.30		2.27	2.27	
+80	95.80	93.20		2.60		
5	95.55	93.05		2.50	2.50	
6	96.21	92.75		3.46	2.36	
7	96.87	92.45		4.42	2.56	
+76	96.11	92.23		3.88	2.88	
8	96.86	92.15		4.71	2.74	
9	97.34	91.85		5.49	3.34	
10	96.99	91.55		5.44	3.14	

Madison County Ditch Improvement Record.

The W. W. Wilson Ditch Construction.

Station	100 feet marked distance	Surface Elevation	Grade Elevation	Total Fall from Sta. 0.	Cut Depth	Cut.	Course and Distance.
11		96.58	91.25		5.33	3.44	
12		96.21	90.95		5.26	3.84	
13		97.24	90.65		6.59	3.34	
+83		96.09	90.40	3.90	5.69		
Lateral No. 9							
0		96.81	93.31 .50		3.50		at Sta. 46
B		96.56			2.69		Edge Right
1		95.50	92.81		2.69		
2		95.16	92.31		2.85		
3		95.08	91.81		3.27		
4		95.00	91.31 2.14		3.69		
5		94.85	89.17		5.68		
+21		95.05	88.74	4.57	6.31		
Lateral No. 10.							
B		96.95					at Sta. 49.
0		95.05	91.55 -.20		3.50		Stamp Left.
1		95.24	91.35		3.89		
2		95.53	91.15		4.38		
3		95.83	90.95		4.88		
4		97.75	90.75		5.01		
+28		95.81	90.70		5.11		
5		95.67	90.55		5.12		
+50		95.80	90.45		5.35		
6		95.83	90.35		5.48		
7		95.45	90.15		5.30		
8		95.38	89.95		5.43		
9		95.02	89.75		5.27		
10		94.92	89.55		5.37		
11		94.52	89.35	2.20	5.17		
+30		94.79	89.09		5.70	5.70	
13		95.33	88.95	2.60	6.38	6.38	
+59		94.78	88.83	2.72	5.95	5.95	
Lateral No. 11							
0		94.18	91.28 .15		2.90	2.90	at Sta 57.
1		94.94	91.13		3.81	3.81	
2		96.63	90.98		5.65	3.00	
B		97.78					Back left
+45		95.57	90.91		4.66		
3		95.44	90.83		4.61	2.95	
4		95.51	90.68		4.83	2.90	
5		94.62	90.53		4.09	2.95	
6		94.78	90.38		4.40	2.91	
7		95.48	90.22		5.25	3.16	

Madison County Ditch Improvement Record.

The W. W. Wilson Ditch Construction.

	State way 100 feet numbered down stream	Surface Elevation	Grade Elevation	Point from Sta. 0.	5 cut Depth	cut.	Course & Distance
8		95.17	90.08		5.09	2.71	
9		95.59	89.93		5.66	2.76	
10		93.94	89.78		4.16	3.01	
11		93.96	89.63		4.33	2.56	
12		94.39	89.48		4.91	2.81	
13		93.85	89.33		4.52	3.56	
14		93.88	89.18		4.70	3.41	
B		95.67					
15		95.59	89.03		6.56	3.56	
16		94.42	88.88		5.54	3.81	
17		94.53	88.73		5.80	3.87	
18		94.73	88.58		6.15	3.82	
19		95.04	88.43		6.61	3.57	
20		95.29	88.28		7.01	3.82	
21		95.68	88.13		7.55	3.97	
22		94.99	87.98		7.01	3.92	
23		94.86	87.83		7.03	3.89	
24		94.39	87.68		6.71	3.84	
25		94.20	87.53		6.67	4.19	
26		94.59	87.38		7.21	4.04	
+50		94.75	87.30	3.98	7.45	3.85	
							Lateral No. 12.
0		94.37	90.20		4.17	2.68	
			-20				
1		95.50	90.00		5.50	2.58	
2		96.00	89.80		6.20		
+66		95.87	86.67		6.20		
B		95.75					
3		95.86	89.60		6.26		
+86		95.18	89.41		5.77		
4		95.52	89.40		6.12	2.84	
5		95.10	89.20		5.90	2.56	
6		95.02	89.00		6.02	2.86	
+40		94.66	88.80		5.86		
7		94.59	88.60		5.99	3.06	
+58		94.07	88.48		5.59		
8		93.85	88.40		5.45	1.91	
9		93.86	88.20		5.66	2.81	
+40		92.91	88.12		4.79		
10		93.26	88.00	2.20	5.26	2.47	
			-1.00				
+39		92.11	87.61		4.50		
B		94.41					
11		93.25	87.06		6.25	3.57	
12		93.40	86.00		7.40	4.47	
+42		91.20	85.50	4.70	5.70		
							Lateral No. 13
50		68.81	66.00		2.81		
1		68.96	65.90		3.06		
							at Sta. 188+60

Barely out Right.

at Sta. 75+85.

Large Elm Right

Madison County Ditch Improvement Record.

The W. W. Wilson Ditch Construction.

Stationary 100 feet marked down stream	Surface Elevation	Grade Elevation	Total fall from Sta. 0.	Entire Depth	Cut	Course and Distance.
2	68.76	65.76		3.06		
3	68.51	65.50		3.01		
+60	68.61	65.38		3.23		
4	68.36	65.30		3.06		
5	68.54	65.10		3.44		
6	68.51	64.90		3.61		
+64	68.37	64.77		3.80		
7	68.28	64.70		3.58		
8	68.33	64.50		3.53		
B	68.79					
9	67.78	64.30 -.30	1.70	3.48		
10	67.49	64.00		3.49		
11	67.17	63.70		3.47		
12	66.86	63.40	7.60	3.46		
13	66.83	63.10 -.30		3.73		
14	66.25	62.80		3.45		
15	66.05	62.50		3.55		
16	66.13	62.20		3.93		
17	65.78	61.90		3.88		
+47	65.51	61.76		3.75		
18	65.11	61.60		3.51		
19	64.86	61.30		3.56		
20	64.56	61.00	5.00	3.56		
						Lateral No. 1 of Lateral No. 11. at Sta. 5+36.
B	97.78					Burr Oak Left of 11
0	98.90	95.90		3.00		
1	98.72	94.90 1.00		3.82		
2	98.40	93.90		4.50		
3	95.61	92.90		2.71		
4	94.08	91.90		2.18		
5	95.13	90.90	5.00	4.23		
						Lateral No. 2 of Lateral No. 11. at Sta. 5+72.
B	97.78					Burr oak left of Lat 11.
0	95.50	90.95 -.10		4.55		
1	94.35	90.85		3.50		
+85	94.02	90.77		3.25		
2	94.24	90.75		3.49		
3	95.36	90.65		4.71		
+97	94.59	90.55	40	4.04		
						Lateral No. 3 of Lateral No. 11. at Sta. 9+05
0	99.04	96.53 -.87		2.51		
1	98.18	95.66		2.52		
2	97.54	94.79		2.75		
3	96.79	93.92		2.87		
4	95.93	93.05		2.88		
5	95.41	92.18 -.25	4.35	3.23		

same as depths

same as depths

same as depths

Madison County Ditch Improvement Record.

The O. W. Wilson Ditch Construction.

Station	State way 100 feet numbered from station	Surface Elevation	Grade Elevation	Depth from 1st. 0.	Bottom of ditch	Dist.	Course & Distance.
6		95.79	91.93		3.86		
7		95.51	91.68		3.83		
8		95.16	91.43		3.73		
9		94.46	91.18		3.28		
B		98.04					Wh. out Right.
10		93.76	90.93		2.83		
					-25		
11		94.52	90.68		3.84		
12		94.34	90.43	6.10	3.91		
							Lateral No. 4 of Lateral No. 11. at sta. 11.
0		95.89	91.14		4.75		
1		95.66	91.02		4.64		
2		96.78	90.90		5.88		
3		96.51	90.78		5.73		
+82		96.68	90.69		5.99		
4		96.74	90.66		6.08		
B		98.69					Left out Right
5		98.65	90.54		8.11		
6		96.44	90.42		6.02		
7		93.00	90.30		2.70		
8		93.14	90.18		2.96		
9		93.05	90.06		2.99		
+60		92.95	89.99		2.96		
10		93.88	89.88	1.26	4.00		
							Lateral No. 5 of Lateral No. 11. at Sta. 11.
B		99.14					B out Right of Lat. No. 7.
0		99.19	93.40		3.79		
1		99.12	93.15		3.97		
2		96.93	92.90		4.03		
+85		95.30	92.69		2.61		
3		95.12	92.65		2.47		
4		95.05	92.40		2.65		
+90		95.28	92.30		2.98		
5		95.15	92.15	1.25	3.00		
6		95.29	91.80		3.49		
7		95.30	91.45		3.85		
+61		95.06	91.24		3.82		
8		94.84	91.10		3.74		
9		94.74	90.75		3.99		
10		94.62	90.40		4.22		
11		94.26	90.05		4.21		
+10		93.86	90.00	3.46	3.86		
							Lateral No. 1 of Lateral No. 3 of Lateral No. 11 at Sta. 8.
0		96.52	93.68		2.84		
1		95.72	92.68		3.04		
2		95.16	91.68	2.00	3.48		

as de to the

Madison County Ditch Improvement Record.

The A. W. Wilson Ditch Construction.

Stake every 100 feet marked down station	Surface Elevation	Grade Elevation	Ditch Fall from line.	Cutting Depth	Feet.	Course and Distance.
0	94.59	91.84		2.75		Lateral No. 1 of Lateral No. 4 of Lateral No. 11 at Sta. 10.
1	94.18	91.44		2.74		
2	93.99	91.04		2.95		
3	93.39	90.64		2.75		
+87	93.15	90.29	1.55	2.86		

Report of Engineer.

Schedule "A. A."

Statement of Working Sections of the A. W. Wilson Ditch.

No. of Working Section	No. of Stakes		No. of Linear Feet	No. of Double Yards	Price per yard	Amount		Remarks.
	From	To.				D.	C.	
								Main Ditch
								Open Ditch
1	207	182	2500	1088				
		Add	10%	109				
			Total	1197	16	191	52	
2	182	157	2500	2229				
		Add	10%	213				
			Total	2452	16	392	32	
3	157	132	2500	3268				
		Add	10%	326				
			Total	3594	16	575	04	
4	132	124+65	735	1237				
		Add	10%	123				
			Total	1360		217	60	
								Pile Ditch
5	124+65	100	2465	Peds				
		18" Pile		149.40	4.20	627	48	
		Construction		149.40	1.80	269	64	
			Total			897	12	
6	100	75	2500	151.50				
		18" Pile		151.50	4.20	636	30	
		Construction		151.50	2.00	303	00	
			Total			939	30	
7	75	50	2500					
		18" Pile		109.10	4.20	458	22	
		15" Pile		42.40	2.80	118	72	
		Construction		151.50	2.00	303	00	
			Total			879	94	
8	50	25	2500					
		15" Pile		151.50	2.80	424	20	
		Construction		151.50	2.00	303	00	
			Total			727	20	
9	25	0	2500					
		15" Pile		48.47	2.80	135	71	

Madison County Ditch Improvement Record.

The W. Wilson Ditch Construction

No. of Working Sections	No. of Stakes		No. of Linear Feet	No. of cubic Yds.	Price per Yd.	Amount	
	From	To				D.	C.
		12" Pile		60.60	1.70	103	02
		10" Pile		42.43	1.20	50	92
		Construction		151.50	1.30	196	95
		Total				486	60
10		Lateral No's 1-3-4	2 nd 5 th				
		5" Pile		109.59	35	38	36
		4" Pile		24.00	28	6	72
		Construction		133.59	65	86	83
		Total				131	91
11		Lateral No. 2.					
		10" Pile		140.30	1.30	168	36
		Construction		140.30	1.65	231	50
		Total				399	86
12		Laterals No's 6 th and 7 th					
		5" Pile		88.36	35	30	93
		Construction		88.36	80	70	69
		Total				101	62
13		Lateral No. 8.					
		8" Pile		83.82	80	67	05
		Construction		83.82	60	50	92
		Total				117	97
14		Laterals No. 9 th and 10 th					
		8" Pile		56.42	80	45	14
		5" Pile		25.94	35	9	08
		4" Pile		31.58	28	8	84
		Construction		113.94	1.60	182	30
		Total				245	36
15		Lateral No. 11.					
		12" Pile		93.94	1.70	159	70
		10" Pile		66.66	1.20	80	
		Construction		160.60	1.00	160	60
		Total				400	30
16		Lateral No. 12					
		10" Pile		75.30	1.20	90	36
		Construction		75.30	1.00	75	30
		Total				165	66
17		Lateral No. 13.					
		12" Pile		18.20	1.70	30	94
		8" Pile		54.50	.80	43	60
		5" Pile		26.66	.35	9	33
		4" Pile		18.80	28	5	26
		Construction		118.16	.70	82	71
		Total				171	84
18		Lateral No's 2 nd and 3 rd of Lateral No. 11.					
		5" Pile		42.45	35	14	86
		4" Pile		84.66	28	23	90
		Construction		127.11	50	63	56
		Total				102	12

Madison County Ditch Improvement Record.

The W. W. Wilson Ditch Construction

No. of Working Sections	No. of Stakes		No. of Linear Feet	No. of Poles	Price per Pole	Amount	
	From	To				D.	C.
19	Laterals No. 4 ³ / ₅		4 ³ / ₅	11			
	6"	Pile	63.60	50		31	80
	5"	Pile	40.64	35		14	22
	4"	Pile	26.66	28		7	46
	Construction		130.90	70		91	63
	Total					145	11
20	Lateral No. 1 of 4		1 of 11	11			
	4"	Pile	35.58	28		9	80
	Construction		35.58	40		14	23
	Total					24	03
21	Concrete Wall at Station 124 + 6.5						
	8' x 8' x $\frac{3' x 2}{2}$		2.60			42	00
	Apron 4' x 2' x 1 1/2'		7 yds				
	List of Y's						
	13 -	18 inch x 5 inch					
	2 -	18 " x 6 "					
	1 -	18 " x 10 "					
	1 -	18 " x 12 "					
	17	@ 2 ⁰⁰ each				34	00
	4 -	15 inch x 5 inch					
	2 -	15 " x 8 "					
	6	@ 1.50				9	00
	1 -	12 inch x 10 inch					
	3 -	12 " x 5 "					
	1 -	12 " x 6 "					
	1 -	12 " x 4 "					
	1 -	12 " x 8 "					
	7	@ 1.15 each				8	05
	2 -	10 inch x 5 inch					
	2	10 " x 4 "					
	4	@ .85 each				3	40
	1 -	15 inch x 4 inch @ .30				30	
	1 -	6 " x 4 " @ .30				30	
	Total					55	05
	Recapitulation						
	8603	low. Yards Excavation (open ditch) @ 16¢				1376.48	
	410	Poles 18 inch Pile " 4.20				1727.00	
	242.37	" 15 " " " 2.80				678.63	
	172.74	" 12 " " " 1.70				293.66	
	324.69	" 10 " " " 1.20				389.64	
	194.74	" 8 " " " .80				155.79	
	63.60	" 6 " " " .50				31.80	
	333.64	" 5 " " " .35				116.78	
	221.28	" 4 " " " .28				61.78	
	1963	06 " Pile Construction				2485.86	
		Concrete Protection Wall				42.00	
		Estimate for Y's				55.05	
		Total Estimate				7409.47	

Madison County Ditch Improvement Record.

The A. W. Wilson Ditch Construction

Schedule "B."	Owner's name as found on Duplicate	Survey	Description	Acres owned	Acres benefited	Estimated cost of construction	Estimated cost of location	Total cost apportioned		
	Martha J. Wilson (dowry)	7791	Main Ditch Laterals nos 1-2-3-4-5-6-7-8-9-11 nos 1-2-3-4-5 of Lat. no. 11 Lateral no. 1 of no. 4 of 11 Lateral no. 1 of no. 3 of 11	27.500	95	1867	1474	801941	94	
	Albert W. Wilson	7791	Main Ditch Laterals nos 9-10-11 Lat. no. 4 of no. 11. Lat. no. 1 of no. 3 of no. 11 - grubbing	156.80	95	1387	7255	601443	32	
	Malow S. Yoder	1203	Main Ditch	111.00	50	410	1716	42426	59	
		7791	Laterals nos 7-8-10-12 Grubbing	229.00	50	410	1616	42426	58	
	Jonas P. Beachy	7791	Lateral no. 2	210.53	60	498	9820	00518	98	
	Wm. W. Wilson	5874	Main Ditch	335.	125	555	1522	20577	35	
		8417	West of Pike							
		8590	Laterals nos 12 and 13	126.50	37	164	386	60170	98	
		7075	Open Ditch	13.	13.	57	772	3260	09	
		12038	Grubbing W. of Pike	697	60	750	0030	00780	00	
	Joseph Williamson	12038	Main Ditch	75.	75.	309	3814	82384	20	
		"	"	50.24	35	172	376	91179	28	
		7075	Grubbing	50.	50.	246	259	87256	12	
	W. L. Millikin	8507	Main Ditch	179.52	30	315	0012	61327	61	
		8417	" Open							
		121260	Grubbing							
	W. E. Sherwood	8187	Main Ditch	60.	10.	115	004	6011.9	60	
		8590	" Open" Lateral no. 13							
	Sarah Price Madison County	7075		151.50	10	50	0020	0052	00	
						40	001	6041	60	
			Total			7409	47296	77	7706	24

London Ohio, March 27th 1907

The within report approved as amended.

W. P. Cherrinckle Pres. Commissioners of Madison County.

Jno. E. Roberts

Auditor's Office, Madison County, Ohio.
March 27th A. D. 1906

Schedule "C."

In the matter of Ditch Imp. Petitioned for by A. W. Wilson et al

This improvement shall be made a tile ditch of the main ditch from station to station 124+65 on to the east side of the Middle Pike; also all laterals and spurs shall be

Specifications of the manner of construction.

Madison County Ditch Improvement Record.

The A. H. Wilson Ditch constructed.

constructed, 2 feet wide on bottom with side slopes of $1\frac{1}{2}$ to 1 and to be cut to the depth as shown on the profile, filed herewith and as indicated in schedule "A" of this report: All dirt removed from open ditch shall be taken back not less than 15 feet from the tops of banks and be well spread beyond the 15-foot limit. All trees and brush growing within the limit of the ditch must be removed by grubbing or pulling out. The following sizes of tile will be used in making tile ditches. Main ditch from station 0 to station 7, 10 in. from 7 to 17, 12 in. - 17 to 57, 15 in. - from 57 to 124+65-18 in. Lateral No. 1, 5 in. Lateral No. 2, 10 in. Lateral No. 3, 4 in. Lateral No. 4, 5 in. Lateral No. 5, 5 in. Lateral No. 6, 5 in. Lateral No. 7, 5 in. Lateral No. 8, 8 in. Lateral No. 9, 4 in. Lateral No. 10 from sta. 0 to station 4+28, 5 in. from station 4+28 to station 13+59, 8 in. Lateral No. 11, from station 0 to station 11, 10 in. and from sta. 11 to 26+50, 12 in. Lateral No. 12, 10 in. Lateral No. 13, from sta. 0 to sta. 3+60, 4 in. - from 3+60 to 8, 5 in. from 8 to 17, 8 in. and from 17 to 20, 12 in. Lateral No. 1 of 11, 4 in. Lateral No. 2 of 11, 4 in. Lateral No. 3 of 11 from station 0 to station 5, 4 in. from 5-12, 5 in. Lateral No. 4 of 11, 6 in. Lateral No. 5 of 11, from 0 to 4+40, 4 in. and from 4+40 to 11+10, 5 in. Lateral No. 1 of Lateral 3 of 11, 4 in. Lateral No. 1 of Lateral 4 of 11, 4 in.

The trench for receiving the tile must be cut down to the grade line and on the gradients as shown on the profile filed herewith and as indicated in schedule "A" of this report: the trench must be cut in line from angle to angle and at angle make a curve suitable to pass the angle: In the trenches thus prepared the tile must be evenly laid and closely jointed and enough of dirt placed around them to hold them in place, but must not be covered until after inspection by the engineer in charge of the work after which they shall be covered to a depth sufficient to protect them from injury, by freezing or by tramped by stock, thus leaving a shallow storm ditch over the tile. The contractor for the construction must put in place all γ s and make connections of all laterals old or new, and for any old laterals that have to be taken up more than one rod from main ditch shall be allowed a reasonable compensation. The tile contractor shall furnish any tile required for extending any old laterals and be allowed the current price for same and cost will be charged against the lands where they are used, however this does not bar the land owner from furnishing said tile for extensions if he desires. The brush growing in the line of the trench for tile ditches must be removed by the construction contractor without extra compensation: All brush near trench and within 20 feet of either bank of said ditch shall be removed by the land owners, or same will be let out by contract and done at the expense of the lands on which same are found. An estimate for said cleaning has been made and ascertained to said lands: but if done by land owners said cost will be deducted from such apportionments.

Tile. All tile must be first class drain tile or well selected 2nd class sewer pipe. All tile must be as nearly cylindrical as possible and any warped or crooked tile will be rejected. The estimate for tile and γ s includes delivery on the line of the ditch, each size in

Madison County Ditch Improvement Record.

The W. W. Wilson Ditch Construction

And the board having so fixed and determined said damages, find that said improvement is not of sufficient importance to the public to cause said damages, nor any part thereof, to be paid by the county: it is ordered that said damages be apportioned to and be paid by the benefited land owners.

And it appearing to the board that no appeal has been taken from the order confirming said assessments: it is now and therefore ordered that the 17th day of April, 1907, at 10 o'clock, A.M. of said day be fixed as the time for commencing the sale of the work of constructing said improvement, and that the same be sold at public outcry: the place of said sale is fixed at the county surveyor's office, London, Ohio:

It is also ordered and directed that H. B. McCafferty, County Surveyor, attend at time and place of sale and conduct the same.

It is further ordered that for the purpose of raising money to meet the expense of said improvement that bonds of the county be issued for amounts to be hereinafter determined. Bonds to run five (5) years.

The County Auditor is hereby directed to make and furnish to the Treasurer of the county a special duplicate with the assessments arranged thereon as required by law.

On the question of the adoption of the foregoing orders and findings relating to said ditch improvement, the roll being called, W. P. Chenneth, J. W. Bowers and Jno. E. Roberts voted "Aye."
Board adjourned.

W. P. Chenneth Pres. }
J. W. Bowers } Commissioners
Jno. E. Roberts } of
Madison County.

Auditors Office, Madison County, Ohio.
March 27th 1907.

Order to Sell
the Labor of
Construction.

In the matter of }
Ditch Imps. Petitioned } Order to Sell the Labor of Construction.
for by W. W. Wilson }

This day, this matter came before the Board of Commissioners in adjourned session, present W. P. Chenneth, J. W. Bowers, Jno. E. Roberts and it appearing to the board that no appeal has been taken. It is now and therefore ordered that the 17th day of April 1907, at 10 o'clock A.M. of said day, be fixed as the time for commencing the sale of constructing said improvement, and that the same be sold at public outcry. The place of said sale is fixed at the County Surveyor's Office, London, Ohio, and said sale to commence with the working section constituting the mouth of said improvement, at the hour above named, and from that point to continue to the starting point; each section shall be offered at public outcry until all the sections are offered; said work shall be sold in sections of not less than one hundred nor more than twenty-five hundred feet. And it is also ordered that the Auditor of said county, give notice of sale by circulating handbills.

And it is also ordered and directed that the County Surveyor H. B. McCafferty attend at the time and place of said sale and conduct the same and receive all bids for the construction

Madison County Ditch Improvement Record.

The W. W. Wilson Ditch Construction.

of said work, and that he make contracts with the lowest responsible bidder and take good and sufficient bonds for the labor of said improvement conditioned for the faithful performance of said contract so to be made, and for the completion of the work within the time fixed by the contract, and for all damage which may occur by reason of failure to complete the same within the time stipulated in said contract, in a sum not less than double the estimated value of the work and labor of constructing the portion bid off by said contracting party.

W. P. Schenck

President of Board of Commissioners

J. J. Schaffer,
County Auditor.

Notice to Contractors.

Ditch Sale.

The undersigned, County Surveyor, will sell at public outcry to the lowest and best bidder, on Wednesday, April 17, 1907, at 10 o'clock A. M., at the County Surveyor's office in the Court House, London, Ohio, the work of furnishing all the necessary material and labor for constructing the W. W. Wilson Ditch, located in Lawrence Township, Madison County, Ohio, and about 7 miles north of West Jefferson. Said work will be sold in sections as follows:

Main Ditch - Open.

Section 1.	From Station 207 to Station 182.	
	1197 cubic yards Excavation at 16¢ per cubic yard	\$ 191 52
Section 2.	From Station 182 to Station 157.	
	2452 cubic yards Excavation at 16¢ per cubic yard	\$ 392 32
Section 3.	From Station 157 to Station 132.	
	3594 cubic yards Excavation at 16 ⁰⁰ ¢ per cubic yard	\$ 575 04
Section 4.	From Station 132 to Station 124+65.	
	1360 cubic yards Excavation at 16¢ per cubic yard	\$ 217 60
	Total	\$ 1376 48

Main Ditch - Pile Ditch.

Section 5.	From Station 124+65 to Station 100.	
	149.40 rods 18 inch Pile at \$4.20 per rod	\$ 627 48
	149.40 rods Construction at \$1.80 per rod	269 64
	Total	\$ 897 12
Section 6.	From Station 100 to Station 75.	
	151.50 rods 18 inch Pile at \$4.20 per rod	\$ 636 30
	151.50 rods Construction at \$2.00 per rod	303 00
	Total	\$ 939 30
Section 7.	From Station 75 to Station 50.	
	109.10 rods 18-inch Pile at \$4.20 per rod	\$ 458 22
	42.40 rods 15 inch Pile at \$2.80 per rod	118 72
	151.50 rods Construction at \$2.00 per rod	303 00
	Total	\$ 879 94
Section 8.	From Station 50 to Station 25.	
	151.50 rods 15 inch Pile at \$2.80 per rod	\$ 424 20
	151.50 rods Construction at \$2.00 per rod	303 00
	Total	\$ 727 20
Section 9.	From Station 25 to Station 0.	
	48.47 rods 15 inch Pile at \$2.80 per rod	\$ 135 71

Madison County Ditch Improvement Record.

The Old Mill Ditch Construction

	60.60 rods 12 inch Pile at \$1.90 per rod	103 02
	42.43 rods 10 inch Pile at \$1.20 per rod	50 92
	151.50 rods Construction at \$1.30 per rod	196 95
	Total	\$ 486 60
	Laterals Nos. 1, 3, 4 and 5.	
Section 10.	109.59 rods 5 inch Pile at 35c per rod	\$ 38 36
	24.00 rods 4 inch Pile at 28c per rod	6 72
	133.59 rods Construction at 65c per rod	86 83
	Total	\$ 131 91
	Lateral No. 2.	
Section 11.	140.30 rods 10 inch Pile at \$1.20 per rod	\$ 168 36
	140.30 rods Construction at \$1.65 per rod	231 50
	Total	399 86
	Laterals Nos. 6 and 7.	
Section 12.	88.36 rods 5 inch Pile at 35c per rod	\$ 30 93
	88.36 rods Construction at 80c per rod	70 69
	Total	101 62
	Laterals No. 8.	
Section 13.	83.87 rods 8 inch Pile at 80c per rod	\$ 67 05
	83.87 rods Construction at 60c per rod	50 92
	Total	\$ 117 97
	Laterals Nos. 9 and 10.	
Section 14.	56.42 rods 8 inch Pile at 80c per rod	\$ 45 14
	25.94 rods 5 inch Pile at 35c per rod	9 08
	31.58 rods 4 inch Pile at 28c per rod	8 84
	113.94 rods Construction at \$1.60 per rod	182 30
	Total	\$ 245 36
	Lateral No. 11.	
Section 15.	93.94 rods 12 inch Pile at \$1.70 per rod	\$ 159 70
	66.66 rods 10 inch Pile at \$1.20 per rod	80 00
	160.60 rods Construction at \$1.00 per rod	160 60
	Total	\$ 400 30
	Lateral No. 12.	
Section 16.	75.30 rods 10 inch Pile at \$1.20 per rod	\$ 90 36
	75.30 rods Construction at \$1.00 per rod	75 30
	Total	\$ 165 66
	Lateral No. 13.	
Section 17.	18.20 rods 12 inch Pile at \$1.70 per rod	\$ 30 94
	54.50 rods 6 inch Pile at .50c per rod	27 25
	26.66 rods 5 inch Pile at 35c per rod	9 33
	18.80 rods 4 inch Pile at 28c per rod	5 26
	118.16 rods Construction at 70c per rod	82 71
	Total	\$ 155 49
	Laterals Nos. 1, 2 and 3 of Lateral No. 11.	
Section 18.	42.45 rods 5 inch Pile at 35c per rod	\$ 14 86
	84.66 rods 4 inch Pile at 28c per rod	23 70
	127.11 rods Construction at 50c per rod	63 56
	Total	\$ 102 12
	Laterals Nos. 4 and 5 of Lateral No. 11.	

Madison County Ditch Improvement Record.

The D. W. Wilson Ditch Construction.

Section 19.	63.60 rods 6 inch Pile at 50c per rod	\$31 80
	40.64 rods 5 inch Pile at 35c per rod	14 22
	26.66 rods 4 inch Pile at 28c per rod	7 46
	130.90 rods construction at 70c per rod	91 63
	Total	\$145 11

Laterals Nos. 1 of No. 4 of No. 11 and No. 1 of No. 3 of No. 11.

Section 20.	35.58 rods 4 inch Pile at 28c per rod	\$9 86
	35.58 rods construction at 40c per rod	14 23
	Total	\$24 09

Concrete Wall at Station 124+65.

Section 21.	7 cubic yards first class concrete Masonry at \$6.00 per yard	\$ 42 00
	List of Ys.	\$ 43 66

13-18-inch x 5-inch	} 17 at \$2.00 each \$34.00	1-12 inch x 10 inch	} 7 at \$1.15 each \$8.05
2-18-inch x 6-inch		3-12 inch x 5-inch	
1-18-inch x 10-inch		1-12 inch x 6-inch	
1-18-inch x 12-inch		1-12 inch x 4-inch	
4-15-inch x 5-inch		1-12 inch x 8-inch	
2-15-inch x 8-inch	6 at \$1.50 each \$9.00	2-10-inch x 5-inch	4 at \$85 each \$3.40
	\$43.00	2-10-inch x 4-inch	
		1-5-inch x 4-inch at 30c	30
		1-6-inch x 4-inch at 30c	30

Recapitulation.

	Total	\$55 05
860.3 cubic yards Excavation (open ditch) at 16c		\$1,376 48
410 rods 18 inch Pile at \$4.20		1722 00
242.37 rods 15 inch Pile at \$0.80		678 63
172.74 rods 12 inch Pile at \$1.70		293 66
324.69 rods 10 inch Pile at \$1.20		389 64
140.24 rods 8 inch Pile at 80c		112 19
118.10 rods 6 inch Pile at 50c		59 05
333.64 rods 5 inch Pile at 35c		116 78
221.28 rods 4 inch Pile at 28c		61 78
1963.06 rods Pile Construction		2,485 86
Concrete Protection Wall		42 00
Estimate for Ys.		55 05
	Total Estimate	\$7,393 12

Work to begin at once on the open ditch and said open ditch to be fully completed on or before August 1, 1907. - The delivery of the tile to begin within five days after written notice of the engineer to the tile contractor, and such delivery of tile and Ys must be made in sufficient amounts so as not to delay the contractor for the construction of the tile ditch. Any delay so caused will be estimated by the engineer and paid to the contractor for construction of the tile ditch and the amount deducted from the tile contract at time of settlement. This also applies to any faulty delivery of tile. - The contractor for construction of tile ditches must begin work within five after written notice from the engineer, with such force as the engineer may deem sufficient for as early a completion of the work as possible. - The time for the completion of the tile construction is set for January 1, 1908.

Bidders are required to deposit \$50 cash, (no checks or orders taken) as a

Madison County Ditch Improvement Record.

See A. W. Wilson Ditch Construction

guarantee of good faith, before any bid will be received. Specifications are now on file at the office of the Auditor of Madison County, Ohio. The right is reserved to reject any and all bids.

By order of the County Commissioners
J. J. Shaffer,
County Auditor.

H. L. McCafferty,
County Surveyor.
Auditor's Office, Madison County, Ohio.
April 17th, 1907

Report of Sale of the Labor of Construction.

In the matter of }
Ditch Imp. Petitioned }
for by A. W. Wilson } Report of Sale of the Labor of Construction.

To the Honorable Commissioners of Madison County, Ohio:

Gentlemen: In obedience to your direction and also in pursuance of the notice duly given by the Auditor of the sale of the work of constructing the above styled improvement, at the time and place therein specified, I offered the said several working sections for sale to the lowest responsible bidder at public outcry and sold the same to the persons hereinafter named, at the prices herein stated, and took their contracts and bonds respectively conditioned according to law, and return the same herewith for your approval.

no. of Working Section.	To Whom Sold.	Unit for which it sold.	Unit estimated.	When to be completed
10-20	Wautwell Bros.	\$ 1207.66		January 1, 1908.
5, 6, 7, 8, 9, 21	Thomas Braggan	14 17.59		" "
	Contract for Pile.			
	Monroe Bidwell	930.00		January 1, 1908.

Auditor's Office, Madison County, Ohio.
April 17th A. D. 1907.

Contract for Labor of Construction.

In the matter of }
Ditch Imp. Petitioned }
for by A. W. Wilson } Contract for Labor of Construction.

Whereas, The above styled improvement has been duly ordered, and advertised for sale according to law, and the construction of Working Sections nos. 10 to 20 inclusive of 1207.66 Pds. was sold by the County Surveyor, on the 17th day of April 1907, to the undersigned for \$1207.66 Dollars, pursuant to said order and notice. Now, in consideration of the premises, it is agreed by me, to and with whomsoever may be interested therein, that I will do and perform all the labor of constructing said improvement in accordance with the specifications for constructing the same, as shown in the record of the proceedings thereof, the same to be completed on or before the 1st day of January 1908; Provided, however, this contract shall be of no force and effect until approved by the Board of Commissioners of Madison County, Ohio.

H. L. McCafferty,
County Surveyor.

Wautwell Bros.
Contractor.
Auditor's Office, Madison County, Ohio.
April 17th A. D. 1907.

Contractor's Bond for Labor of Construction.

In the matter of }
Ditch Imp. Petitioned }
for by A. W. Wilson } Contractor's Bond.

Know all men by these Presents, That Wautwell Bros. as principals

Madison County Ditch Improvement Record.

The A. W. Wilson Ditch Construction.

and Eben W. Bidwell, and Monroe Bidwell as sureties, are firmly held and bound unto the State of Ohio, in the penal sum of Twenty Four Hundred & Fifteen $\frac{3}{4}$ $\frac{3}{100}$ Dollars, good and lawful money.

Signed and dated this 17th day of April 1907.

The condition of the above obligation is such, however, that whereas, the above bounden principal contractor has bid off the labor of constructing Working Section No. 10 to 20 inclusive, has duly entered into the annexed account, subject to the condition that the same shall be approved by the Commissioners of said Madison County, and has agreed to fully do and perform all labor of constructing said improvement in accordance with the plans and specifications of said improvement, as shown on the record of said proceedings, on or before the 1st day of January, 1907.

Now, if the said Leutwell Bros. shall well and truly perform all the obligations of his said contract and complete the same within the time fixed by said contract and pay all damages which may accrue by reason of a failure to complete the same within the time agreed upon in said contract, and pay for all labor and material and for all debts incurred in the performance of this contract, then this obligation shall be void, otherwise to be in full force and effect in law.

Leutwell Bros.

Monroe Bidwell

Eben W. Bidwell

This contract and Bond, and Sureties on said Bond approved this 17th day of April 1907.

N. S. Mc Cafferty,
County Surveyor.

W. P. Schenck,
President of Board of Comrs.
Auditor's Office, Madison County, Ohio.
April 17. A. D. 1907.

Contract for Drain Pile.

In the matter of }
Ditch Imp. Petitioned }
for by A. W. Wilson. } Contract for Drain Pile.

Whereas, The above styled improvement has been duly ordered and advertised for sale according to law, and the furnishing of tile sold by the County Surveyor, on the 17 day of April, 1907, to Monroe Bidwell, Now, in consideration of the premises, it is agreed by me, to and with whomsoever may be interested therein, that I will furnish 172.74 rods of 12 inch, and 324.69 rods of 10 inch Drain Pile, 140.24 rods of 8 inch - 118.10 rods 6"; 333.64 rods 5 inch; 221.28 of 4 inch and 7 - 12" Y's; 4 - 10" Y's; 1 - 5" Y's; 1 - 6" Y's; for the sum of \$930.⁰⁰, delivered on line of above styled improvement in lots sufficient to keep ahead of ditches, the same to be delivered on or before the 1st day of January, 1908; provided this contract shall be of no force and effect until approved by the Board of Commissioners of Madison County, Ohio.

N. S. Mc Cafferty,
County Surveyor.

Monroe Bidwell
Contractor.

Contractor's Bond for Drain Pile.

Auditor's Office, Madison County, Ohio.
April 17th A. D. 1907.

In the matter of Ditch Improvement }
Petitioned for by A. W. Wilson }

Madison County Ditch Improvement Record.

The W. W. Wilson Ditch Construction.

Know all men by These Presents, That Monroe Bidwell as principal and Eben W. Bidwell and Ed. Cantwell as sureties are jointly held and bound unto the State of Ohio, in the penal sum of Eighteen Hundred and Sixty Dollars, good and lawful money.

Signed and dated this 17 day of April, 1907.

The condition of the above Obligation is such, however, that whereas, the above bonded principal contractor has bid off the furnishing and delivering the Drain Pipe for constructing Working Section No. —, has duly entered into the annexed contract, subject to the condition that the same shall be approved by the Commissioners of said County.

Now, if the said Monroe Bidwell shall well and truly perform all the obligations of his said contract and complete the same within the time fixed by said contract and pay all damage which may occur by reason of a failure to complete the same within the time agreed upon in said contract, then this obligation shall be void, otherwise to be in full force and effect in law.

Monroe Bidwell
Eben W. Bidwell
Ed. Cantwell

This contract and Bond, and Sureties on said Bond approved this 17 day of April, 1907.

H. D. McCafferty
County Surveyor.

W. P. Sheenworth
President of Board of Commissioners,
Auditor's Office, Madison County,
London, Ohio, Apr. 17th A. D. 1907.

Contract for
Labor of Con-
struction.

In the matter of Ditch Improvement } Contract for Labor of Construction.
Petitioned for by W. W. Wilson.

Whereas, The above styled improvement has been duly ordered, and advertised for sale according to law, and the construction of Working Sections, Nos. 5-6-7-8-9-21 of 755.40 Rods allotted to several land owners of the following described land, viz: (as per report,) and sold by the duly appointed Engineer, on the 17 day of April A. D. 1907, to the undersigned for Fourteen Hundred & Seventeen & 5/100 Dollars, pursuant to said order and notice, now, in consideration of the premises, it is agreed by me, to and with whomsoever may be interested therein, that I will do and perform all the labor of constructing said improvement, in accordance with the specifications for constructing the same, as shown in the record of the proceedings thereof, the same to be completed on or before the first day of January A. D. 1908, provided this contract shall be of no force and effect until approved by the Board of Commissioners of Madison County, Ohio.

H. D. McCafferty, Engineer.

Thomas Braumon, Contractor,
Auditor's Office, Madison County,
London, Ohio, Apr. 17th A. D. 1907.

Contractor's
Bond.

In the matter of Ditch Improvement } Contractor's Bond.
Petitioned for by W. W. Wilson

Know all men by These Presents, That Thomas Braumon as principal and as sureties, are jointly held and bound unto the State of Ohio, in the penal sum of Twenty Eight Hundred & Thirty Five & 1/100 Dollars, good and lawful money.

Madison County Ditch Improvement Record.

The W. W. Wilson Ditch Improvement.

Signed and dated this 17th day of April A. D. 1907.
 The condition of the Above Obligation is such, however, that whereas, the above bonded principal contractor has bid off the labor of constructing Working Sections Nos. 5-6-7-8-9-21, has duly entered into the annexed contract, subject to the condition that the same shall be approved by the Commissioners of said Madison County, and has agreed to fully do and perform all labor of constructing said improvement in accordance with the plans and specifications of said improvement, as shown on the record of said proceedings, on or before the 1st day of January, A. D. 1908. Now, if the said Thomas Brauman shall well and truly perform all the obligations of his said contract and complete the same within the time fixed by said contract, and pay all damage which may occur by reason of a failure to complete the same within the time agreed upon in said contract, then this obligation shall be void, otherwise to be in full force and effect in law.

Thomas Brauman,
 E. L. Brennan

Frank H. Gallagher

This Contract and Bond, and Securities on said Bond approved this 17th day of April A. D. 1907.

H. L. Mc Cafferty, Engineer. W. P. Lohmuth, Pres. Board of Comrs. Madison Co. O.
 London, Ohio, April 17th, 1907.

To the Auditor of Madison County, Ohio:

You will pay to Leonard Morgan the sum of \$614.64 on estimates issued by the County Surveyor. The amount being for the construction of

Section No. 5. = \$ 269.64.
 Section No. 6 = 303.00
 Concrete Bulkhead 42.00

Total \$ 614.64.

I hereby release to said Morgan all my interest in this part of the W. W. Wilson county ditch.

Signed in presence of
 H. L. Mc Cafferty
 W. P. Rainey

Thomas Brauman
 Filed, April 19th 1907.
 J. J. Shaffer, Auditor.

Approval of Contract
 Bonds of Cantwell
 Bro. Thomas Brauman, Ditch Imps. Petitioned
 Morrow Bidwell for by W. W. Wilson et al.

Commissioner's Office, Madison County
 London Ohio, April 17th 1907.
 Approval of Contracts & Bonds of Cantwell Bros.
 Thomas Brauman & Morrow Bidwell.

H. L. Mc Cafferty, the County Surveyor, having made his report of the sale of the work of construction of the above styled improvement, and having within the time required by law filed the contracts entered into with Cantwell Bros. for the labor of construction of working sections 10 to 20 inclusive Thomas Brennan for the labor of construction of working sections nos. 5, 6, 7, 8, 9 & 21 Morrow Bidwell for furnishing tile, and the bonds of said contractors which contracts and bonds have all been examined and approved by this board and they are ordered filed according to law.

And the county auditor is directed to notify said contractors of the approval of said contracts and bonds and they are required to comply therewith.

Madison County Ditch Improvement Record.

The A. W. Wilson Leasery Ditch Construction

On roll call on approval of the foregoing entry relating to said contracts and bonds W. P. Cheever, J. W. Bowers, Jno. E. Roberts voted "Aye."
Recorded April 23, 1907.

J. J. Shaffer, County Auditor.

Ditch Sale.

(See order below)

Ditch Sale: Notice to Contractors.

The undersigned, County Surveyor, will sell at public outcry, to the lowest and best bidder, on Wednesday, May 1, 1907, at 10 o'clock A.M., at the County Surveyor's Office in the Court House, London, Ohio, the construction of the following sections of the A. W. Wilson ditch, located in Lucas Township, Madison County, Ohio, and about seven miles north of West Jefferson. Said work is open work and will be sold in sections as follows:

Section 1. Station 207 to Station 182.	1197 cubic yards Excavation at 19¢.	\$ 276 43
Section 2. Station 182 to Station 157.	2452 cubic yards Excavation at 19¢.	465 88
Section 3. Station 157 to Station 132	3594 cubic yards Excavation at 19¢.	682 86
Section 4. Station 132 to Station 124+65.	1360 cubic yards Excavation at 19¢	258.40
All open ditch.		Total \$1,633 57

Work to begin at once on the open ditch and said open ditch to be fully completed on or before August 1, 1907.

Bidders are required to deposit \$25. cash (no checks or orders taken) as a guarantee of good faith, before any bid will be received.

Specifications are now on file at the office of the Auditor of Madison County, Ohio.

The right is reserved to reject any or all bids.

By order of the County Commissioners.

J. J. Shaffer, County Auditor.

H. S. McCafferty, County Surveyor,
Commissioner's Office, Madison County,
London, Ohio, April 22, 1907.

Order to Eng. to re-advertise sale of open ditch.

In the matter of Ditch Imps. Petitioned for by A. W. Wilson

Order to Engineer to re-advertise sale of open ditch.

The board having heretofore ordered the sale of the work of constructing the above styled improvement and H. S. McCafferty, the engineer appointed to attend to said sale and conduct the same, having offered the ditch for sale at public outcry at the time and place mentioned in said order and said engineer having reported to this board that no bids were received on open ditch at or below the estimate, and it appearing that the engineer has estimated the cost of the open ditch too low. It is now and hereby ordered that the engineer re-estimate the cost of construction of open ditch and re-advertise the same for sale on May 1, 1907, at 10 o'clock A.M.

On roll call on the approval of the foregoing entry, W. P. Cheever, J. W. Bowers, and Jno. E. Roberts voted "Aye."

(See Page 460)

Bond Sale.

For bond sale see Page 5 of Commissioners' Journal. Vol. 10.