

Madison County Ditch Improvement Record.

Record of

E. B. Egler

Ditch Improvement No.

So. Solon Ohio Dec 1st A.D. 1894

To the Honorable Board

of Commissioners of
Madison County OhioPetition for Establishment and
Location of a ditch

The undersigned owners of lots and lands which will be drained and benefitted by the improvement herein prayed for, hereby make application to your honorable body, and now file with the Auditor of said county this their petition and now and hereby pray for the location and construction of a ditch on the route hereinafter set forth.

The necessity for and the benefits of the Establishment and Location of said ditch is that it will drain and reclaim the lands along the line thereof and adjacent thereto and will promote the public health convenience and welfare. The following is the beginning route and termini of said proposed improvement to wit:

Commencing at a point about 50 rods N.W. from the west line of John L. Moon & East line of the lands of Seymour Harold in an old ditch running thence with said old ditch in a S. E. direction through the lands of Seymour Harold to the lands of John L. Moon, thence S. E. through the lands of John L. Moon to the lands of Lewis Bogarth thence S. across the Federal Pike thence S. W. through the lands of Wm L. Thomas thence S. W. through the lands of Malinda Thomas and Dan Thomas thence S. West across the township road thence S. W. through the lands of Saml Kralick thence S. E. through the lands of Joseph Thomas Agt. thence E. across the township road thence S. E. through the lands of Malinda and Dan Thomas, thence S. E. through the lands of Joseph Thomas thence in an easterly direction through the lands of Lizze Moon to where said old ditch empties into sugar creek and terminating at said creek.

We further pray that all laterals to the above described ditch be surveyed and located wherever needed we also pray for the deepening and relocating of a lateral of said ditch already located by the township trustees, said lateral beginning at a point on the south line of the lands of E. B. Egler and north line of the lands of Angeline Woolley in an old ditch running S. W. through the lands of Angeline Woolley to the lands of Wm L. Thomas thence S. W. through the land of Wm L. Thomas, thence S. through the land of Joseph Thomas to the above described Main ditch and terminating at said ditch

We also pray for the complete titling of said lateral.

Madison County Ditch Improvement Record.

Record of

E. B. Eyles

Ditch Improvement No.

Bond

Know all men by these Presents that E. B. Eyles as principal and Lewis Bozarth and Joseph Thomas as sureties are held and firmly bound unto the state of Ohio in the penal sum of Two hundred dollars good and lawful money for which we bind ourselves and our heirs, executors and administrators.

Signed by us and dated this 1st day of December A.D. 1894.

The condition of the above obligation is such however, that whereas on the 1st day of Dec. A.D. 1894 the above bounden E. B. Eyles et al. made application to the commissioners of Madison county and on said day filed with the Auditor of said county a petition for the location and construction of a ditch in pursuance of the statute in such case made and provided on the following route and termini to wit: Commencing at a point about 50 rods N.W. from the west line of John L. Moon and E. line of the lands of Seymour Harold in an old ditch running thence with said old ditch in a S. E. direction through the lands of Seymour Harold to the lands of John L. Moon thence S. E. through the lands of John L. Moon to the lands of Lewis Bozarth thence South through the lands of Lewis Bozarth thence south across the Federal Pike, thence S. W. through the lands of M. D. Thomas thence S. W. through lands of Malinda and Dan Thomas, thence S. W. across the township road thence S. W. through the lands of Samuel Fralick thence S. E. through the lands of Joseph Thomas agt. thence E. across the township road thence S. E. through the lands of Malinda and Dan Thomas, thence S. E. through the lands of Joseph Thomas thence in an Easterly direction through the lands of Lizzie Moon to where said old ditch empties into Sugar Creek and terminating at said creek. We further pray that all laterals to the above described ditch be surveyed and located wherever needed. We also pray for the deepening and straightening of a lateral of said ditch already located by the Jp. Trustees said lateral beginning at a point on the S. line of the lands of E. B. Eyles and N. line of the lands of Angelina Woosley in an old ditch running S. W. through the lands of Angelina Woosley to the lands of M. D. Thomas, thence S. W. through the lands of M. D. Thomas, thence S. through the lands of Joseph Thomas to the above described main ditch. terminating at said ditch. We also pray for the complete tiling of said Laterals and for the tiling of the aforesaid Main ditch from the starting point or head to the terminus at Sugar Creek.

Now if the above bounden E. B. Eyles Lewis Bozarth

Madison County Ditch Improvement Record.

Record of

E. B. Eyer
 and Joseph Thomas shall pay all cost if the prayer of
 said petition be not granted or if for any other cause
 the same shall be dismissed then this obligation shall
 be void.

Ditch Improvement No.

E. B. Eyer
 Lewis Bozarth
 Joseph Thomas

The above bond and the
 sureties thereon are approved
 by me this the 4 day of
 December A.D. 1894

W. D. Wilson
 County Auditor

Auditors Office Madison County
 Dec. 5th A. D. 1894

In the matter of Ditch
 Improvement Petitioned } Notice to Commissioners
 for by E. B. Eyer et al. } of filing of Petition

To the Honorable Board of Commissioners of
 Madison county Ohio:

You are hereby notified that on the 4th day
 of December E. B. Eyer and others filed a petition in this
 office praying for the location and construction of a ditch
 a copy of which said petition is given below and as
 required by statute in such cases made and provided I
 have fixed the 22 day of December A.D. 1894 for the hearing
 of the same.

W. D. Wilson
 Auditor of said county.

Copy of Petition
 So Solon Ohio
 Dec. 1st A. D. 1894

To the Honorable Board of
 Commissioners Madison Co. O. } Petition for Location and
 Construction of a ditch

The undersigned owners of lots and lands which
 will be drained and benefitted by the improvement herein prayed
 for hereby make application to your honorable body and now
 file with the Auditor of said county, this, their and now
 and hereby pray for the location and construction of a ditch
 on the route hereinafter set forth. The necessity for and
 the benefits of the location and construction of said ditch
 is that it will drain and reclaim the lands along the line

Madison County Ditch Improvement Record.

Record of

Ditch Improvement No.

E. B. Eyles

thereof and adjacent thereto and will promote the public health convenience and welfare.

The following is the beginning route and termini of said proposed improvement to wit
 Commencing: at a point about 50 rods N.W. from the West line of John L. Moon and East line of the land of Seymour Harrold in an old ditch running thence with said old ditch in a S. E. direction through the lands of Seymour Harrold to the lands of John L. Moon, thence S. E. through the lands of John L. Moon to the lands of Lewis Bozarth thence S. through the lands of Lewis Bozarth, thence S. across the Federal Pike thence N.W. through the lands of W. D. Thomas, thence S. W. through the lands of Malinda and Dan Thomas thence S. W. across the township road thence S. W. through the lands of Samuel Goralick, thence S. E. through the lands of Joseph Thomas Agt. thence across said township road thence S. E. through the lands of Malinda and Dan Thomas thence S. E. through the lands of Joseph Thomas, thence in an easterly direction through the lands of Lizzie Moon to where said old ditch empties into Sugar Creek and terminating at said creek. We further pray that all lateral to the above described ditch, be surveyed and located wherever needed.

We also pray for the deepening and straightening a lateral of said ditch already located by the township trustees said lateral beginning at a point in the S. line of the lands of E. B. Eyles and N. line of the lands of Angelina Woosley in an old ditch running S. W. through the lands of A. Woosley to the lands of W. D. Thomas thence S. W. through the lands of W. D. Thomas, thence S. through the lands of Joseph Thomas to the above described Main ditch terminating at said ditch. We also pray for the complete tiling of said laterals and for the tiling of the above described Main ditch from the starting point or head to the terminus at Sugar creek.

The names of all persons either public or private who in the petitioners ^{opinion} are in anyway affected or benefitted thereby are as follows.

Seymour Harrold

John L. Moon

Lewis Bozarth

William D. Thomas

Samuel Goralick

Malinda and Dan Thomas

Joseph Thomas

"

"

Agt. Wm and Mrs Shockley Cheney Smith's

Children heirs of Jos. Stroup

Lizzie Moon

Lewis Brock

Antinesia Smith

E. B. Eyles

Angelina Woosley

Added by Lewis

Madison County Ditch Improvement Record.

Record of

E. B. Eyles

Ditch Improvement No.

Auditors Office Madison County Ohio
Dec. 6th A.D. 1894

In the matter of Ditch Improvement petitioned for by E. B. Eyles et al. } copy of Notice to lot or land owners

To the lot or land owners and to the corporations either public or private affected by said Improvement.

You and each of you are hereby notified that on the 4th day of December A.D. 1894 E. B. Eyles and others filed a petition with the Auditor of Madison county the prayer of which is for the location and construction of a ditch on the following starting point, route and terminus to wit: Commencing at a point about 50 rods N. W. from the west line of John L. Moon and east line of the land of Seymour Harrold, in an old ditch, running thence with said old ditch, in a S. E. direction through the lands of Seymour Harrold, to the lands of John L. Moon; thence S. E. through the lands of John L. Moon to the lands of Lewis Bozarth, thence S. through the lands of Lewis Bozarth; thence S. across the federal Pike; thence S. W. through the lands of W. D. Thomas; thence S. W. through the lands of Malinda Thomas and Dan Thomas; thence S. W. across the township road; thence S. W. through the lands of Saml Goralick; thence S. E. through the lands of Joseph Thomas; thence east across the township road; thence S. E. through the lands of Malinda Thomas and Dan Thomas; thence S. E. through the lands of Joseph Thomas, thence in an easterly direction through the lands of Lizzie Moon to where said old ditch empties into Sugar creek.

Petitioners also pray for the deepening and relocating of a lateral to said ditch already located by the township trustees Said lateral beginning at a point on the S. line of the lands of E. B. Eyles and N. line of the land of Angeline Woosley in an old ditch running S. W. through the lands of Angeline Woosley to the lands of W. D. Thomas; thence S. W. through the lands of W. D. Thomas, thence S. through the lands of Joseph Thomas to the above described Main ditch.

All of said proposed ditch to be tiled
You are also notified that the following time and place have been fixed when and where the commissioners of said county will meet for the hearing of said petition: to wit at beginning point of said ditch on Saturday Dec 22nd 1894 at 9 o'clock A. M. for the purpose of hearing any and all proof whether the said ditch will be conducive to the public health convenience and welfare and whether the route described is the best route and any and all objections to said improvement
W. D. Wilson
Auditor

Madison County Ditch Improvement Record.

Record of

E. B. Eyles

Ditch Improvement No.

State of Ohio.

Madison Co. S.S. } Proof of personal notice

On this 17th day of December A. D. 1894 personally came E. B. Eyles who being duly sworn according to law, deposes and says that on the days hereinafter named, he served the annexed notice on the persons hereinafter named by delivering to each person opposite whose name appears D. a true copy of the annexed notice with the duplicate of the tabular statement hereto attached, and on those opposite whose name appears R. by leaving the the same with the duplicate of the tabular statement, hereto attached, at their usual place of residence.

John L. Moon R. Dec 8th 1894

Lewis Bozarth D " " "

Daniel Thomas R. " " "

Seymour Harold R. " " "

Joseph Thomas D. " " "

Samuel Fralick D. " " "

Wm D. Thomas D. " " "

E. B. Eyles D. " " "

Artmesia Smith D. " " "

Lewis Brock D. " " "

Lizzie Moon " " "

Angelina Woodley " " "

William Thomas " " "

and further this deponent sayeth not
E. B. Eyles

Sworn to by E. B. Eyles before me and by him subscribed in my presence this 17 day of December A. D. 1894

D. B. Thomas

J. P.

Auditors Office Madison County

London Ohio Dec 6th 1894

To H. L. McCafferty County Surveyor A. petition having been filed by E. B. Eyles et al. for the location and construction of a county ditch, (see petition for description route) The Auditor having fixed Saturday the 22nd day of Dec 1894 at 9 o'clock A. M. at the beginning of said improvement as the time and place for hearing said matter and the board direct you to be present at said time and place to assist in the view of said improvement

By order of the Board

N. D. Wilson
Auditor

Madison County Ditch Improvement Record.

Record of

E. B. Eyles

Ditch Improvement No.

Commissioner's Office Madison county
London Ohio Dec. 24th 1894Commissioners met to day pursuant to adjournment
of Dec. 22nd Present M. L. Rea James Withrow and F. Lilly

In the matter of the Ditch petitioned for by E. B. Eyles and others	Hearing on petition.
---	----------------------

The county Auditor having given due notice to the Board of the filing of a petition filed with him on Dec. 4th 1894 signed by E. B. Eyles et al. praying for the location and construction of a county ditch upon the following described route viz: Commencing at a point about 50 rods N. W. from the W. line of John L. Moon and E. line of the land of Seymour Harold in an old ditch: Running thence with said old ditch in a S. E. direction through the lands of Seymour Harold to the lands of John L. Moon, thence S. E. through the lands of John L. Moon to the lands of Lewis Bozarth, thence S. through the lands of Lewis Bozarth thence across the federal Pike, thence S. W. through the lands of W. D. Thomas, thence S. W. the the lands of Malinda and Dan Thomas, thence S. W. across the township road, thence S. W. through the lands of Saml Goralick; thence S. E. through the lands of Joseph Thomas Agt. thence east across the township road, thence S. E. through the lands of Malinda and Dan Thomas thence S. E. through the lands of Joseph Thomas thence in an easterly direction through the lands of Lizzie Moon to where said old ditch empties into Sugar Creek: Petitioners also pray for the deepening and relocating of a lateral to said ditch already located by the township trustees. Said lateral beginning at a point on the S. line of the lands of E. B. Eyles and N. line of the land of Angelina Woodley in an old ditch running S. W. through the lands of Angelina Woodley to the lands of W. D. Thomas thence S. W. through the lands of W. D. Thomas, thence S. through the lands of Joseph Thomas to the above described Main ditch. All of said proposed ditch to be tiled. And it appearing that said Petitioners have given bond as required by law which was duly approved by the Auditor and the Auditor having fixed the 22 day of Dec. 1894 at the beginning of said improvement as the time and place for hearing said matter the Board met in special session at said time and place to view said proposed line of improvement. The Board find that Artuesia Smith Guardian Amos Briggs Emite. Sammy & Robby Smith and Wm Shockley who are affected by the proposed improvement were not on the petition and therefore have not been notified of said hearing. Whereupon the Board of Commissioners adjourn further consideration of said matter is adjourned till Jan'y 10th 1895 and order the Auditor to notify said parties of the hearing.

Madison County Ditch Improvement Record.

Record of

E. B. Eyles

Ditch Improvement No.

Proof of Notice

The State of Ohio Madison county S.S.

On this 27 day of Dec. 1894 personally came E. B. Eyles who being duly sworn according to law, deposes and says that on the days hereinafter named, he served the annexed notice on the persons hereinafter named by delivering to each person opposite whose name appears D. a true copy of the annexed notice and on those opposite whose name appears R. by leaving the same at their usual place of residence

D. Antinencia Smith Guardian Blanche Chester & Mary Smith heirs of Samuel Smith Dec'd Dec. 27 1894

D. Amos Briggs Trustee for Matilda Shockley Dec. 26 1894

R. Sammy & Robbie Smith heirs Joseph Stroup Dec. 26 1894

R. W. Shockley Dec. 27 1894

And further this deponent sayeth not

E. B. Eyles

Sworn to by E. B. Eyles before me and by him subscribed in my presence this 27 day of Dec. A.D. 1894

Geo Kennedy J. P.

Madison County Ditch Improvement Record.

Record of

E. B. Eyles

Ditch Improvement No.

Commissioners Office Madison Co

London Ohio Jan'y 14th 1895

Commissioners of Madison County met today in special session members present James Withrow, H. Lilly & S. S. Robbins

In the matter of the

E. B. Eyles Ditch Imp.

Finding & Order to Engineer

The Board met upon the line of said Improvement pursuant to adjournment of Dec. 27th 1894 and being satisfied that the required parties had been notified of the time and place of said hearing, the Board having taken the county surveyor to their assistance to view the line of said proposed improvement as prayed for in said petition and the premises along and adjacent thereto and having considered the matter do find and determine that said improvement is necessary and will be conducive to the public health convenience and welfare.

Order to the County Surveyor

It is therefore ordered that the county surveyor go upon the line of said improvement and survey and level the same and set a stake at every 100 feet numbering down stream, note the intersections of lines and boundaries of lands township lines county lines land marks bench marks and road crossings and make a report profile and plat of the same and estimate the number of cubic yards of earth and other substance to be removed and the cost per cu yd. of each 100 feet and of each working section. It is also directed that the surveyor make and return a schedule of all lots and lands public roads and railroads that will be benefitted by said improvement with an apportionment of the cost of location and construction of the said improvement in money according to the benefits which will result to each and a specification of the manner in which the improvement shall be made and completed, all other matters as required by law and that said county surveyor report his proceedings to this Board on the 8th day of Feb'y 1895 at 10 o'clock A. M. at their office in London Ohio.

Upon the adoption of motion to approve each of the foregoing orders and findings, the roll being called each member of the Board voted therefor; carried unanimously

By motion of S. S. Robbins the further consideration of said matter was adjourned to Feb'y 8th 1895 all interested parties being notified of such adjournment as required by law.

W. D. Wilson
auditor

James Withrow
H. Lilly
S. S. Robbins } Commissioners

Madison County Ditch Improvement Record.

Record of

E. B. Eyer

Ditch Improvement No.

Commissioners Office Madison Co

London Ohio Feby 8th 1895

The Commissioners of Madison county Ohio met this day pursuant to adjournment members present James Withrow H. Lilly and S. S. Robbins

In the matter of Ditch Improvement petitioned for by E. B. Eyer et al. } Hearing

This being the day fixed by the Board for the hearing of said matter and report and the time to which adjournment was taken the engineer on said ditch not being ready to make his report and requesting further time it was therefore moved by Henry Lilly seconded by S. S. Robbins that the further hearing on said matter be adjourned until the 8th day of March A.D. 1895 at 10 o'clock A. M. motion carried unanimously.

Commissioners Office Madison Co.

London Ohio March 8th 1895

The Board of Commissioners met this day pursuant to adjournment of Feby 8th 1895 members present James Withrow Henry Lilly and S. S. Robbins

In the matter of Ditch Improvement petitioned for by E. B. Eyer et al. } Adjourned Hearing

This being the day to which adjournment was taken for the hearing of the report of the Engineer on the above styled matter and improvement: The Board find that owing to the inclemency of the weather the engineer was not ready with this report it was therefore moved by Henry Lilly and seconded by S. S. Robbins, that further hearing on said report be adjourned to Wednesday Mar. 27 1895 at 10 o'clock A. M. - motion carried

James Withrow
H. Lilly
S. S. Robbins } Commissioners

W. D. Wilson
Co Auditor

Madison County Ditch Improvement Record.

Record of

E. B. Eyles

Ditch Improvement No.

Commissioners Office Madison County
London Ohio March 27th 1895

The Commissioners met this day pursuant to
the adjournment of Mar. 8th 1895 members present
James Withrow Henry Lilly and S. S. Robbins

In the matter of Hearing on
Report of Engineer on
E. B. Eyles Ditch Imp. }

This being the day to which adjournment
was taken in the above styled matter and the engineer
not having the report completed it was moved by
Henry Lilly seconded by S. S. Robbins that the Board
adjourn further hearing on said matter for one week to
Wednesday April 3rd A. D. 1895- motion carried

James Withrow
H. Lilly
S. S. Robbins } Commissioners

W. D. Wilson
Auditor

Madison County Ditch Improvement Record.

Record of	100 feet	Stake	Surface	Grade	Depth	Out	Ditch Improvement No.	Course & Distance	Remarks
	0		100.00	96.50	3.50	3.38			
				-1.40					
	1		98.56	95.10	3.46	2.56			
	2		96.08	93.70	2.38	2.38			
	3		94.78	92.30	2.48	2.48			
	4		93.58	90.90	2.68	2.68			
	5		92.63	89.50	3.13	3.13			
				-1.10					
	6		92.23	88.40	3.83	2.53			
	7		90.80	87.30	3.50	2.63			
	8		89.65	86.20	3.45	2.55			
	9		89.23	85.10	4.13	4.13			
	10		87.75	84.00	3.75	3.75			
				-1.76					
	11		88.42	83.82	4.60	4.60			
	12		87.45	83.64	3.81	3.81			
	B.M.		87.28						
	13		86.23	83.47	2.76	2.76			
	16								
	+28		85.83	82.90	2.93	1.71			
	17		85.98	82.77	3.21	1.69			
	18		85.83	82.59	3.24	1.82			
	19		85.51	82.44	3.07	2.00			
	20		84.71	82.24	2.47	2.00			
				-32					
	21		84.74	81.92	2.82	2.17			
	22		84.37	81.60	2.77	2.24			
	23		84.59	81.28	3.31	3.31			
	B.M.		85.09						
	24		84.61	80.96	3.65	3.65			
	+55		84.59	80.80	3.79	1.09			
	25		83.89	80.64	3.25	1.35			
	26		84.19	80.32	3.87	1.47			
	27		84.17	80.	4.17	1.47			
	28		83.82	79.65	4.17	1.62			
	29		83.59	79.32	4.27	1.80			
	30		82.92	78.97	3.95	2.00			
				-20					
	31		83.47	78.77	4.70	1.90			
	32		82.35	78.57	3.78	1.88			
	33		82.22	78.37	3.85	2.10			
	+50		82.41	78.27	4.14	2.10			
	34		82.39	78.17	4.22	2.14			
	13.55		86.43	83.38	3.05	1.83			
omitted	14		86.39	83.29	3.10	1.82			
from	15		85.61	83.12	2.49	1.74			
above	16		84.93	82.94	2.00	1.67			

Madison County Ditch Improvement Record.

Record of					Ditch Improvement No.
35	81.76	77.97	3.79	2.14	
36	81.31	77.77	3.54	2.14	
37	81.29	77.57	3.72	2.24	
38	80.99	77.38	3.61	2.13	
39	80.43	77.19	3.24	2.12	
40	80.41	77.00	3.41	2.59	
+45	79.91	76.94	2.97	1.27	
41	80.06	76.86	3.20	2.55	
42	79.93	76.72	3.21	2.39	
43	79.93	76.58	3.35	2.33	
44	79.56	76.44	3.12	2.47	
B.M.	81.31				
45	79.41	76.30	3.11	2.61	
46	79.41	76.16	3.25	2.65	
47	79.06	76.02	3.04	2.44	
48	79.61	75.89	3.72	2.47	
49	78.79	75.75	3.04	2.24	
50	79.57	75.61	3.96	2.00	
+67	79.19	75.50	3.69	2.09	
51	79.49	75.45	4.04	2.04	
52	79.09	75.28	3.81	2.06	
53	78.49	75.12	3.37	2.17	
54	79.02	74.95	4.07	2.12	
55	79.47	74.79	4.68	2.28	
56	79.87	74.62	5.25	2.45	
+30	78.57	74.59	3.98	2.38	
B.M.	79.20				
57	79.22	74.46	4.76	4.76	
58	78.85	74.29	4.56	4.56	
59	78.77	74.12	4.65	4.65	
60	78.77	73.96	4.81	4.81	
61	78.07	73.79	4.28	4.28	
62	78.77	73.63	5.14	5.14	
63	78.87	73.47	5.40	5.40	
B.M.	79.67				
64	78.87	73.30	5.57	5.57	
65	78.57	73.14	5.43	5.43	
66	76.87	72.98	3.89	3.89	
67	77.31	72.81	4.50	4.50	
68	78.34	72.65	5.69	5.69	
69	77.54	72.49	5.05	5.05	
70	77.99	72.32	5.47	5.47	
71	77.52	72.16	5.36		
B.M.	78.54				
72	77.04	72.00	5.04	5.04	
+86	77.29	71.88	5.41	5.41	

Madison County Ditch Improvement Record.

Record of Stake	Surface	Grade	Depth	Cut	Ditch Improvement No.
73	77.35	71.83	5.52	1.89	
74	77.85	71.66	6.19	1.94	
75	77.82	71.50	6.32	2.41	
76	77.04	71.33	5.71	2.72	
77	77.35	71.16	6.19	2.49	
78	77.37	71.00	6.37	2.41	
79	76.67	70.84	5.83	2.47	
+93	75.63	70.70	4.93	2.53	
80	75.91	70.67	5.24	2.59	
81	73.94	70.50	3.44	2.62	
82	75.64	70.34	5.30	2.65	
+35	74.89	70.30	4.59	2.79	
83	74.89	70.17	4.62	2.87	
B.M.	75.34				
84	74.82	70.00	4.82	2.84	
85	73.59	69.84	3.75	2.60	
86	74.44	69.68	4.76	2.44	
+47	73.52	69.60	3.92	2.29	
87	73.24	69.51	3.73	2.33	
88	74.22	69.34	4.88	2.21	
89	73.79	69.17	4.62	2.57	
90	73.32	69.00	4.32	2.32	
		-30			
+24	73.84	68.93	4.91	2.00	
91	74.32	68.70	5.52	1.92	
92	72.42	68.40	4.02	2.00	
93	72.62	68.50	4.52	1.87	
94	73.17	67.80	5.37	2.12	
95	71.37	67.50	3.87	2.42	
96	72.90	67.20	5.70	2.75	
97	72.23	66.90	5.33	2.55	
98	71.17	66.60	4.57	2.70	
99	71.55	66.30	5.25	2.95	
100	71.15	66.05	5.10	3.00	
		-35			
+31	70.95	65.95	5.00	2.50	
101	70.68	65.67	5.01	2.55	
102	70.58	65.29	5.29	2.54	
103	70.58	64.91	5.67	2.79	
B.M.	70.48				
104	69.73	64.53	5.20	3.00	
+48	69.15	64.34	4.81	3.03	

Madison County Ditch Improvement Record.

Record of						Ditch Improvement No.		
105	69.48	64.15	5.33	2.76				
106	68.88	63.77	5.11	2.49				
107	68.05	63.39	4.66	2.49				
108	68.00	63.01	4.99	2.19				
+32	67.50	62.91	4.59	2.58				
+47	68.20	62.82	5.38	2.57				
109	67.55	62.63	4.92	2.25				
110	67.25	62.25	5.00	2.18				
111	67.35	61.87	5.48	2.26				
+73	66.75	61.59	5.16	2.66				
112	66.65	61.49	5.16	2.69				
113	66.05	61.11	4.94	2.13				
B.M.	66.37							
114	65.80	60.72	5.08	2.13				
115	64.70	60.33	4.37	2.32				
116	64.69	59.95	4.74	2.25				
117	64.27	59.57	4.70	2.40				
118	63.72	59.19	4.53	2.38				
119	63.42	58.81	4.61	2.31				
120	63.27	58.43	4.84	2.39				
+59	63.42	58.12	5.30	2.45				
121	63.37	58.05	5.32	2.42				
122	62.87	57.67	5.20	2.50				
+12	62.84	57.62	5.22	2.55				
+57	62.72	57.47	5.25	2.80				
123	62.62	57.27	5.37	2.85				
124	61.57	56.87	4.70	2.90				
+90	61.87	56.51	5.36	5.36				
125	61.67	56.47	5.20	5.20				
126	60.99	56.07	4.92	4.92				
B.M.	61.87							
127	60.27	55.67	4.60	4.60				
128	58.47	53.27	3.20	3.20				
+30	59.82	55.15	4.67	4.67				
129	59.68	54.87	4.81	4.81				
130	59.00	54.47	4.53	4.53				
131	57.35	54.07	3.28	3.28				
+88	57.58	53.71	3.87	3.87				
132	58.71	53.67	5.04	5.04				
133	58.36	53.27	5.09	5.09				
134	57.61	52.87	4.74	4.74				
+20	55.01	52.75	2.26	2.26				
Bot Run	52.41							

Madison County Ditch Improvement Record.

Record	of Stake	Surface	Grade	Depth	Ditch Improvement No.	
		<i>Lateral No 1</i>			<i>at 13.55 R</i>	
	0	94.07	91.07	3.00		
	1	92.84	89.84	3.00		
	2	91.66	88.61	3.05		
	+83	90.56	87.61	2.95		
	3	90.46	87.38	3.08		
	4	89.46	86.15	3.31		<i>5 inch tile</i>
	5	88.89	84.89	4.00		
	6	88.16	84.64	3.52		
	+50	88.33	84.52	3.81		
	7	87.76	84.40	3.36		
	8	87.26	84.15	3.11		
	9	86.56	83.90	2.66		
	10	85.96	83.65	2.31		
	+61	86.43	83.43	3.00		
	B.M.	87.28				
		<i>Lateral 2 at 15.36</i>				
	0	94.87	91.87	3.00		
	1	94.39	91.17	3.22		
	2	93.84	90.47	3.37		
	3	93.49	89.77	3.72		
	+22	93.19	89.63	3.56		
	4	92.91	89.07	3.84		
	5	91.64	88.37	3.27		
	6	90.74	87.67	3.07		
	7	90.16	86.97	3.19		<i>5 in tile to Station 6</i>
	8	89.86	86.27	3.59		<i>6 in tile to terminus.</i>
	9	89.68	85.57	4.11		
	10	89.49	84.87	4.62		
	11	89.63	84.59	5.04		
	12	88.00	84.31	3.69		
	13	87.21	84.03	3.18		
	14	86.73	83.74	3.00		
	15	86.08	83.46	3.62		
	16	85.58	83.17	2.41		
	+29	86.08	83.08	3.00		
	B.M.	87.28				

Madison County Ditch Improvement Record.

Record of	Stake	Surface	Grade	Depth	Ditch Improvement No.
	0	85.34	82.00 -36	3.34	
	1	84.78	81.64	3.14	
	B.M.	85.34			
	2	83.93	81.28	2.65	
	3	83.70	80.92	2.78	
	4	83.72	80.56	3.16	
	5	83.62	80.20	3.42	
	6	83.28	79.84	3.44	
	7	82.88	79.48	3.40	
	+66	82.92	79.25	3.67	
<i>Lateral No. 4 at 50.67 R</i>					
	0	96.91	93.91 -10	3.00	
	1	96.86	93.81	3.05	
	2	96.78	93.71	3.07	
	3	97.13	93.61	3.52	
	4	97.07	93.51	3.56	
	5	97.07	93.41	3.66	
	6	96.97	93.31	3.66	
	7	96.42	93.21	3.21	
	8	96.65	93.11	3.54	
	9	96.59	93.01	3.58	
	+20	96.77	92.99	3.78	
	10	96.99	92.91 -49	4.08	
	+24	96.91	92.79	4.12	
	B.M.	97.64			
	11	96.49	92.42	4.07	
	12	95.79	91.92	3.87	
	13	95.13	91.42	3.71	
	14	94.85	90.92	3.93	
	15	93.73	90.42	3.31	
	16	93.15	89.93	3.22	
	17	92.50	89.43	3.07	
	18	92.23	88.94	3.29	
	19	91.96	88.46	3.51	
	20	91.21	88.00	3.21	
	21	89.71	87.50	3.61	
	+58	90.86	87.25	3.78	
	22	90.78	87.00	3.61	
	23	90.11	86.50	3.61	
	24	89.95	86.00	3.95	
	25	88.80	85.50	3.30	
	+40	88.60	85.50	3.30	
	26	88.70	85.00	3.70	

Madison County Ditch Improvement Record.

Record of	Stake	Surface	Grade	Depth	Ditch Improvement No.
	27	87.68	84.50	3.18	
	28	86.95	84.00	2.95	
	29	86.78	83.50	3.28	
	30	86.88	83.00	3.88	
	31	86.03	82.40	3.63	
	32	85.28	81.80	3.48	
	33	85.43	81.20	4.23	
	+96	85.73	80.65	5.08	
	34	85.03	80.60	4.43	
	35	85.81	80.00	5.81	
	B.M.	86.65			
	36	83.11	79.40	3.71	
	+53	83.31	79.10	4.21	
	37	82.59	78.80	3.79	
	38	81.99	78.20	3.79	
	39	81.11	77.60	3.51	
	40	80.69	77.00	3.69	
	41	80.09	76.77	3.32	
	42	79.59	76.54	3.05	
	43	79.49	76.31	3.18	
	44	79.67	76.08	3.59	
	45	79.09	75.85	2.24	
	+32	79.19	77.75	3.44	
<i>Lateral 1 of 4 at 6 L.</i>					
	0	96.91	93.91	3.00	
	1	97.26	93.63	3.63	
	2	96.88	93.35	3.53	5 in tile
	+13	96.97	93.31	3.66	
<i>Lateral 2 to 4 at 10.24 L.</i>					
	0	96.59	93.59	3.00	
	1	96.61	93.39	3.22	
	2	96.27	93.19	3.08	5 in tile.
	3	96.19	92.99	3.20	
	+71	96.91	92.79	4.12	

Madison County Ditch Improvement Record.

Record of Stake	Surface	Grade	Depth	Ditch Improvement No.		
				<i>Lateral 3 to 4 at 33.96 R.</i>		
0	88.70	85.70 -45	3.00		<i>To have 6 rods 5 inch tile at head and 14 rods 7 inch tile at lower end.</i>	
1	88.43	85.25	3.18			
3	87.33	84.35	2.98			
5	87.13	83.45	3.68			
7	86.56	82.55	4.00			
9	85.63	81.65	3.98			
11	85.18	80.75	4.43			
+29	85.73	80.75	4.98			
				<i>Lateral No 5 at 72.86 R.</i>		
0	84.47	81.00 -10	3.47			<i>4 in tile to 1 6 " " " 14</i>
1	84.86	80.90	3.96			
2	84.69	80.80	3.89			
3	84.71	80.70	4.01			
B.M.	86.09					
4	84.91	80.60	4.31			
5	84.61	80.50	4.11			
6	84.61	80.40	4.27			
7	84.88	80.30	4.58			
8	85.40	80.20	5.20			
9	85.18	80.10	5.08			
B.M.	86.13					
10	85.23	80.00	5.23			
11	84.91	79.90	5.01			
12	84.66	79.80	4.86			
13	84.14	79.70	4.44			
14	83.46	79.60 -40	3.86			
15	82.66	79.20	3.46			
16	82.21	78.80	3.41			
17	81.81	78.40	3.41			
18	81.16	78.00	3.16			
19	80.73	77.60	3.13			
20	79.80	77.20	2.60			
21	80.24	76.80	3.44			
+74	80.06	76.50	3.56			
22	80.26	76.40	3.86			
+68	80.18	76.14	4.04			
23	79.91	76.00	3.91			
24	79.46	75.60 -61	3.86			
25	78.68	74.99	3.69			
26	78.65	74.38	4.27			
27	78.15	73.77	4.38			
28	77.87	73.16	4.71			
29	77.45	72.55	4.90			
+84	77.30	72.00	5.30			
B.M.	78.54					

Madison County Ditch Improvement Record.

Record of Stake Surface Grade Depth Ditch Improvement No.

Lateral 1 to 5 at 1 R.

Record of Stake	Surface	Grade	Depth	Ditch Improvement No.
0	85.58	81.95	3.63	6 inch tile
1	84.78	81.80	2.98	
2	84.61	81.65	2.96	
3	85.08	81.50	3.58	
4	84.68	81.35	3.33	
5	84.91	81.20	3.71	
6	84.91	81.05	3.86	
7	84.86	80.90	3.96	

Lateral 2 to 5 at 21.74 L.

Record of Stake	Surface	Grade	Depth	Ditch Improvement No.
0	91.51	88.51	3.00	5 inch tile to 5:47
1	90.44	87.19	3.25	
2	89.14	85.87	3.27	
3	88.24	84.53	3.69	
+65	86.99	83.80	3.19	
4	86.21	83.21	3.00	
+81	85.21	82.81	2.40	
5	88.91	82.76	6.15	
+47	84.66	82.50	2.16	
6	84.38	82.10	2.28	
8	82.38	80.30	2.08	
10	80.95	78.50	2.45	
12	80.06	76.70	3.36	

Lateral No 6 at 76.46 R.

Record of Stake	Surface	Grade	Depth	Ditch Improvement No.
0	79.47	76.00	3.47	5 inch tile
1	78.57	74.69	3.88	
2	76.69	73.37	3.32	
3	76.25	72.75	3.50	
4	76.47	72.13	4.32	
5	77.94	71.50	6.44	

Lateral No 7 at 80.27 R.

Record of Stake	Surface	Grade	Depth	Ditch Improvement No.
0	85.83	82.83	3.00	6 inch tile to Sta. 7
1	85.13	82.40	2.73	
+60	84.73	82.16	2.57	
2	84.35	81.97	2.38	
B.M.	84.65			
3	83.80	81.56	2.24	
4	83.65	81.13	2.52	

Madison County Ditch Improvement Record.

Record of	E. B. Eyles				Ditch Improvement No.	
5	83.60	80.70	2.90			
+37	83.05	80.56	2.50			
6	83.20	80.27	2.93			
7	82.08	79.80	2.28			
8	81.88	79.28	2.60			
10	80.58	78.24	2.34			
12	79.28	77.20	2.08			
14	78.18	76.16	2.02			
16	77.38	75.12	2.26			
18	76.88	74.08	2.80			
20	76.66	73.04	3.62			
22	76.11	72.00	4.11			
24	75.41	70.90	4.51			
<i>Lateral 1 to 7 at 5.37 L.</i>						
0	84.20	81.20	3.00			4 inch tile to Sta. 2
1	83.70	80.70	3.00			
+23	83.05	80.56	2.50			
<i>Lateral 8 at 108.47 R.</i>						
0	70.55	67.55	3.00			4 inch tile
1	69.55	66.20	3.32			
2	68.38	64.91	3.47			
3	67.90	63.59	4.31			
+25	68.20	63.20	5.00			
<i>Lateral No 9 at 120.89 R.</i>						
0	67.23	63.25	3.98	1.50		
1	67.10	63.00	4.10	1.80		
2	67.03	62.75	4.28	2.10		
3	66.25	62.50	3.75	2.05		
4	66.23	62.25	3.98	2.05		8 inch tile
B.M.	68.23					
5	65.20	62.00	3.20	1.30		
6	64.70	61.40	3.30	1.35		
7	64.70	60.80	3.90	1.60		
8	64.18	60.20	3.98	1.80		
9	64.10	59.60	4.50	2.05		
10	63.60	59.00	4.60	2.50		
11	63.42	58.42	5.00	2.15		

Madison County Ditch Improvement Record.

Record of Stake Surface Grade Depth Cut Ditch Improvement No.

Lateral 10 at 122.12 L

0	67.26	63.00	4.26	1.57
1	66.18	62.80	3.38	1.84
2	66.53	62.60	3.93	1.36
3	67.26	62.40	4.86	1.36
4	67.06	62.20	5.14	1.26
5	67.14	62.00	4.22	1.24
+63	66.10	61.88	5.30	1.46
6	67.50	61.80		1.34
B.M.	66.36			
7	66.32	61.60	4.72	1.08
+70	65.74	61.46	3.58	1.06
8	64.39	61.40	2.99	1.12
9	65.19	61.20	3.94	1.17
10	64.87	61.00	3.82	1.32
11	64.19	60.60	3.59	1.52
12	65.37	60.20	5.17	1.57
13	64.39	59.80	4.59	1.92
+32	64.32	59.68	4.64	2.04
14	64.27	59.40	4.87	2.02
15	64.27	59.00	5.27	2.32
16	63.52	58.60	4.92	2.67
+71	63.52	58.30	5.22	2.97
17	62.30	58.20	4.10	4.10
+50	62.60	58.00	4.60	4.60
18	62.80	57.74	5.06	5.10

6 in tile to Sta 2
7" " " " 5.63
10" " " terminus

Lateral 1 to 10 at 2 R.

0	68.44	64.44	4.00	4.00
1	67.86	63.52	4.36	1.34
+90	66.53	62.60	3.93	1.36

5 in tile

Lateral 2 to 10 at 5.63 R.

0	71.24	67.24	4.00	1.00
1	71.06	66.62	4.44	1.32
+14	70.94	66.52	4.42	1.52
2	69.79	66.00	3.79	1.52
3	68.94	64.71	4.23	1.53
4	67.44	63.42	4.02	1.92
5	65.34	62.13	3.21	1.51
+20	66.10	61.88	4.22	1.53

8 inch tile

Madison County Ditch Improvement Record.

Record of

E. B. Caylor Ditch Improvement No.

Specifications

The within ditch and laterals must be cut fully down to the grade line at all points and made to conform to the gradients shown on the profile herewith.

The Main ditch to be tiled with the following sized tile

Sta. 0 to 13:55 = 5 inch tile

13:55 to 30 = 8 " "

30 to 50 = 10 " "

50 to 75 = 12 " "

75 to 134:20 = 15 " "

Laterals to be tiled with the following sized tile

Lateral 1 a 5 in tile No 2 a 5 in tile from Sta 0 to Sta 6 and a 6 in tile from Sta. 6 to 16:29 Lateral 3 to have a 5 inch tile. Lateral 4 to have a 5 in tile to Sta. 6 and an 8 in tile to Sta. 36:96 and a 10 in tile to Sta. 45:32 Lateral 1 of 4 a 5 inch tile. Lateral 2 of 4 a 5 in tile; Lateral 3 of 4 to have 6 rods of 5 in tile at head and 14 rods of 7 in tile at lower end. Lateral 5 to have a 4 in tile to Sta. 1" and a 6 in tile to Sta 14.

Lateral 1 of 5 to have a 6 in tile Lateral 2 of 5 to have a 5 in tile. Lat 6 a 5 in tile Lat 7 a 6 in tile to Sta 7. Lat 1 of 7 a 4 in tile Lateral 8 a 5 in tile Lat 9 an 8 in tile Lat 10 a 6 in tile to Sta 2 a 7 in tile to Sta 5:63 and a 10 inch tile to Sta 18 - Lat. 1 of 10 a 5 inch tile - Lat 2 of 10 an 8 in tile

The tile to be carefully laid in trench and jointed within 1/4 inch and care to be used in turning curves to get tile well jointed.

No earth to be put over tile until it has been examined and accepted by the engineer or his Supt. and in filling care must be taken not to displace the tile.

Tile to be first class, cylindrical, sound and evenly burned drain tile or second class sewer pipe, without cracks and broken places.

The estimated cost of the tile includes cost at factory, hauling and distributing per instructions of the engineer and furnishing of all necessary y's. Estimated cost of tile ditches by the rod includes cutting of trench, laying of tile, putting in all y's and filling in all the dirt removed in so doing and enough more from banks to make 1 1/2 feet of covering over tile.

Tile will be paid for 75% when delivered and remaining 25% when ditch is completed. Contractor will receive 75% on completed working sections. The delivering of tile to begin in 10 days from sale and continue until contract is completed. If the contractor for the cutting is delayed by the tile not being on ditch the engineer will pay him reasonable wages for time lost and charge same to the contract.

Madison County Ditch Improvement Record.

Record of

E. B. Oyler

Ditch Improvement No.

The digging of said ditches must begin as soon as the tile begin to be put on the ground and continue without delay until same is completed.

All green trees, shrubs, bushes standing nearer than 30 feet of the center line of the above mentioned ditches must be deadened to prevent roots from entering and obstructing the tile.

Estimates

Section 1 Main ditch Station 0 to Station 25

151.51 rods excavation at 35¢ = \$53.03

Sta. 0 to Sta. 13.53 = 5 in tile 82.12 rods @ 40¢ = 32.85

13.53 to 15.46 = 7 " " 11.57 " " 75¢ = 11.60

15.46 " 23 " = 8 " " 37.75 " " 80¢ = 41.40

\$138.88

Sec. 2 Station 25 to Sta. 50

151.51 rods excavation at 40¢ = \$60.60

Station 25 to Sta 30 = 8 in tile 30.30 rods @ 80¢ = 24.24

" 30 " " 50 = 10 " " 121.21 " " 120¢ = 145.45

\$230.29

Sec. 3 Sta 50 to Sta 75

151.51 rods excavation @ 50¢ = \$75.75

" " 12 in tile @ 1.80 = 272.72 \$348.47

Section 4 Sta. 75 to Sta. 100

151.51 rods excavation @ 50¢ = \$75.75

" " 15 in tile @ 300¢ = 454.53 530.28

Sec. 5 Station 100 to Sta. 120

121.21 rods excavation @ 50¢ = 60.60

" " 15 in tile @ 300¢ = 363.63 424.23

Sec. 6 Sta. 120 to Sta. 134.20

86.06 rods Excavation @ 60¢ = 51.64

" " 15 in tile " 300¢ = 25.80

Protection wall 6x5x2 =

24 Pitches @ \$6.00 = 144.00 324.22

Laterals

Sec. 7 Lateral No. 1 Sta. 0 to 10.61

64.30 rods Excavation @ 40¢ = 25.72

" " 5" tile @ 40¢ = 25.72 51.44

Sec. 8 Lateral No. 2 Sta 0 to 16.29

98.73 rods Excavation @ 45¢ = 44.43

36.36 " 5" tile @ 40¢ = 14.54

62.37 " 6" " @ 60¢ = 37.42 \$96.39

Madison County Ditch Improvement Record.

Record of

E. B. Eyles

Ditch Improvement No.

Section 9- Lateral 3- Sta. 0 to Sta 7.66

46.42 rods excavation @ 40¢ = 18.57
 46.42 " 5" tile @ 40¢ = 18.57 \$ 37.14

Section 10- Lateral 4 Sta 0 to Sta 25-

151.51 rods excavation at 50¢ = \$ 75.75
 36.36 " 5" tile at 40¢ = 14.54
 115.15 " 8 " " 80¢ = 92.12 182.41

Sec. 11 Lateral 4 Sta 25 to 75.32

123.15 rods Excavation @ 50¢ = \$ 61.58
 48.48 " 8" tile @ 80¢ = 38.78
 74.77 " 10 " @ 1.20 = 89.59 \$ 189.93

Sec. 12 Lateral 1 of 4

12.91 rods Excavation @ 40¢ = 5.16
 " " 5" tile @ 40¢ = 5.16 10.32

Lat 2 of 4

22.48 rods Excavation @ 40¢ = 9.00
 " " 5" tile " 40¢ = 9.00 18.00

Lat- 3 of 4

6.06 rods Exc. at 40¢ = 2.42
 " " 5" tile @ 40¢ = 2.42
 14. " " Exc. @ 50 = 7.00
 14. " " 7" tile @ 75¢ = 10.50 22.34

Section 13 Lat. 5-

Sta. 0 to 14 - 84.84 rods Exc. @ 60¢ = \$ 50.90
 6.06 rods 4" tile @ 30¢ = 1.82
 78.78 " 6" " " 60¢ = 47.27 99.99

Lat 1 of 5-

42.42 rods excavation @ 40¢ = 16.97
 " " 6" tile @ 60¢ = 25.45 42.42

Section 14

Lateral 2 of 5-

0 to 5.37 = 32.54 rods Exc. @ 40¢ = 13.00
 " " 5" tile @ 40¢ = 13.00 26.00

Lateral No. 6

30.30 rods Exc. @ 40¢ = \$ 12.12
 " " 5" tile @ 40¢ = 12.12 24.24

Lateral No 7

42.42 rods @ 40¢ = 16.97
 " " 6" tile @ 60¢ = 25.45 42.42
 1 of 7 - 7.45 rods Exc. @ = 2.25
 " " 4" tile = 2.25 4.50

Madison County Ditch Improvement Record.

Record of

E. B. Epler

Ditch Improvement No.

Section 15 Lateral 8

0 - 3.25 19.70 rods Exc. at 40¢ = 7.88

" " 5" tile @ 40¢ = 7.88 15.76

Lateral 9

0 - 11 - 66.66 rods Exc. 30¢ = 20.00

" " 8" tile 80¢ = 53.32 73.32

Section 16 Lateral 10

0 to 18 - 109.09 rods Exc @ 40¢ = 43.64

12.12 " 6" tile @ 60¢ = 7.27

22: " 7" " @ 75¢ = 16.50

74.97 " 10" " @ 120¢ = 89.96 157.37

Section 17 Lat 1 of 10

11.51 rods Exc. at 40¢ = 4.60

" " 5" tile @ 40¢ = 4.60 9.20

Lat 2 of 10

31.51 rods Exc. @ 40¢ = 12.60

" " 8" tile @ 80¢ = 25.20 37.80

Total Main Ditch 1996.37

Total Laterals 1141.01

Grand Total \$ 3137.38

See profile record Page
Plat " " "

Madison County Ditch Improvement Record.

Record of	Ditch Improvement No.		Cost Const.		Cost Location		Total Cost		Charged by Comm.			
	Survey	A. owned A. drained	\$	cts.	#	cts.	\$	cts.				
Harrold Seymour	858200	75	200		4	26	204	26	\$ 179.26			
Moon John L.	1241	75	200		4	26	204	26				
" " "	8582	50	50		1	04	51	04				
Shockley Wm	"	4	4			10	4	10				
Smith Samuel & Robbie	"	3	5			15	5	15				
Bozarth Lewis	1216 8582	190	500		10	40	510	40				
Thomas Wm D.	3649	124	44	220		4	58	224	58			
Kralick Samuel	8582	100	200		4	16	204	16				
Thomas Dau & Malinda	364900	60	60	100		2	08	102	08			
Thomas Joseph	111300	32	32	40		83	40	83	32.83			
" " (Guardian magt.)	"	25	25	50		1	04	51	04			
" Joseph	3649	42	22	42	22	100	2	08	102	08		
Smith Arminia	1133	99	33	35	35		73	35	73	25.73		
Thomas Wm Sr.	3649	228	33	75	75		1	56	76	56		
Brock Lewis	1133	30	60	30	60	33		33	35			
Madison County	Estimate			9	37		18	9	55	10.55		
Stokes Sp. Trustees	"			5	00		15	5	15			
Epler E. B.	1241	79	50	45	45		94	45	94			
Woolley Angelina	124100		30	60		1	25	61	25	31.25		
Moon Elizabeth	364900		15	50		1	04	51	04			
" John L.	858200		20	20		42	20	42				
Lateral 1												
Harrold Seymour					16	44		1	00	17	44	
Bozarth Lewis					30			1	80	31	80	
Moon John L.					5	00		30	5	30		
Lateral 2												
Harrold Seymour					82	14		4	00	86	14	
Moon John L.					14	25		96	15	21		
Lateral 3												
Moon John L.					17	00		97	17	97		
Bozarth Lewis					20	14		1	20	21	34	26.34
Lateral 4 & Branches												
Shockley Wm					10	00		45	10	45		
Smith Samuel & Robbie					17	80		77	18	57		
Harrold Seymour					33			1	62	34	62	29.62
Bozarth Lewis					97	34		4	37	101	71	161.24
Moon John L.					264	88		18	97	283	85	194.66

Madison County Ditch Improvement Record.

Record of	E. B. Eyles	Ditch Improvement No.	Construction	Location	Total cost	Charged to Accts.
	Lateral 5 and Branches					
Moon John L.			47 50	4 28	51 78	
Smith Artinesia			59 92	6 27	65 19	55.19
Gralick Samuel			35 00	2 28	37 28	
Moon John L.			15 00	1 36	16 36	14.36
Madison County			5 00	4 6	5 46	
Bozarth Lewis			6 00	5 4	6 54	8.54
	Lateral 6					
Gralick Samuel			24 24	1 55	25 79	
	Lateral 7 & Branches					
Smith Artinesia			32 50	5 34	37 84	
Thomas Joseph			14 42	2 27	16 69	
	Lateral 8					
Thomas Wm Sr.			8 76	5 6	9 32	
Thomas Joseph			7 00	4 4	7 44	
	Lateral 9					
Thomas Wm Sr.			36 66	1 7 1	38 37	41.71
Thomas Joseph			36 66	1 7 0	38 36	35.02
	Lateral 10 and branches					
Woosley Angeline			85 38	3 2 7	88 65	
Eyles E. B.			66 19	2 5 1	68 70	78.70
Thomas Wm D.			37 80	1 4 0	39 20	29.20
Thomas Joseph			15	5 7	15 57	

The following is an itemized cost bill of expense on the E. B. Eyles county ditch.

H. L. McCafferty	Surveyor or engineer	16 da @ 4 ⁰⁰	=	\$ 64 00
E. L. Dugan	assistant	11 " " 1 ⁵⁰		16 50
Joseph Thomas	l.c.	4 " " 1 ²⁵		6 00
Charles McHenry	Arman	2 " " 1 ²⁵		2 50
John Everts	Teamster	1 " " 1 ²⁵		1 25
John Horney	"	2 " " 1 ²⁵		2 50
E. B. Eyles	"	7 " " 1 ²⁵		8 75
" " "	800 stakes @ 3/4¢			6 00

In obedience to your order I beg leave to make the above report. Laterals 3 of 4, 5 and 2 of 5 also No 7 were staked merely for the purpose of locating an outlet for parties owning land at head of them, and are not to be tiled except so far as named elsewhere in this report

Respectfully Submitted
 London Ohio April 3rd 1895
 H. L. McCafferty
 Engineer

Madison County Ditch Improvement Record.

Record of

E. B. Eyer

Ditch Improvement No.

Commissioners Office Madison County
London Ohio April 3rd 1895

The commissioner met this day pursuant adjournment
of March 27th 1895 members present James Withrow Henry Lilly
and S. S. Robbins

In the matter of

E. B. Eyer Ditch Imp. } Hearing on report of Engineer

This being the day and the hour to which
adjournment was taken in the above styled matter the
Board met at 10 o'clock A.M. and upon inquiry found that
the engineer would not be ready to report until afternoon of
said day. the Board adjourned further consideration of said
matter until afternoon at 1 o'clock P. M. of said day.

Board reconvened at 1 o'clock and said matter now
coming on for hearing all parties interested were granted a
hearing before the Board including Wm. Thomas by his executor
Noah Thomas who had filed a written application for damages
and the Board finding that there would not be time
sufficient this day to consider and decide upon said engineers
report adjourned the further consideration of the matter
until Monday 8th 1895. Board adjourned

James Withrow

H. Lilly

S. S. Robbins

W. D. Wilson

auditor

Madison County Ditch Improvement Record.

Record of

E. B. Eyles

Ditch Improvement No.

Commissioners Office Madison County
London Ohio April 8 1895

Board met today pursuant to adjournment, members all present.

In the matter of the

E. B. Eyles Ditch Imp

Hearing on Engr's report

This being the day to which the Board adjourned for the further consideration of said matter and the county surveyor having filed his report including the apportionment made by him of the costs of said improvement and the Board being in adjourned session and James Withrow H. Lilly and S. S. Robbins being present, the board find that proper notice of said hearing ^{has} been given as required by law. The Board having heard the evidence and examined the report and apportionment of the engineer and the claims exceptions and the premises do find that the said report and apportionment are not just and fair in all respects according to benefits derived.

It is therefore ordered that said report and apportionment be and the same are hereby changed in the following particulars to wit:

The size of the tile in "Lateral 4" was changed as follows Station 0 to Sta. 6 - to 5 in tile

" 6 " " 25 " 7 " "

" 25 " " 45.32 " 8 " "

It is further ordered that the following changes in the apportionment of estimated cost be made.

Main Ditch

Seymour Harrold from \$204.26 to \$179.26

Joseph Thomas " 40.83 " 32.83

Virtuesia Smith " 35.73 " 25.73

Madison County " 9.55 " 10.55

Angelina Wooley (the number of acres reported by the engineer were reduced to 30 acres and the assessment on same change from 61.25 to \$31.25

Lateral 3

John L. Moon from 17.97 to 12.97

Lewis Bozarth " 21.34 " 26.34

Lateral 4 and branches

Seymour Harrold from 34.62 to 29.62

Lewis Bozarth " 101.71 " 161.24

John L. Moon " 283.85 " 194.66

Madison County Ditch Improvement Record.

Record of

E. B. Eyer	Ditch Improvement No.
	Lateral 5 and branches
Artinesia Smith	from #65.19 to 55.19
John L. Moon	.. 16.36 to 14.36
Lewis Bozarth	.. 6.54 to 8.54

The engineer was also ordered to make an accurate survey of the watershed on Wm Thomas Sr. to ascertain the actual number of acres that would naturally drain into said ditch and add to or deduct from as the case may be his assessment on the main ditch on said land in the same ratio as the land was assessed in the report of apportionment and to do this at his earliest opportunity.

The Board fix Wednesday the 24 day of April 1895 at 10 o'clock A.M. at the residence of E. B. Eyer in Stokes township as the time and place for the sale of the construction of said improvement at public outcry in sections of not less than 100 feet nor more than 2500 feet in length and the county surveyor is hereby directed to attend at the time and place specified to superintend and conduct the same.

The county Auditor is hereby directed to cause notice of the time and place of said sale to be properly given.

Board approved all orders and findings herein mentioned upon motion of S. S. Robbins

Adjourned to meet in special session Monday Apr. 15

James Withrow }
 H. Lilly } Commissioners
 S. S. Robbins }

W. D. Wilson
 Auditor

Madison County Ditch Improvement Record.

Record of

E. B. Eyles

Ditch Improvement No.

Ditch Sale
Notice to Contractors.

Notice is hereby given
that on

Wednesday, April 24, 1895

at 10 o'clock A. M. bids will be received orally, by the undersigned Engineer for the furnishing of the material necessary and the work of constructing the E. B. Eyles ditch improvement, in the township of Stokes Madison county Ohio. Bidders will meet at the residence of E. B. Eyles 1 1/2 miles east of South Solon at said hour of said day. Bids will be received as follows:

By the rod for furnishing the tile on the ground.
By the rod for cutting trench laying tile and filling over same
Will be sold in sections as follows

Section	Description	Station	Length	Area	Volume	Notes
Section 1	Main Ditch	Station 0 to Station 13.55	82.12 rds.	5 in tile		
"	"	" 13.55 "	" 15.46 = 11.57 "	" 7 "	" "	
"	"	" 15.46 "	" 25. = 57.82 "	" 8 "	" "	
" 2	"	" 25. "	" 30. = 30.30 "	" 8 "	" "	
Section 2	"	" 30. "	" 50 = 121.21 "	" 10 "	" "	
" 3	"	" 50 "	" 75 = 151.51 "	" 12 "	" "	
" 4	"	" 75 "	" 100 = 151.51 "	" 15 "	" "	
" 5	"	" 100. "	" 120 = 121.21 "	" 15 "	" "	
" 6	"	" 120 "	" 124.20 = 86.06 "	" 15 "	" "	
" 7	Lateral 1	" 0 "	" 10.61 = 64.30 "	" 5 "	" "	
" 8	" 2	" 0 "	" 6. = 36.36 "	" 5 "	" "	
" 8	" 2	" 6 "	" 16.29 = 62.37 "	" 6 "	" "	
" 9	" 3	" 0 "	" 7.66 = 46.42 "	" 5 "	" "	
" 10	" 4	" 0 "	" 6. = 36.36 "	" 5 "	" "	
" 10	" 4	" 6 "	" 25. = 115.15 "	" 7 "	" "	
" 11	" 4	" 25 "	" 45.32 = 123.15 "	" 8 "	" "	
" 12	" 1 of 4	" 0 "	" 2.13 = 12.91 "	" 5 "	" "	
" 12	" 2 of 4	" 0 "	" 3.71 = 22.48 "	" 5 "	" "	
" 12	" 3 of 4	" 0 "	" 1. = 6.06 "	" 5 "	" "	
" 12	" 3 of 4	" 9 "	" 11.29 = 13.88 "	" 8 "	" "	
" 13	" 5	" 0 "	" 1. = 6.06 "	" 4 "	" "	
" 13	" 5	" 1 "	" 14. = 78.78 "	" 6 "	" "	
" 13	" 1 of 5	" 0 "	" 7. = 42.42 "	" 6 "	" "	
" 14	" 2 of 5	" 0 "	" 5.47 = 32.54 "	" 5 "	" "	
" 14	" 6	" 0 "	" 5. = 30.30 "	" 5 "	" "	
" 14	" 7	" 0 "	" 7. = 42.42 "	" 6 "	" "	
" 14	" 1 of 7	" 0 "	" 1.23 = 7.45 "	" 4 "	" "	
" 15	" 8	" 0 "	" 3.25 = 19.70 "	" 5 "	" "	
" 15	" 9	" 0 "	" 11. = 66.66 "	" 8 "	" "	
" 16	" 10	" 0 "	" 2. = 12.12 "	" 6 "	" "	
" 16	" 10	" 2 "	" 5.63 = 22. "	" 7 "	" "	
" 16	" 10	" 5 "	" 18. = 74.97 "	" 10 "	" "	
" 17	" 1 of 10	" 0 "	" 1.90 = 17.57 "	" 5 "	" "	
" 17	" 2 of 10	" 0 "	" 5.20 = 31.31 "	" 8 "	" "	

Madison County Ditch Improvement Record.

Record of

E. B. Eyles

Ditch Improvement No.

The right is reserved for the land owners to bid off any portion of the work if they so desire. After each section has been sold the work will be offered as an entirety, excepting the sections bid off by the land owners.

The tile will be paid for as follows 75% when delivered and the remaining 25% when the ditch is completed.

The contractor for the cutting of said ditches shall receive 75% estimates on completed working sections, but no estimates shall issue until the work be found on examination to lack nothing under these specifications.

Successful bidders must file their contract and bond with the county Auditor at London Ohio within five days from day of sale.

No bid will in any case be entertained except from interested land owners until the bidder has deposited \$25⁰⁰ or a certified check for same amount, as a guarantee that he will enter into contract and bond should his bid be accepted.

The whole of said work must be completed on or before Sept. 2nd 1895.

Right reserved to reject any or all bids.

By order of Board of Commissioners of Madison County
Ohio.

M. D. Wilson
County Auditor

H. L. McCafferty
Engineer

Madison County Ditch Improvement Record.

Record of

E. B. Eyles

Ditch Improvement No.

Auditors Office Madison County

London Ohio April 24 A. D. 1895

In the matter of the
E. B. Eyles Ditch Imp. } Contract for Labor.

Whereas the above styled improvement has been duly ordered, and advertised for sale according to law, and the construction of working section No 1-2-3 &c and sold by the duly appointed engineer on the 24 day of April A. D. 1895 to the undersigned for Five hundred and eighty dollars pursuant to said order and notice.

Now in consideration of the premises, it is agreed by me, to and with whomsoever may be interested therein, that I will do and perform all the labor of constructing said improvement in accordance with the specifications for constructing the same as shown on the record of the proceedings thereof, the same to be completed on or before the 2^d day of Sept. A. D. 1895 - provided this contract shall be of no force and effect until approved by the Board of Commissioners of Madison county Ohio and the specifications are made a part hereof.

Geo Kennedy contractor

London Ohio April 24 A. D. 1895

In the matter of
E. B. Eyles Ditch } Contractors Bond

Know all men by these presents That Geo Kennedy as principal and E. B. Eyles and Lewis Bogarth as sureties are firmly held and bound unto the state of Ohio in the penal sum of One thousand one hundred and sixty (1160) dollars good and lawful money. Signed and dated this 24th day of April A. D. 1895.

The condition of the above obligation is such, however that whereas, the above bounden principal contractor has bid off the labor of constructing Working sections 1-2-3 &c, has duly entered into the annexed contract subject to the condition that the same shall be approved by the commissioners of said Madison county and has agreed to fully do and perform all labor of constructing said improvement in accordance with the plans and specifications of said improvement as shown on the record of said proceedings on or before the 2^d day of September A. D. 1895.

Now if the said George Kennedy shall well and truly perform all the obligations of his said contract and pay all damage which may occur by reason of a failure to complete the same within the time agreed upon in said contract then this obligation shall be void otherwise to be in full force and effect in law.

George Kennedy
E. B. Eyles
Lewis Bogarth

Madison County Ditch Improvement Record.

Record of

E. B. Oyler

Ditch Improvement No.

London Ohio April 27th A. D. 1895

In the matter of Ditch Imp.

Petitioned for by E. B. Oyler et al.

Contract for furnishing tile.

Whereas the above styled improvement has been duly ordered and advertised for sale according to law and the furnishing of tile on the ground for all main ditch from Station 0 to Sta. 134.20 and its laterals 1 to 10 inclusive allotted to land owners benefitted thereby and sold by the duly appointed engineer on the 24 day of April A. D. 1895 to the undersigned in the following lots and sizes:

13.51 4"

432.57 5"

238.11 6"

162.72 7"

277.93 8"

196.18 10"

157.51 12"

358.78 15" and all necessary Y's or connections.

Amounting to Sixteen hundred and ten (1610) dollars pursuant to said order and notice. Now in consideration of the premises it is agreed by us to and with whomsoever may be interested therein that we will deliver said tile in dimensions and quantities as per specifications for said improvement and in parcels of 100 feet of tile upon each 100 feet of ditch and within 10 feet of the center line of the same when used.

All of the above tile to be ^{delivered} on or before the 15th day of July A. D. 1895

The delivery to begin at once and to continue until all the tile are delivered. In case the contractor for the cutting of the ditch is delayed on account of tile not being on the ditch then the engineer reserves the right to allow him reasonable compensation for time so lost and deduct the same from the amount of this contract.

Provided this contract shall be of no force until approved by the commissioners of said Madison county, Ohio and it is further expressly agreed that 75% of said cost of tile shall be paid when delivered and the remaining 25% when tile have been laid and accepted in ditch.

The Delaware Clay Mfg. Co.

by J. F. Dennison

Contractor

Madison County Ditch Improvement Record.

Record of

E. B. Epler

Ditch Improvement No.

London Ohio April 27 A.D. 1895

In the matter of
Ditch Imp.)
Petitioned for by
E. B. Epler et al.

Contractors Bond.

Know all men by these presents That Delaware Clay Mfg. Co. as principal and W. C. Dennison and L. L. Dennison as sureties are firmly held and bound unto the state of Ohio in the penal sum of Three thousand two hundred and twenty (3220) dollars good and lawful money signed and dated this 27 day of April A.D. 1895

The condition of the above obligation is such however that whereas the above bounden principal contractor has bid off the labor of furnishing the tile in quantities and kinds, and to be delivered as per above contract, and has duly entered into the annexed contract, subject to the condition that the same shall be approved by the commissioners and engineer of said Madison county and has agreed to fully do and perform all of said labor of furnishing said tile in accordance with the specifications of said improvement, as shown on the record of said proceedings on or before the 15 day of July A.D. 1895

Now if the said Delaware Mfg. Co. shall well and truly perform all the obligations of their said contract and complete the same within the time fixed therein and pay all damage which may occur by reason of a failure to complete the same within the time agreed upon in said contract, then this obligation shall be void otherwise to be in full force and effect in law.

The Delaware Clay Mfg. Co.

W. C. Dennison

L. L. Dennison

This contract and Bond and sureties on said Bond approved this sixth day of May A.D. 1895

H. L. McCafferty
Engineer

James Withrow
H. Lilly
S. S. Robbins } Court's

Madison County Ditch Improvement Record.

Record of		Ditch Improvement No.	Amt. Placed on Duplicate
E. B. Eyles	Survey		
Bozarth Lewis	11216		734 86
Brock Lewis	7133		33 40
Eyles E. B.	1241		122 64
Oralick Samuel	8582		262 46
Harrold Seymour	"		315 23
Madison County			15 58
Stokes township			5 08
Shockley Wm	8582		14 17
Thomas Joseph	1113		46 93
" "	3649		137 20
" " Guardian	1113		50 61
" Dan & Malinda	3649		101 25
" W. D.	8582		250 80
" Noah	"		80 32
" Jasper	"		50 00
" Wm Hairs	"		10 00
Total to be paid in five years			2 205 53
Cash Payments			
Moon John L.	1241		224 95
" " "	8582		267 92
" Elizabeth	3649		43 75
Smith Sam & Robbier	8582		19 95
" Artnesia	1133		93 99
Woolley Angeline	1241		100 96
Total. Cash payment			751 52

Bonds were issued as follows

1 bond for	\$ 180	Due Mar 1 1896	
1 " " "	180	" Sept. 1 " "	
1 " " "	180	" Mar. 1 1897	
1 " " "	180	" Sept. 1 " "	
1 " " "	180	" Mar. 1 1898	
1 " " "	180	" Sept. 1 " "	
1 " " "	180	" Mar 1 1899	
1 " " "	180	" Sept. 1 " "	
1 " " "	180	" Mar. 1 1900	
1 " " "	180	" Sept. 1 " "	
	\$ 1800		
Total Interest			\$ 297 00