

Madison County Ditch Improvement Record.

E. J. Jones Ditch Construction.

Ditch Petition.

London, Ohio, Feby. 19th A. D. 1906. Petition for repair deepening, widening, altering and construction of a ditch.

To the Honorable Body of Commissioners of Madison County, Ohio:

The undersigned owners of lots and land which will be drained or benefited by the improvement herein prayed for, hereby make application to your honorable body, and now on file with the Auditor of said County, this, their petition, and now and hereby pray for the repair, deepening, widening, altering and construction of a ditch on the route hereinafter set forth.

The necessity for and the benefits of the improvement so prayed for is that it will drain and reclaim the lands along the line thereof and adjacent thereto; and will promote the public health, convenience and welfare.

The following is the beginning, route and termini of said proposed improvement, to-wit: Commencing at the west side of the Neil Township road at the south side of the Little Miami R. R. near the N. E. corner of Thos. and Catharine Shea thence crossing said road and following the line of the County ditch petitioned for Feby. 13, th 1886 by Vaudalia Strawbridge and others through the lands of Chas. Butler (Trustee of N. S. Jones), Edward P. and Robt. Jones Thos. Kavanaugh, Mary C. B. Florence and Samuel Hornbeck in a general south easterly direction about two miles to the Kenia road and there terminating. Your petitioners pray that said ditch may be repaired, deepened, and enlarged as a tile ditch so far as the Commissioners may deem expedient and necessary and that it may be made an open ditch for such portion of its route as may be necessary, and expedient, and economical for the proper drainage of the lands to be benefited thereby.

All of said ditch is located in Paint Township, Madison County, Ohio.

The names of all Persons and Corporations, either public or private, who in the opinion of the petitioners are in any way affected or benefited thereby are as follows:

Chas. Butler "Trustee"

N. S. Jones

E. J. Jones

Robt. Jones

Thos. Shea

Catharine Shea

Little Miami R. R.

Maud Bomer

Angus Bomer

Celestine Durr

Thos. Kavanaugh.

Marion Neil

E. P. Florence

Samuel Hornbeck

A. S. Ruff

Madison County.

Paint Township

Scott Dillow

Hittie F. Parney

Virgil Jordan

Palsh Thomas

E. J. Jones

Petitioners.

Petitioners' Bond.

It now All Men by These Presents, That Edward P. Jones as principal and as sureties, are held and firmly bound unto the State of Ohio in the penal sum of Two Hundred Dollars, good and lawful money, for which we bind ourselves and our heirs, executors and administrators.

Madison County Ditch Improvement Record.

E. J. Jones Ditch Construction.

Signed by us and dated this 19th day of Feby. A. D. 1906.

The condition of the above obligation is such, nevertheless, that whereas, on the 19th day of Feby. A. D. 1906. the above bondman Edward J. Jones made application to the Commissioners of Madison County, and on said day filed with the Auditor of said County and he petitioned for repair, deepening, widening and altering and constructing of a ditch in pursuance of the statute in such case made and provided, on the following route and termini, to-wit: Commencing at the west side of the Twp. Township road at the south line of the Little Miami R. R. near the N. E. corner of Thos. ^{2nd} Bathamie Shew, Thence crossing said road and following the line of the County ditch petitioned for Feby. 13th 1886 by Vandalia S. Traubridge and others through the lands of Chas. Butler, Trustee of A. S. Jones, Edward P. and Pott. Jones, Thos. Cavanaugh, Mary E. C. Florence and Samuel Hornbeck in a general south easterly direction about two miles to the Venia road and there terminating. Your petitioners pray that said ditch may be repaired, deepened and enlarged as a tile ditch so far as the Commissioners may deem expedient and necessary and that it may be made an open ditch for such portion of its route as may be necessary, expedient and economical for the proper drainage of the lands to be benefited thereby, All of said ditch is located in Paris Township, Madison County, Ohio.

Now if the above bondman Edward J. Jones shall pay all costs, if the prayer of said petition be not granted, or if for any other cause the same shall be dismissed, then this obligation shall be void.

The above bond and the sureties thereon, are approved by us this 19th day of Feby. A. D. 1906.

J. J. Shaffer

County Auditor.

E. J. Jones

Ed. J. Shougle

S. P. Wilson.

Notice to

Commissioners

Office of Auditor of Madison County, O., February 19th, 1906.

To the Honorable Board of Commissioners of said County:

Gentlemen: You are hereby notified that a petition and bond for a Ditch improvement has been filed in this office on the 19th day of Feb. 1906, a copy of which petition is attached below; and as required by law I have filed the 22 day of March A. D. 1906 at 10 o'clock a.m., at the beginning of said proposed ditch described in said petition, for your hearing of said matter.

J. J. Shaffer, Auditor.

Copy of Ditch Petition.

London, Ohio, February 19th, 1906. Petition for repair, deepening, widening, altering and constructing a ditch.

To the Honorable Board of Commissioners Madison County, Ohio:

The undersigned owners of lots and land which will be drained or benefited by the improvement has prayed for, hereby make application to your honorable body, and now

Madison County Ditch Improvement Record.

E. J. Jones Ditch Construction

of said County, this, their petition, and now and hereby pray for the repair, deepening, widening, altering and construction of a ditch on the route hereinafter set forth.

The necessity for and the benefits of the improvements so prayed for is that it will drain and reclaim the lands thereof and adjacent thereto, and will promote the public health, convenience and welfare.

The following is the beginning, route and terminus of said proposed improvement, to-wit: Commencing at the west side of the Neil Township road at the South line of the Little Miami R.R. near the North E. corner of Phoe. and Catharine Shea: thence, crossing said road and following the line of the County ditch petitioned for Feb. 13th. 1886 by Vandalia Strawbridge and others, through the lands of Chas. Butler (Trustee of A. S. Jones) Edward P. and Robt. Jones, Phoe. Wavanaugh, Mary E. G. Florence, and Samuel Hornbeck in a general south easterly direction about Two miles to the Xenia road and there terminating.

Your petitioners pray that said ditch may be repaired, deepened and enlarged as a tile ditch so far as the Commissioners may deem expedient and necessary and that it may be made an open ditch for such portion of its route as may be necessary and expedient and economical for the proper drainage of the lands to be benefited thereby.

All of said ditch is located in Paint Township, Madison Co. Ohio.

The Names of all Persons and Corporations, either public or private, who in the opinion of the petitioners are in any way affected or benefited thereby are as follows:

- | | |
|------------------------|-------------------|
| Chas. Butler (Trustee) | Marion Neil |
| A. S. Jones | E. R. Florence |
| E. J. Jones | Samuel Hornbeck |
| Robt. Jones | A. S. Puff |
| Thomas Shea | Madison County |
| Catharine Shea | Paint Township |
| Little Miami R. R. | Scott Dillon |
| Maud Bonner | Stittie F. Rainey |
| Argus Bonner | Virgil Jordan |
| Celestine Durr | Ralph Thomas |
| Thomas Wavanaugh | |

E. J. Jones Petitioners.

I hereby certify the foregoing to be a true copy of a Ditch Petition filed in my office on the 19th day of February, 1906.

J. J. Shaffer
County Auditor.

Commissioners Office, Madison County,
London, Ohio, February 19th, 1906.

Notice of Filing
Petition & Bonds
time for view.

In the matter of the
Ditch Improvement Petitioned
for by E. J. Jones.

Notice of petition and bond filed and
time for view.

Madison County Ditch Improvement Record.

E. P. Jones Ditch Construction.

The County Auditor having delivered to this Board a certified copy of a ditch petition filed with him on the 19th day of February, 1906, signed by E. P. Jones, praying for the repair, deepening, widening, altering and constructing of a county ditch, between the termini and along the route stated below, to-wit:

Commencing at the west side of the Neil Township road, at the south line of the Little Miami Railroad, near the north-east corner of Thomas and Catharine Shea; thence crossing said road and following the line of the county ditch petitioned for Feb. 13th, 1886 by Vandalia Strawbridge and others, through the lands of Charles Butler (Trustee of A. S. Jones) Edward P. Jones & Robert Jones, Thomas Kavanaugh, Mary E. G. Florence, and Samuel Hornbeck in a general south-easterly direction about two miles to the Lucia Road and there terminating.

The petitioner prays that said ditch may be repaired, deepened and enlarged as a the ditch so far as the Commissioners may deem expedient and necessary, and that it may be made an open ditch for such portion of its route as may be necessary, expedient and economical for the proper drainage of the lands to be benefited thereby. All of said ditch is located in Paint Township, Madison County, Ohio.

And it appearing that said petitioner has given bond as required by law, which bond has been approved by said Auditor and said Auditor having fixed the 22nd day of March, 1906, at 10 o'clock, A. M. as the day for hearing said petition it is ordered that this board meet on said day at the place of beginning of said ditch as described in the petition to hear proof offered by any of the parties affected by said improvement, and other persons competent to testify, and to determine as to the necessity of said improvement.

On the question of the adoption of the foregoing petition and orders relating to said petition and ditch, the roll being called, Jno. E. Roberts, N. P. Chenoweth and J. W. Bowers, voted "aye."

Commissioner's Office, Madison County, London Ohio, March 21st, 1906.

Adjourned hearing on Petition.

In the matter of Ditch Imp. Petitioned for by E. P. Jones et al

Adjourned Hearing on petition.

The Board met this 22nd day of March, 1906, pursuant to notice given by the Auditor at the place of beginning of said ditch as designated in said petition.

Present: Jno. E. Roberts, N. P. Chenoweth, J. W. Bowers.

It appearing to the Board that a proper view of said ditch can not be made at this time,

Moved by N. P. Chenoweth, seconded by J. W. Bowers that the Board adjourn the further hearing on said petition to Wednesday April 4th, 1906, at 10 o'clock, A. M. and the Board meet on said day at the place of beginning of said ditch as described in petition for the purpose of viewing said ditch.

The roll being called on the adoption of the above motion, the same was declared adopted, all members voting "aye."

Madison County Ditch Improvement Record.

E. P. Jones Ditch Improvement

Commissioners
Fruiding on PetitionIn the matter of the
Ditch Imp. Petitioned
for by E. P. Jones.

Jno. E. Roberts Pres. }
N. P. Cheworth }
J. W. Bowers. }
Commissioners
Madison County.
Commissioner's Office, Madison County,
London, Ohio. April 4th, 1906.
Commissioners Fruiding on Petition.

This day the Commissioners met in adjourned session, on the line of proposed ditch, pursuant to adjournment of March 22, 1906. Present: Jno. E. Roberts, N. P. Cheworth, J. W. Bowers. After reading the petition and considering all remonstrances, the Board proceeded to view the line of the proposed ditch, and we went over and along the line of said improvement and by actual view of the said ditch and the premises along and adjacent thereto: and heard all proof offered by any of the parties affected by said improvement and other persons competent to testify. And we do hereby find that said improvement is necessary and will be conducive to the public health, convenience and welfare, and a benefit to the lots and lands along the line thereof by furnishing drainage thereto. And we further find that the route described is the best, viz:

Commencing at the west side of the Neal township road at the south line of the Little Miami R.R. near the north-east corner of Thomas and Catharine Shea; thence crossing said road and following the line of the County Ditch petitioned for Feb. 13th 1886, by Vandalia Strawbridge and others, through the lands of Chas. Butler (Trustee of A. S. Jones) Edward P. and Robert Jones, Thos. Cavanaugh, Mary E. Florence and Samuel Hornbeck in a general south-easterly direction about two miles to the Xenia Road and there terminating.

It is therefore ordered that said improvement be granted and the same be known as the "E. P. Jones Ditch Improvement."

The following laterals were located by us, viz:

Lateral No. 1. - Beginning at main ditch on lands of Edward and Robert Jones 150' below land of A. S. Jones; thence running in a north-westerly course to west side of Neal Road and there terminating.

Lateral No. 2. - Beginning at Neal Road near line of A. S. Puff; thence through the lands of said Puff and Thos. Cavanaugh to line of main ditch 60 rods west of Cavanaugh's east line.

It is ordered that the engineer make a report of estimate on tile throughout and open ditch from Xenia road to Cavanaugh's 12" inch lateral.

We also find that due notice has been given to each person or corporation benefited or affected by said improvement, and we do hereby order the Auditor to enter upon said journal an order directing the County Surveyor to go upon the line as described in the petition and survey and level the same, and to perform such other duties as are required in Sections 4454, 4455, & 4456 R.S. as now in force and effect and to file his report with the County Auditor on or before the time hereinafter fixed for hearing the same.

It is further ordered that the 26th day of April, 1906, at 10 o'clock A.M. at the County Auditor's Office, is hereby fixed for the hearing of applications for any appointments of land taken for said

continued on Page 251.

Madison County Ditch Improvement Record.

E. J. Jones Ditch Construction

Notice to Lot or Land Owners.

Auditors Office, Madison County, Ohio.
Feb'y. 19th A. D. 1906.

In the matter of Ditch Improvement Retained for by E. J. Jones et al

Notice to Lot or Land Owners.

To the Lot or Land Owners and to the Corporations, either Public or Private, affected by said Improvement:

You, and each of you, are hereby notified that on the 19th day of Feb'y. 1906. E. J. Jones and others, filed a petition with the Auditor of Madison County, the prayer of which is for the repairing, deepening, widening, altering and constructing of a Ditch on the following starting point, route and terminus, to-wit: Commencing at the west side of the Neil Township road at the south line of the Little Miami R.R. near the W. E. corner of Thos. and Catharine Shew, thence crossing said road and following the line of the County ditch petitioned for Feb'y. 13, 1886, by Vandalia Strawbridge and others through the lands of Chas. Butler, Trustee of A. S. Jones, Edward P. and Robt. Jones, Thos. Kavanaugh, Mary E. G. Florence and Samuel Hornbeck in a general north easterly direction about two miles to the Xenia road and there terminating.

Your petitioners pray that said ditch may be repaired, deepened and enlarged as a tile ditch so far as the Commissioners may deem expedient and necessary and that it may be made an open ditch for such portion of its route as may be necessary, expedient and economical for the proper drainage of the lands to be benefited thereby all of said ditch is located in Paint Township, Madison County, Ohio.

You are also notified that the following time and place have been fixed when and where the Commissioners of said County will meet for the hearing of said petition, to-wit: March 22nd 1906 at 10 o'clock A. M. at the beginning of said proposed ditch improvement for the purpose of hearing any and all proof offered by any of the parties affected by said ditch improvement, whether the said ditch will be conducive to the public health, convenience and welfare; and whether the route described is the best route; and any and all objections to said proposed ditch improvement.

Any application for compensation or damage, or for any change of route, must be in writing and filed with the Commissioners on or before the day set for hearing.

No further notice of any proceedings in this matter will be given.

J. J. Shaffer Auditor of Madison County.

Auditors Office, Madison County, Ohio.
1906

Proof of Personal Notice.

The State of Ohio,
Madison County, S. S.
On this

Proof of Personal Notice.

day of _____ 1906, personally came who being sworn according to law, deposes and says that on the days hereinafter named,

Madison County Ditch Improvement Record.

Ed. J. Jones Ditch Construction.

by delivering to each person opposite whose name appears "D." a true copy of the annexed notice; and on those opposite whose name appears "R." by leaving the same at their usual place of residence.

| Name of Person Served | How served D. or R. | When Served. |
|---------------------------------|------------------------|----------------|
| August Bommer | D. | March 2, 1906. |
| Maud Bommer | D. | " 2 " |
| Little Maini R.R. | D. | " 3 " |
| E. P. Florence | D. | " 3 " |
| Thomas Cavanaugh | D. | " 3 " |
| Virgil Jordan | D. | " 2 " |
| H. S. Puff | D. | " 2 " |
| Thomas Shea | D. | " 3 " |
| Catharine Shea | D. | " 3 " |
| Ralph Thomas | D. | " 3 " |
| Marion Neil (through her agent) | D. | " 3 " |
| George Van Wagener | D. | " 3 " |
| Celestine Duv | D. | " 3 " |
| Ed. J. Jones | D. | " 2 " |
| Robert Jones. | D. | " 2 " |
| A. S. Jones | D. | " 2 " |
| Chas. Butler | D. | " 5 " |
| Samuel Hornbeck | D. | " 7 " |
| Parit Township | D. | " 7 " |
| Scott Dillon | D. | " 7 " |
| Madison County | D. | " " |
| Mittie F. Rainey | D. | " 7 " |

and further this deponent saith not.

Ed. J. Jones.

Sworn to by Ed. J. Jones before me, and by him subscribed in my presence, this 7 day of March, 1906.

J. J. Shaffer
County Auditor.

Publication of notice.

The State of Ohio } S.S.
Madison County }

M. H. Wallace being duly sworn, says he is the business manager of the London Semi-Weekly Enterprise, a newspaper printed and in general circulation in said county, and that a notice, of which the annexed is a copy, was published in said newspaper for at least 2 consecutive weeks prior to the 20th day of March, 1906.

M. H. Wallace.

Sworn to and subscribed by said M. H. Wallace this 20th day of March 1906.

J. J. Shaffer, County Auditor.

Printer's fee \$6.19

Ditch Notice.

In the matter of Ditch Improvement Petitioned for by E. P. Jones et al. Notice to Non-Resident Lot or Land Owners.

Auditor's Office
Madison County, Ohio,
February, 28, 1906

Madison County Ditch Improvement Record.

E. J. Jones Ditch Construction.

To the Lot or Land Owners and to the Corporations, either Public or Private, affected by said Improvement.

You, and each of you, are hereby notified that on the 19th day of February A.D. 1906, E. J. Jones and others filed a petition with the Auditor of Madison county, the prayer of which is for the repairing, deepening, widening, altering and constructing of a ditch on the following starting point, route and terminus, to-wit:

Commencing at the west side of the trail township road, at the south line of the Little Miami railroad, near the northeast corner of Thomas and Catharine Shear; thence crossing said road and following the line of the county ditch petitioned for February 13, 1886, by Vandalia Strawbridge and others, through the lands of Charles Butler (trustee of A. S. Jones), Edward T. and Robert Jones, Thomas Kavanaugh, Mary E. Florence and Samuel Hornbeck in a general south easterly direction about two miles to the Xenia road, and there terminating.

Your petitioners pray that said ditch may be repaired, deepened and enlarged as a tile ditch so far as the commissioners may deem expedient and necessary, and that it may be made an open ditch for such portion of its route as may be necessary, expedient and economical for the proper drainage of the lands to be benefited thereby.

All of said ditch is located in Paris township, Madison County, Ohio.

You are also notified that the following time and place have been fixed when and where the commissioners of said county will meet for the hearing of said petition, to-wit: Thursday, March 20, 1906, at 10 o'clock, a.m. at the beginning of said proposed ditch improvement for the purpose of hearing any and all proof offered by any of the parties affected by said ditch improvement, whether the said ditch will be conducive to the public health convenience and welfare; and whether the route described is the best route, and any and all objections to said proposed ditch improvement.

Any application for compensation or damage or for any change of route, must be in writing and filed with the Commissioners on or before the day set for hearing.

No further notice of any proceedings in this matter will be given.

J. J. Shaffer
Auditor of Madison County.

London, O., March 2, 1906.

Commissioner's Office, Madison County,
London, Ohio, April 26, 1906.

Adjourned
Hearing on
Engineer's
Report.

Board of Commissioners met to-day in special session.
Present: Jno. E. Roberts, N. P. Chenneth and J. W. Bowers.

In the matter of the
Ditch Imp. Petitioned for
by E. J. Jones.

Adjourned Hearing on Engineer's Report.

This being the day fixed by the Board for the hearing of the report and apportionment of the Engineer in the above styled matter, the Board find that the Engineer is not ready to submit said report:

It was moved by J. W. Bowers seconded by N. P. Chenneth that the further hearing in said matter be adjourned to Thursday, May 10, 1906.

Madison County Ditch Improvement Record.
E. J. Jones Ditch Construction.

at 10 o'clock A.M.

The roll being called on the adoption of the above motion, Jno. E. Roberts, N. P. Cheuveth, J. W. Bowers voted "Aye."
Board adjourned.

Jno. E. Roberts Pres. } Commissioners
N. P. Cheuveth } of
J. W. Bowers. } Madison County.
Commissioner's Office, Madison County,
London, Ohio, May 10th 1906.

Board met today pursuant to adjournment of April 26th, 1906.

Present: Jno. E. Roberts, N. P. Cheuveth, J. W. Bowers.

In the matter of }
Ditch Imp. Petitioned } Adjourned Hearing on Engineer's Report.
for by E. J. Jones. }

This being the day to which the above styled matter was adjourned, and the Board, upon examination find that the engineer has not completed said report and apportionment: It was moved by N. P. Cheuveth and seconded by J. W. Bowers that the further consideration of said report and apportionment be adjourned to May 29th, 1906, at 10 o'clock, A. M. Motion carried, Jno. E. Roberts, N. P. Cheuveth and J. W. Bowers voted "Aye."

Board adjourned.

Hearing on
Engineer's
Report.

Jno. E. Roberts } Commissioners
N. P. Cheuveth } of
J. W. Bowers } Madison County.
Commissioner's Office, Madison County,
London, Ohio, May 29th, 1906.

In the matter of the }
Ditch Imp. Petitioned } Hearing on Engineer's Report.
for by E. J. Jones. }

This day the Board of Commissioners being in session, present, Jno. E. Roberts, N. P. Cheuveth, J. W. Bowers, and this being the day to which said matter was adjourned for the hearing of the report of the engineer: the Board, after proper examination, do find that due notice has been given for the length of time required by law to all lot and land owners and to the authorities of all municipal and private corporations affected by said improvements notifying them of the substance and prayer of the petition for said improvement, said Board also find that no person has made application in writing for compensation and damages and that no person has made application in writing for a change of the line of the ditch through their premises.

After having examined the report of the engineer with the apportionment by him made, do find that the said report and apportionment are in all respects fair and just, according to the benefits to be derived from the proposed improvements by the owner of each lot and tract of land and by municipal and private corporations and railroad companies.

Moved by Bowers, seconded by Cheuveth that the report continued on page 250.

Madison County Ditch Improvement Record.

E. J. Jones Ditch Construction

Report and
Schedule of
Engineers.

Auditor's Office, Madison County, Ohio.
May 10th A.D. 1906.

In the matter of Ditch Imp. }
Petitioned for by E. J. Jones } Report and Schedules of Engineers,
To the Honorable, the Board of Commissioners of Madison County, Ohio:

The undersigned Engineer, in obedience to the direction of your Honorable Body, made on the 4 day of April, 1906, has proceeded in the above matter, and has made a level and survey of the line of said proposed ditch improvement, and set a stake at every hundred feet numbering down stream; and I have made a note of the intersections of lines and boundaries of lands, townships and county lines, laid marks, bench marks, and road and railroad crossings; and I herewith make report of same, with profile, and plat and an estimate of the number of the cubic yards of earth or other substance to be removed, and the cost per cubic yard for each working section on said report indicated and of each section of one hundred feet.

I have also made and return herewith, a schedule of all lots and lands, and public and corporate roads and railroads, together with the name of the owners of such railroad companies, and the names of the lessees operating the same, that will be benefited by said improvement; and an apportionment of the cost of location and construction, in money, to each lot and tract of land, road and railroad, according to the benefits which will result to each from the said improvement; and in apportioning the costs of such improvement the benefits to any lots or lands by diking the same in whole or in part, have been by me considered with other benefits, and a specification of the manner in which the improvement shall be made and completed; the number of flood gates, waterways, farm crossings and bridges, including kinds and dimensions thereof; and such other matters as the undersigned deems important. The said survey, level reports and schedules are herewith attached and made a part thereof.

The following is an itemized cost bill, made by me, in the proper discharge of my duty, under your order.

| | | | |
|--|----------|---------------------------|---------|
| J. N. Asher | Engineer | 8 days, at \$5.00 per day | \$40.00 |
| H. L. Mc Cafferty | " | 2 " " 4.00 " " | 8.00 |
| W. R. Rainey | " | 2 " " 4.00 " " | 9.00 |
| Jesse Paine | Podman | 3 " " 2.00 " " | 6.00 |
| Jas. Byers | Chamman | 1 " " 2.00 " " | 2.00 |
| Lyde Barnhart | " | 1 " " 2.00 " " | 2.00 |
| Meehan | Asman | 1 " " 2.00 " " | 2.00 |
| Wm. James | C. C. | 1 " " 2.00 " " | 2.00 |
| Other Expenses: | | | |
| Burnham & Gordin, team and hand 1 day. | | | 4.25 |
| W. Hulls, Horse and wagon 1 " | | | 1.50 |
| Harriott & Irwin 166-12" stakes @ .75 | | | 2.91 |
| 166-18" " " 1.00 | | | |
| | | | <hr/> |
| | | | \$79.66 |

The foregoing Cost Bill allowed by us 1906.

Madison County Ditch Improvement Record.

E. J. Jones, Ditch Construction.

H. L. McLaugherty, Engineer,
per J. H. Asher, Deputy.

Jno. E. Roberts
W. P. Schenweth
J. W. Bowers.
Report of Engineer.

County Commissioners.

Slope.

Schedule "A."

Report of Engineer
Schedule "W."

| Stake every 100 feet of course | Surface Elevation | Grade Elevation | Total fall from Station | Existing Depth | cut | Width on Bottom | Width on Top | Arch Height | Balance per ft | Edge of tile | Course and Distance | |
|--------------------------------|-------------------|-----------------|-------------------------|----------------|------|-----------------|--------------|-------------|----------------|--------------|---------------------|--|
| B.M. 100 | | | | | | | | | | | | Top of Keystone W |
| 0 | 99.47 | 95.50 | | 3.97 | 3.97 | | | | | | | End of culvert P. & S. R. R. 42' in Powell's Road. |
| 1 | 98.75 | 95.25 | | 3.50 | 3.50 | | | | | | | |
| 2 | 98.75 | 95.00 | | 3.75 | 3.75 | | | | | | | |
| 3 | 98.74 | 94.75 | | 3.99 | 3.99 | | | | | | | |
| 4 | 98.30 | 94.50 | | 3.80 | 3.80 | | | | | | | |
| 5 | 97.85 | 94.25 | | 3.60 | 3.60 | | | | | | | |
| 6 | 97.60 | 94.00 | | 3.60 | 3.60 | | | | | | | |
| 7 | 97.15 | 93.75 | | 3.30 | 3.30 | | | | | | 0 to 7 | |
| 8 | 97.17 | 93.50 | | 3.67 | 3.67 | | | | | | S 40 1/4° E. 700' | |
| 9 | 97.00 | 93.25 | | 3.70 | 3.70 | | | | | | | |
| 10 | 96.80 | 93.00 | | 3.80 | 3.80 | | | | | | | |
| 11 | 96.55 | 92.75 | | 3.80 | 3.80 | | | | | | 7 to 11 | |
| 12 | 96.34 | 92.50 | | 3.84 | 3.84 | | | | | | S 57° E. 400' | |
| 13 | 96.10 | 92.25 | | 3.85 | 3.85 | | | | | | | |
| +50 | 96.04 | 92.12 | | 3.92 | 3.92 | | | | | | 11 to 13+50 | |
| 14 | 95.72 | 92.00 | | 3.72 | 3.72 | | | | | | S. 34° E. 250' | |
| 15 | 95.85 | 91.75 | | 4.10 | 4.10 | | | | | | | |
| +50 | 95.57 | 91.62 | | 3.95 | 3.95 | | | | | | 13+50 to 15+50 | |
| 16 | 95.66 | 91.50 | | 4.16 | 4.16 | | | | | | S. 22° E. 200' | |
| 17 | 95.28 | 91.25 | | 4.03 | 4.03 | | | | | | | |
| 18 | 95.35 | 91.00 | | 4.35 | 4.35 | | | | | | 15+50 to 18 | |
| 19 | 95.02 | 90.75 | | 4.27 | 4.27 | | | | | | S 21° W. 250' | Distance on Chas. Butler trustee, 2464' |
| 20 | 94.99 | 90.50 | | 4.49 | 4.49 | | | | | | 18 to 19 | |
| 21 | 94.69 | 90.25 | | 4.44 | 4.44 | | | | | | S. 76 1/4° W. 100' | |
| +43 | 94.65 | 90.15 | | 4.50 | 4.50 | | | | | | 19 to 21+43 | |
| 22 | 94.35 | 90.00 | | 4.35 | 4.35 | | | | | | S. 87 3/4° W. 243 | |
| 23 | 94.54 | 89.75 | | 4.79 | 4.79 | | | | | | 21+43 to 22 | |
| +40 | 94.46 | 89.65 | | 4.81 | 4.81 | | | | | | S. 64° W. 57' | |
| B.M. 96.99 | | | | | | | | | | | | Burr Oak 150' left. |
| 24 | 94.39 | 89.50 | | 4.89 | 4.89 | | | | | | 22 to 23+40 | Chas. Butler trustee Pott. and Edw. Jones 2500' |
| 25 | 94.55 | 89.25 | | 5.30 | 5.30 | | | | | | S 13 1/2° W. 140' | |
| 26 | 95.68 | 89.00 | | 6.68 | 4.26 | | | | | | | |
| 27 | 94.31 | 88.75 | | 5.66 | 3.74 | | | | | | | Distance on Jones 2133' |
| 28 | 93.31 | 88.50 | | 4.81 | 3.99 | | | | | | 23+40 to 28 | |
| 29 | 93.88 | 88.34 | | 5.54 | 3.95 | | | | | | S 2° W. 460' | |
| 30 | 94.22 | 88.09 | | 6.13 | 3.50 | | | | | | 28 to 29 | |
| 31 | 93.75 | 87.84 | | 5.91 | 3.53 | | | | | | S. 22 1/2° E. 64' | |
| 32 | 94.07 | 87.59 | | 6.48 | 3.68 | | | | | | 29 to 30 | |
| +35 | 93.49 | 87.50 | | 5.99 | | | | | | | S. 5° W. 100' | |
| | | | | | | | | | | | 30 to 31 | |
| | | | | | | | | | | | S. 24 1/2° W. 100' | |
| | | | | | | | | | | | 31 to 32+35 | |
| | | | | | | | | | | | S 33° W. 135' | |

Madison County Ditch Improvement Record.

C. J. Jones Ditch Construction.

| Stakes every 100 feet marked in line | Surface Elevation | Grade Elevation | Total fall from station 0. | Centre Depth | Width | Width on Bottom | Width on Top | Number of Spades | Estimated per yard | Size of tile. | Course & Distance. |
|--------------------------------------|-------------------|-----------------|----------------------------|--------------|-------|-----------------|--------------|------------------|--------------------|---------------|--------------------|
| 33 | 92.37 | 87.34 | | 5.03 | 5.03 | | | | | | |
| B.M. | 94.49 | | | | | | | | | | Burr Oak Right |
| +67 | 94.32 | 87.18 | | 7.14 | 3.39 | | | | | | 32+35 to 33+67 |
| 34 | 94.63 | 87.09 | | 7.54 | 3.38 | | | | | | S. 11° W. 132' |
| 35 | 92.86 | 86.84 | | 6.02 | 3.23 | | | | | | 33+67 to 35 |
| 36 | 93.33 | 86.59 | | 6.74 | 6.74 | | | | | | S. 21° W. 133' |
| 37 | 92.80 | 86.34 | | 6.46 | 6.46 | | | | | | |
| 38 | 92.82 | 86.09 | | 6.73 | 6.73 | | | | | | |
| 39 | 91.62 | 85.84 | | 5.78 | 5.78 | | | | | | 35 to 39+15 |
| +15 | 90.94 | 85.80 | | 5.14 | 2.57 | | | | | | S. 1/2° W. 415' |
| 40 | 91.57 | 85.59 | | 5.98 | 2.95 | | | | | | |
| 41 | 90.99 | 85.34 | | 5.65 | 2.40 | | | | | | |
| 42 | 89.62 | 85.09 | | 4.53 | 2.55 | | | | | | |
| 43 | 89.65 | 84.00 | | 4.81 | 2.30 | | | | | | |
| 44 | 88.98 | 84.59 | 10.91 | 4.39 | 2.05 | | | | | | 39+15 to 44+80 |
| +80 | 89.09 | 84.19 | | 4.90 | | | | | | | S. 70° E. 565' |
| 45 | 88.74 | 84.09 | | 4.65 | 2.25 | | | | | | |
| 46 | 87.92 | 83.59 | | 4.33 | 2.55 | | | | | | 44+80 to 46 |
| 47 | 87.06 | 83.09 | | 4.97 | 1.95 | | | | | | S. 50 1/2° E. 120' |
| 48 | 87.59 | 82.59 | | 5.00 | 3.15 | | | | | | 46 to 47 |
| 49 | 86.78 | 82.09 | | 4.69 | 2.27 | | | | | | S. 72 1/2° E. 100' |
| 50 | 85.08 | 81.59 | | 3.49 | 2.97 | | | | | | 47 to 50+20 |
| +20 | 86.66 | 81.49 | | 5.17 | | | | | | | S. 87 1/4° E. 320' |
| B.M. | 88.78 | | | | | | | | | | |
| 51 | 85.86 | 81.09 | | 4.77 | 3.17 | | | | | | |
| 52 | 86.01 | 80.59 | | 5.42 | 3.17 | | | | | | |
| 53 | 85.21 | 80.09 | | 5.12 | 3.27 | | | | | | |
| 54 | 85.56 | 79.59 | | 5.97 | 3.47 | | | | | | |
| 55 | 84.72 | 79.09 | | 5.63 | 3.53 | | | | | | |
| 56 | 84.57 | 78.59 | | 5.98 | 3.73 | | | | | | |
| 57 | 83.91 | 78.09 | | 5.82 | 4.03 | | | | | | |
| 58 | 81.85 | 77.59 | 17.91 | 4.26 | 4.26 | | | | | | 50+20 to 58. |
| 59 | 82.58 | 77.29 | | 5.29 | 3.13 | | | | | | S. 31 1/4° E. 780' |
| 60 | 82.55 | 76.99 | | 5.56 | 3.53 | | | | | | |
| 61 | 82.67 | 76.69 | | 5.98 | 3.43 | | | | | | |
| B.M. | 86.12 | | | | | | | | | | |
| 62 | 83.08 | 73.39 | | 6.69 | 3.43 | | | | | | Burr Oak Right. |
| 63 | 81.17 | 76.09 | | 5.08 | 3.53 | | | | | | 58 to 63+20. |
| +20 | 81.16 | 76.05 | | 5.07 | | | | | | | |
| 64 | 81.95 | 75.79 | | 6.16 | 3.51 | | | | | | |
| +75 | 80.65 | 75.59 | | 5.08 | | | | | | | 63+20 to 64+75 |
| 65 | 80.30 | 75.49 | | 4.81 | 4.81 | | | | | | S. 52° E. 155' |
| 66 | 81.58 | 75.19 | | 6.39 | 3.81 | | | | | | 64+75 to 66+25 |
| +25 | 80.73 | 75.12 | | 5.61 | | | | | | | S. 64 1/2° E. 150' |
| 67 | 81.56 | 74.89 | | 6.67 | 6.67 | | | | | | |
| 68 | 80.57 | 74.59 | | 5.98 | 4.11 | | | | | | |

Robt. & Edw. Jones } 4175' = line
Thos. Bavarangle }

Distance on Bavarangle 1800'

Older tree left.

Thos. Bavarangle } 6475' = line
Mary E. Florence }

Distance on Florence 1836'

Madison County Ditch Improvement Record.

E. J. Jones Ditch Construction.

| Stake way 100 feet numbered down stream | Surface Elevation | Grade Elevation | Total fall from station 0. | Entire Depth | Depth | Width on Bottom | Width on Top | Number Yards | Estimate per yd. | Size of fill. | Course and Distance. |
|--|----------------------|--------------------|-------------------------------|-----------------|-------|--------------------|-----------------|-----------------|---------------------|------------------|---|
| 69 | 80.90 | 74.29 | | 6.61 | 3.71 | | | | | | |
| 70 | 80.45 | 73.99 | | 6.46 | 3.31 | | | | | | |
| 71 | 79.90 | 73.69 | | 6.21 | 3.31 | | | | | | |
| 72 | 79.83 | 73.39 | | 6.44 | 3.54 | | | | | | |
| 73 | 79.41 | 73.09 | | 6.32 | 3.24 | | | | | | |
| 74 | 79.33 | 72.79 | | 6.54 | 3.14 | | | | | | |
| 75 | 78.93 | 72.49 | | 5.44 | 3.14 | | | | | | |
| 76 | 78.69 | 72.19 | | 6.50 | 3.24 | | | | | | |
| 77 | 77.37 | 71.89 | | 5.48 | 3.24 | | | | | | 66+25 to 77. |
| B.M. | 78.49 | | | | | | | | | | S. 82 1/2° E. 107.5' |
| 78 | 77.78 | 71.59 | | 6.19 | 3.14 | | | | | | Nail in S. Side of post at angle of fence. |
| 79 | 78.03 | 71.29 | | 6.74 | 3.24 | | | | | | |
| 80 | 77.37 | 70.99 | | 6.38 | 3.44 | | | | | | |
| 81 | 77.57 | 70.69 | | 6.88 | 3.44 | | | | | | |
| 82 | 77.09 | 70.39 | | 6.70 | 3.48 | | | | | | Mary E. to Florence } 8311' = line Samuel Hornbeck } |
| 83 | 76.85 | 70.09 | 25.41 | 6.76 | 3.31 | | | | | | Nail in S. side of corner fence post. |
| B.M. | 77.31 | | | | | | | | | | |
| +23 | 76.71 | 70.05 | | 6.66 | | | | | | | 77 to 83 + 23 S. 46 1/4° E. 623' |
| 84 | 76.75 | 69.88 | | 6.87 | 3.49 | | | | | | |
| 85 | 76.58 | 69.67 | | 6.91 | 3.50 | | | | | | Distance on Hornbeck 2854' |
| 86 | 76.11 | 69.46 | | 6.65 | 3.19 | | | | | | |
| 87 | 76.27 | 69.25 | | 7.02 | 3.22 | | | | | | |
| 88 | 75.69 | 69.04 | | 6.65 | 3.33 | | | | | | |
| 89 | 75.52 | 68.83 | | 6.69 | 2.94 | | | | | | |
| 90 | 75.02 | 68.62 | | 6.40 | 3.25 | | | | | | |
| 91 | 75.03 | 68.41 | | 6.62 | 3.34 | | | | | | |
| 92 | 74.63 | 68.20 | | 6.43 | 3.15 | | | | | | |
| 93 | 74.25 | 67.99 | | 7.26 | 3.06 | | | | | | |
| 94 | 73.48 | 67.78 | | 5.70 | 2.97 | | | | | | |
| 95 | 74.08 | 67.57 | | 6.51 | 2.78 | | | | | | 83 + 23 to 95 + 12 S. 1 1/2° W. 1189' |
| +12 | 73.84 | 67.55 | | 6.29 | | | | | | | |
| 96 | 73.00 | 67.36 | | 5.64 | 2.89 | | | | | | |
| 97 | 72.55 | 67.15 | | 5.40 | 3.60 | | | | | | |
| 98 | 72.30 | 66.94 | | 5.36 | 2.91 | | | | | | |
| 99 | 72.58 | 66.73 | | 5.85 | 3.27 | | | | | | 95 + 12 to 99 + 88 S. 58 1/2° E. 476' |
| +88 | 73.06 | 66.54 | | 6.54 | | | | | | | |
| 100 | 72.05 | 66.52 | | 5.53 | 3.08 | | | | | | |
| 101 | 73.15 | 66.31 | | 6.84 | 3.09 | | | | | | |
| 102 | 72.30 | 66.10 | | 6.20 | 3.00 | | | | | | |
| 103 | 72.38 | 65.89 | | 6.49 | 3.21 | | | | | | 99 + 88 to 103 S. 73 1/4° E. 312' |
| 104 | 70.75 | 65.68 | | 5.07 | 3.32 | | | | | | 103 to 104 + 47 S. 78 3/4° E. 147' |
| +47 | 72.20 | 65.58 | | 6.62 | | | | | | | |
| 105 | 70.78 | 65.47 | | 4.31 | 3.13 | | | | | | |
| 106 | 71.73 | 65.26 | | 6.47 | 3.17 | | | | | | |
| 107 | 70.28 | 65.05 | | 5.23 | 4.25 | | | | | | |
| 108 | 69.91 | 64.84 | | 5.07 | 4.06 | | | | | | |

Madison County Ditch Improvement Record.
E. J. Jones, Ditch Construction.

| Stake every 100 feet marked down stream | Surface Elevation | Grade Elevation | Vertical fall from station 0. | Entire Depth | Spout | Width on Bottom | Width on Top | Length of Sp. | Estimated per cent slope of bed. | Course & Distance. | |
|---|-------------------|-----------------|-------------------------------|--------------|-------|-----------------|--------------|---------------|----------------------------------|----------------------|---|
| 109 | 69.69 | 64.63 | | 5.06 | 3.87 | | | | | | |
| 110 | 70.19 | 64.42 | | 5.77 | 3.78 | | | | | 104+47 to 110+45 | |
| +45 | 70.62 | 64.32 | | 6.30 | | | | | | S. 86° E. 598' | |
| 111 | 70.63 | 64.21 | | 6.42 | 3.69 | | | | | 110+45 to 111 | |
| B.M. | 71.61 | | | | | | | | | S. 66 1/2° E. 55' | N. E. Corner Bridge & Wharfment. |
| +92 | 68.05 | 64.00 | 31.50 | 4.05 | | | | | | 111 to 111+92 | |
| | | | | | | | | | | S. 42 3/4° E. 92' | Distance on Robert Duncan 27' |
| Lateral No. I. | | | | | | | | | | | |
| 0 | 96.24 | 91.24 | | 5.00 | 3.02 | | | | 10" | 0 to 4+67 | At Station 27. |
| 1 | 95.58 | 90.89 | | 4.69 | 2.97 | | | | | S. 69 1/2° E. = 467' | Begins on the west side of the Neil Road. |
| 2 | 95.17 | 90.54 | | 4.63 | 3.42 | | | | | | Distance on the Neil Road 40 feet. |
| 3 | 94.78 | 90.19 | | 4.59 | 3.47 | | | | | | |
| 4 | 95.19 | 89.84 | | 5.35 | 3.32 | | | | | | |
| +67 | 94.72 | 89.61 | | 5.11 | | | | | | 4+67 to 6+52 | Chas. Butler Trustee } 200' line Potter & Edw. Jones. } Distance on Butler 160' |
| 5 | 94.74 | 89.49 | | 5.25 | 3.77 | | | | | S. 49 1/2° E. = 185' | Distance on Robt. & Edward Jones 452 feet. |
| 6 | 95.17 | 89.14 | | 6.03 | 4.02 | | | | | | |
| +52 | 94.31 | 89.00 | 2.24 | 5.31 | 3.56 | | | | | | |
| Lateral No. II. | | | | | | | | | | | |
| 0 | 87.99 | 83.59 | | 4.40 | 4.40 | | | | 8" | 0 to 4 | At Station 58 |
| 1 | 87.67 | 83.44 | | 4.23 | 4.23 | | | | | N 57° E. = 400' | Begins on the West side of the Neil Road. |
| 2 | 88.63 | 83.29 | | 5.34 | 5.34 | | | | | | Distance on Neil Road 56 feet. |
| B.M. | 94.46 | | | | | | | | | | |
| 3 | 89.19 | 83.14 | | 6.05 | 6.05 | | | | | | |
| 4 | 88.55 | 82.99 | | 5.56 | 5.56 | | | | | 4 to 7+85 | A. S. Puff } 381' line. Thomas Cavanaugh } |
| 5 | 88.88 | 82.84 | | 6.04 | 6.04 | | | | | N 54 1/4° E. 385' | Distance on Puff 325' |
| 6 | 88.97 | 82.69 | | 6.28 | 6.28 | | | | | | |
| 7 | 88.37 | 82.54 | | 5.83 | 5.83 | | | | | 7+85 to 9 | |
| +85 | 88.21 | 82.41 | | 5.80 | 5.80 | | | | | N 83° E. = 115' | |
| 8 | 88.31 | 82.39 | | 5.92 | 5.92 | | | | | | |
| 9 | 88.01 | 82.24 | | 5.77 | 5.77 | | | | | 9 to 12+27 | Distance on Cavanaugh 2295 feet. |
| 10 | 88.12 | 82.09 | | 6.03 | 6.03 | | | | | N 49° E. = 327' | |
| 11 | 87.87 | 81.94 | | 5.93 | 5.93 | | | | | | |
| 12 | 87.92 | 81.79 | | 6.13 | 6.13 | | | | | | |
| +27 | 87.87 | 81.75 | | 6.12 | 6.12 | | | | | 12+27 to 17+76 | |
| 13 | 87.37 | 81.64 | | 5.73 | 5.73 | | | | | N 54 1/4° E. = 549' | |
| 14 | 88.42 | 81.49 | | 6.93 | 6.93 | | | | | | |
| 15 | 88.16 | 81.34 | | 6.84 | 6.84 | | | | | | |
| 16 | 87.79 | 81.19 | | 6.60 | 6.60 | | | | | | |
| 17 | 87.16 | 81.04 | | 6.12 | 6.12 | | | | | 17+76 to 26+76 | |
| +76 | 86.64 | 80.92 | | 5.72 | 5.72 | | | | | N 53° E. = 900' | |
| 18 | 86.49 | 80.89 | | 5.60 | 5.60 | | | | | | |
| 19 | 85.75 | 80.74 | | 5.01 | 5.01 | | | | | | |
| 20 | 85.19 | 80.59 | | 4.60 | 4.60 | | | | | | |
| 21 | 84.31 | 80.49 | | 3.87 | 3.87 | | | | | | |
| 22 | 83.74 | 80.29 | 3.30 | 3.45 | 3.45 | | | | | | |

Madison County Ditch Improvement Record.

C. J. Jones Ditch Construction.

| Statement of Working Sections | No. of Working Section | No. of Stakes From To | No. of Lined Feet. | No. of Cubic Yds. | Price per Cu. Yd. | Amount D. | Amount C. | |
|---|------------------------|---------------------------|--------------------|-------------------|-------------------|-----------|-----------|--------------------------------------|
| For Tile from Station 0 to Station 58 - Open Ditch from 58 to 111+92. | | | | | | | | |
| Main Ditch. | | | | | | | | |
| I | | 111+50 83+11 | 2839 | 2400 | .16 | 384 | 00 | |
| II. | | 83+11 64+75 | 1836 | | .16 | 320 | 00 | |
| III. | | 64+75 46+75 | 1800 | 725 | .16 | 117 | 00 | |
| | | 12 inch Tile | | 68.19 | 1.60 | 109 | 01 | |
| | | Construction | | 68.19 | .90 | 61 | 37 | |
| | | | | | | 287 | 38 | |
| IV. | | 46+75 25+06 | 2133 | | | | | |
| | | 12 inch tile | | 123.59 | 1.60 | 197 | 74 | Average depth of cut 3 ft. 10 in. |
| | | 10 " " | | 5.68 | 1.10 | 6 | 25 | |
| | | Construction | | 129.27 | .90 | 116 | 34 | |
| | | | | | | 320 | 33 | |
| V. | | 25+06 0 | 2506 | | | | | |
| | | 10 inch Tile | | 151.88 | 1.10 | 167 | 07 | Average depth of cut 4 feet. |
| | | Construction | | 151.88 | 1.00 | 151 | 88 | |
| | | | | | | 318 | 95 | |
| VI. | | Concrete Protection Wall. | | | | | | |
| | | 7 1/2' x 5 1/2' x 3 1/2' | | | | 25 | 00 | |
| Lateral No. 1. | | | | | | | | |
| VII. | | 6+52 0 | 652 | | | | | |
| | | 10 inch Tile | | 39.50 | 1.10 | 43 | 45 | Average depth of cut 3 ft. 5 1/4 in. |
| | | Construction | | 39.50 | .70 | 27 | 65 | |
| | | | | | | 71 | 10 | |
| Lateral No. 2. | | | | | | | | |
| VIII. | | 22 0 | 2200 | | | | | |
| | | 8 inch tile | | 133.33 | .75 | 100 | 00 | Average depth of cut 5 ft. 7 in. |
| | | Construction | | 133.33 | 1.00 | 133 | 33 | |
| | | | | | | 233 | 33 | |
| Total Estimate. | | | | | | | | |
| | | | Pile | | | 623 | 52 | |
| | | | Open Ditch | | | 821 | 00 | |
| | | | Tile Cutting | | | 490 | 57 | |
| | | | Concrete | | | 25 | 00 | |
| | | | | | | \$1960 | 09 | |

Madison County Ditch Improvement Record.

E. J. Jones Ditch Construction.

| Report of Engineer Schedule "B." | No. of Working Sections. | Owner's Name as found on Duplicate. | Original Survey Number | Township | Acres Owned | Acres Drained | Estimated Cost of Construction | Estimated Cost of Location | Total Cost | Appropriated |
|----------------------------------|--------------------------|--|------------------------|---|-------------|---------------|--------------------------------|----------------------------|------------|--------------|
| | | For Tile from 0 to 58 P. O. Co. & St. L. R. R. Co. | 58 | open ditch from 58 to 111 + 92. Right of way. | | | \$ 25 00 | \$ 1 00 | \$ 26 10 | |
| | | Paint Township | | Neil Road | | | 68 33 | 2 30 | 70 63 | |
| | | Thos. & Katharine Shea | 6061 | Main Ditch Lateral No. 1 | 119.92 | | 60 00 46 10 106 10 | 4 00 | 110 10 | |
| | | Robt. & Edward Jones | 8121 | Main Ditch Lateral No. 1. | 118.67 | | 442 78 12 00 454 78 | 14 50 | 469 28 | |
| | | Thos. Dwananagh | 81.21 | Main Ditch Lateral No. 2. | 118.07 | | 167 88 15 00 182 88 | 13 25 | 196 13 | |
| | | Mary E. Co. Florence | 81.21 | Main Ditch | 202.52 | | 179 98 | 9 65 | 189 63 | |
| | | Samuel Hornbeck | 8745 8121 | Main Ditch | 207.42 | | 175 00 | 8 60 | 183 60 | |
| | | A. S. Puff | 8121 | Main Ditch | 322.70 | | 5 00 | 4 95 | 159 95 | |
| | | Marion Neil | 6061 | Main Ditch Lateral No. 2. | 182.87 | | 20 00 20 00 40 00 | 1 51 | 41 51 | |
| | | Maud Bonner | 6061 4514 12861 | | | 30 | 40 00 | 1 80 | 41 80 | |
| | | August Bonner | 7277 7176 | | | 20 | 30 00 | 1 20 | 31 20 | |

Madison County Ditch Improvement Record.

E. A. Jones Ditch Construction

| Statement of Working Sections. Schedule "A." | No. of Working Sections | No. of Stakes | | No. of Linear Feet | Linear Pds. | Price per Pds. | Amount. | | | |
|--|-------------------------|--|-------|--------------------|-------------|----------------|---------|----|--|----------------------|
| | | Trav. | Ps. | | | | D. | C. | | |
| | | | | | | | | | | |
| | | | | | | | | | | Main Ditch. |
| 1 | | 111+50 | 83+11 | 2839 | | | | | | |
| | | 15" Tile | | | 172.07 | 2.80 | 481 | 80 | | |
| | | Construction | | | 172.07 | 1.00 | 172 | 07 | | Average depth of cut |
| | | | | Total | | | 653 | 87 | | 3 ft. 4 in. |
| 2 | | 83+11 | 64+75 | 1836 | | | | | | |
| | | 15 in Tile | | | 111.27 | 2.80 | 311 | 56 | | |
| | | Construction | | | 111.27 | 1.00 | 111 | 27 | | Average depth of cut |
| | | | | Total | | | 422 | 83 | | 3 ft. 10 in. |
| 3 | | 64+75 | 46+75 | 1800 | | | | | | |
| | | 15 in. Tile | | | 40.90 | 2.80 | 114 | 52 | | |
| | | 12 " " | | | 68.19 | 1.60 | 109 | 10 | | Average depth of cut |
| | | Construction | | | 109.09 | .90 | 98 | 18 | | 3 ft. 3 in. |
| | | | | Total | | | 321 | 80 | | |
| 4 | | 46+75 | 25+06 | 2133 | | | | | | |
| | | 12 in Pile | | | 123.59 | 1.60 | 197 | 74 | | |
| | | 10 " " | | | 5.68 | 1.10 | 6 | 25 | | Average depth of cut |
| | | Construction | | | 129.27 | .90 | 116 | 34 | | 3 ft. 10 in. |
| | | | | Total | | | 320 | 33 | | |
| 5 | | 25+06 | 0 | 2506 | | | | | | |
| | | 10 in. Tile | | | 151.88 | 1.10 | 167 | 07 | | Average depth of cut |
| | | Construction | | | 151.88 | 1.00 | 151 | 88 | | 4 feet. |
| | | | | Total | | | 318 | 95 | | |
| 6 | | Concrete Protection Wall 7' x 5 1/2' x 3 1/2' = 5 cu. yds. | | | | 5.00 | 25 | 00 | | |
| | | Pile Estimate | | | | | | | | |
| | | 15 in Pile | | | 324.24 | 2.80 | 907 | 87 | | |
| | | 12 " " | | | 191.78 | 1.60 | 306 | 85 | | |
| | | 10 " " | | | 157.56 | 1.10 | 173 | 32 | | |
| | | | | Total | | | 1388 | 04 | | |
| | | Total for Construction | | | | | 649 | 74 | | |
| | | | | | | | 2037 | 78 | | |
| | | Concrete Wall | | | | | 25 | 00 | | |
| | | Grand Total | | | | | 2062 | 78 | | |

Madison County Ditch Improvement Record.

E. J. Jones, Ditch Construction.

| No. of Working Sections | No. of Stakes | | Lined Feet | Lined Pds | Price per Pds. | Amount | | Remarks. | | |
|-------------------------|---------------|-----|------------|-----------|----------------|---------------------------|----|---|-------|-----|
| | From | To. | | | | D. | C. | | | |
| 7 | 6+52 | 0 | 652 | 395 | 1.10 | At Station 27. | | Average cut 3.44 feet = 3 ft. 5 1/4 in. | | |
| | | | | | | 10 inch Pile Construction | | | 48 | 45 |
| | | | | | | Total | | | 27 | 65 |
| | | | | | | | | | 71 | 10. |
| 8 | 22 | 0 | 2200 | 133.33 | 1.75 | At Station 58. | | From station 22 to station 26.76 the tile now in use to remain and at Station 58 of the main ditch must be connected with the said main ditch. Average cut, 5 feet 7 inches. | | |
| | | | | | | 8 inch Pile Construction | | | 100 | 00 |
| | | | | | | Total | | | 133 | 33 |
| | | | | | | | | | # 233 | 33 |

Report of Engineer, Schedule "b."

Auditors Office, Madison County, Ohio.
May 10th. A. D. 1906.

In the matter of Ditch Improvement Petitioned by E. J. Jones } Specifications of the Manner of Construction.

The tile now in this improvement shall be taken up and replaced with other tile, as follows: Main Ditch, from station 0 to station 26 with 10 inch tile; from station 26 to station 58 with 12 inch tile; from station 58 to station 111+50 with 15 inch tile. Lateral No. 1 from station 0 to station 6+52 with 10 inch tile; Lateral No. 2 from station 0 to station 22 with 8 inch tile. All tile must be of first quality. The grade line must be made to conform to the gradients shown on the profile, filed herewith and as shown on in schedule "A" of this report. All tile must be evenly laid and closely jointed and any open joints at angles in ditch shall be covered with pieces of broken tile. Pile must not be covered until after it has been inspected by the engineer in charge of the work. After inspection sufficient dirt shall be put on the tile to secure them from injury, by freezing, by being tramped by stock, or other causes, leaving a good storm ditch over the tile from station 26 to terminus.

The contractor for construction shall put in place, all 4's and connect all laterals coming into the main ditch or any of the laterals. The tile contractor shall furnish any tile needed to make such connections for which he will be allowed pay at the prevailing prices for the various sizes furnished. The estimate


Madison County Ditch Improvement Record.

E. S. Jones, Ditch Construction.

for tile includes the furnishing of $\frac{1}{2}$ s required and the delivery of all tile and $\frac{1}{2}$ s each size in its proper place on the line of the ditch. Any expense caused by improper delivery will be charged against the tile contract and deducted therefrom at the time of settlement.

Specifications for Open Ditch.

The open ditch from station 58 to station 111+92 shall be 2 feet wide in bottom with side slopes of $1\frac{1}{2}$ to 1. Dirt must be removed at least 15 feet from the top of banks and well scattered. A clear right of way of 30 feet on each side of ditch is reserved for constructing ditch and delivering tile.



Concrete Protection Wall.

Specifications.

Wall to have the dimensions shown in the drawing. The concrete shall be composed of 1 part best Portland cement, 3 parts sand and 3 parts gravel. The top and exposed surfaces shall have a finishing coat of at least one inch in thickness composed of equal parts of sand and cement, and be troweled smooth. A form must be made in which to mold or construct the wall. The work of constructing wall to be done under the direction of the engineer.

Commissioners
Finding on
Engineer's Report.

Continued from Page 240.

of the engineer be accepted and approved with the exception that an open ditch be constructed from the Lucia road to Station 58 according to Engineer's supplementary report and that his appointment on this report be approved.

Motion carried, all members voting "Aye."

It is further ordered that the tile removed from any part of said ditch, may, after inspection and proper delivery, be used in the portion of the main ditch and laterals to be tiled; the owner from whose lands said tile are taken to be paid after inspection and delivery at his expense, at the rate of the estimate in the report of engineer.

The roll being called for the approval of the foregoing order, all members voted "Aye."

And it appearing to the Board that no appeal has been taken, it is now and therefore ordered that the 19th day of June, 1906, at 10 o'clock A.M. of said day, be fixed as the time for the sale of

Madison County Ditch Improvement Record.

E. J. Jones, Ditch Construction

the work of constructing said improvement, and that the same be sold at public outcry; and it is also ordered and directed that the County Surveyor, attend at time and place of said sale and conduct the same.

It is further ordered that for the purpose of raising money necessary to meet the expense of said improvement, that bonds of the County be issued for amounts to be hereinafter determined. Bonds to run five (5) years.

And it is hereby ordered that assessments be placed on the duplicate accordingly against all lots or lands or corporate roads or railroads assessed; the County Auditor is hereby directed to make and furnish to the Treasurer of the County a special duplicate with the assessment arranged, thereon.

On the question of the adoption of the foregoing orders and findings relating to said proposed ditch, the roll being called, all members voted "Aye."
Board adjourned.

Jno. E. Roberts Pres. }
N. P. Chenneth } Commissioners
J. W. Bowers } of
Madison County

Continued from Page 236.

improvement and damages said parties affected by said improvement, or any of them may sustain thereby and for the approval of the report of the surveyor, to which time and place to proceedings herein now stand adjourned.

On the question of the adoption of the foregoing orders and findings relating to said petition and ditch, the roll being called, Jno. E. Roberts, N. P. Chenneth and J. W. Bowers voted "Aye."
Board adjourned.

Jno. E. Roberts Pres. }
N. P. Chenneth } Commissioners
J. W. Bowers } of
Madison County,
Auditor's Office, Madison County, Ohio.
May 29th A.D. 1906.

Order to Sell
the Labor of
Construction

In the matter of
Ditch Imp. Petitioned
for by E. J. Jones et al

Order to Sell the Labor of Construction

This day, this matter came before the Board of Commissioners in special session, present Jno. E. Roberts, N. P. Chenneth, J. W. Bowers and it appearing to the Board that no appeal has been taken from their order confirming said assessments.

It is now and therefore ordered that the 19th day of June 1906 at 10 o'clock A.M. of said day, be fixed for the time for commencing the sale of the work of constructing said improvement, and that the same be sold at public outcry. The place of said sale is fixed at County Surveyor's Office, London, O. and said sale to commence with the working section constituting the north of said improvement, at the hour above named, and from that point to continue to the starting point; each section shall be offered at public sale

Madison County Ditch Improvement Record.

E. P. Jones Ditch Construction

until all the sections are offered; said work shall be sold in sections of not less than one hundred nor more than twenty-five hundred feet. And it is also ordered that the Auditor of said County give notice of said sale by circulating hand bills.

And it is also ordered and directed that the County Surveyor W. S. McCafferty attend at the time and place of said sale and conduct the same and receive all bids for the construction of said work; and that he make contracts with the lowest responsible bidder and take good and sufficient bonds for the labor of said improvement conditioned for the performance of said contract so to be made, and for the completion of the work within the time fixed by the contract, and for all damage which may occur by reason of failure to complete the same within the time stipulated in said contract, in a sum not less than double the estimated value of the work and labor of constructing the portion bid off by said contracting party.

J. J. Shaffer
County Auditor.

Jno. E. Roberts
President of Board of Commissioners.

Application to
Pay in Full.

Auditor's Office, Madison County, Ohio,

London, Ohio, June 18, 1906.

In the matter of the Ditch Improvement petitioned for by E. P. Jones. I hereby make application to pay my entire assessment in cash on the above styled improvement.

Samuel Hornbeck.

Ditch Sale.

Ditch Sale!

Notice to Contractors.

The undersigned County Surveyor will sell at public outcry to the lowest and best bidder Tuesday, June 19, 1906, at 10 o'clock a.m. at the County Surveyor's office in London, Ohio, the work of furnishing the necessary materials and constructing the E. P. Jones Ditch Improvement, located in Paint Township, Madison County, Ohio. Said work will be sold in sections as follows:

Main Ditch.

Section I. From Station 103.92 to Station 83.11

2400 cu. yds. open ditch at 16¢ per cu. yd.

\$ 384.00

Section II. From Station 83.11 to Station 64.75.

2000 cu. yds. open ditch at 16¢ per cu. yd.

\$ 320.00

Madison County Ditch Improvement Record.

E. J. Jones, Ditch Construction.

Section III. From Station 64.75 to Station 46.75.
 725 cu. yds. open ditch at 16¢ per cu yd. \$117.00
 68.19 rods 12 inch tile at \$1.60 per rod, 109.01
 68.19 rods tile construction at 90¢ per rod, 61.37
 \$287.38

Section IV. From Station 46.75 to Station 25.06
 123.59 rods 12 inch tile at \$1.60 per rod, 197.74
 5.68 rods 10 inch tile at \$1.10 per rod, 6.25
 129.27 rods tile construction at 90¢ per rod, 116.34
 \$320.33

Section V. From Station 25.06 to Station 0.
 151.88 rods 10 inch tile at \$1.10 per rod, \$167.07
 151.88 rods tile construction at \$1.00 per rod 151.88
 \$318.95

Section VI. Concrete protection wall 7 1/2 x 5 1/2 x 3 1/2 ft. - 5 1/3 cu. yds. 25.00

Lateral No. I.
 Section VII. From Station 6.52 to Station 0
 39.50 rods 10 inch tile at \$1.10 per rod, \$43.45
 39.50 rods tile construction at 70¢ per rod 27.65
 \$71.10

Lateral No. II.
 Section VIII. From Station 22 to Station 0.
 133.33 rods 8 inch tile at 75¢ per rod, \$100.00
 133.33 rods tile construction at \$1.00 per rod, 133.33
 \$233.33

Total Estimates.

Pile \$623.52
 Pile Construction 409.57
 Open Ditch 821.00
 Concrete Wall 25.00
 \$1960.09

To be completed on or before November 1, 1906. \$25.00 cash (no checks) must be deposited by each bidder before any bid will be entertained. Contract and bond to be given within 5 days from date of sale.

Specifications are on file in the County Auditor's office, London, Ohio. Right to reject any or all bids is reserved.

By order of the Commissioners of Madison County, Ohio.

H. S. McLaugherty, County Surveyor.

J. J. Shaffer, Auditor.

Auditor's Office, Madison County,
 London, Ohio, June 19, A. D. 1906.

Contract for
 Labor of
 Construction.

In the matter of Ditch Improvement Petitioned for by E. J. Jones.

Contract for Labor of Construction.

Whereas, The above styled improvement has been duly ordered, and advertised for sale according to law, and the construction of Working Section No. 1-2 and part of 3 of 5350 feet allotted to land owners of the following described land, viz: as per report, also protection

Madison County Ditch Improvement Record.

E. J. Jones. Ditch Construction

well as per specifications and sold by the duly appointed Engineer, on the 19 day of June A.D. 1906, to the undersigned for Eight Hundred and forty-four Dollars, pursuant to said order and notice. Now, in consideration of the premises, it is agreed by me, to and with whomsoever may be interested therein, that I will do and perform all the labor of constructing said improvement, in accordance with the specifications for constructing the same, as shown in the record of the proceedings thereof, the same to be completed on or before the 1st day of September A.D. 1906, provided this contract shall be of no force and effect until approved by the Board of Commissioners of Madison County, Ohio.

H. L. McCafferty, Engineer.

P. J. McCaffrey Contractor.

Contractors Bond.

Auditors Office, Madison County, London, Ohio. June 19 A.D. 1906.

In the matter of Ditch Improvement Petitioned for by E. J. Jones.

Contractors Bond.

I know all men by These Presents, That P. J. McCaffrey as principal, and as sureties, are firmly held and bound unto the State of Ohio, in the penal sum of Sixteen Hundred and forty Dollars, good and lawful money.

Signed and dated this 19 day of June A.D. 1906.

The condition of the above obligation is such, however, that whereas, the above bounden principal contractor has bid off the labor of constructing Working Section No. 1-2-3 and protection wall, has duly entered into the annexed contract, subject to the condition that the same shall be approved by the Commissioners of said Madison County, and has agreed to fully do and perform all the labor of constructing said improvement in accordance with the plans and specifications of said improvement, as shown on the record of said proceedings, on or before the 1st day of September, A.D. 1906.

Now if the said P. J. McCaffrey shall well and truly perform all the obligations of his contract and complete the same within the time fixed by said contract, and pay all damages which may occur by reason of a failure to complete the same within the time agreed upon in said contract, then this obligation shall be void, otherwise to be in full force and effect in law.

P. J. McCaffrey
J. W. Van Cleve
J. M. Burk

This contract and Bond, and Sureties on said Bond approved this 25th day of June A.D. 1906.

H. L. McCafferty, Engineer.

Jas. E. Roberts
N. P. Schenweth
J. W. Bowers
Commissioners of Madison County,

Auditors Office, Madison County, Ohio
June 9 A.D. 1906.

Contract for Labor of Construction.

Madison County Ditch Improvement Record.

E. J. Jones. Ditch Construction

In the matter of Ditch Improvement Petitioned for by E. J. Jones

Contract for labor of construction.

Whereas, The above styled improvement has been duly ordered, and advertised for sale according to law, and the construction of Working Section no. 3-4-5-7-8 of 8652 feet was sold by the County Surveyor, on the 19 day of June 1906, to the undersigned, for Three hundred and fifty nine Dollars, pursuant to said order and notice. Now, in consideration of the premises, it is agreed by me, to and with whomsoever may be interested therein, that I will do and perform all the labor of constructing said improvement in accordance with the specifications for constructing the same, as shown in the record of the proceedings thereof, the same to be completed on or before the 1st day of October 1906, Provided, however, this contract shall be of no force and effect until approved by the Board of Commissioners of Madison County, Ohio.

S. L. McCafferty,

County Surveyor.

Contractor.

Auditor's Office, Madison County, Ohio.

June 19, 1906.

Contractor's Bond.

In the matter of Ditch Improvement Petitioned for by E. J. Jones

Contractor's Bond.

I know all Men by These Presents, That Chas. Newman as principal, and as sureties, are firmly held and bound unto the State of Ohio, in the penal sum of Seven Hundred and twenty Dollars, good and lawful money.

Signed and dated this 19 day of June, 1906.

The Condition of the Above Obligation is such, however, that whereas, the above bounden principal contractor has bid off the labor of constructing working section no. 3-4-5-7-8, has duly entered into the annexed account, subject to the condition that the same shall be approved by the Commissioners of said Madison County, and has agreed to fully do and perform all labor of constructing said improvement in accordance with the plans and specifications of said improvement, as shown on the records of said proceedings, on or before the 1st day of October, 1906.

Now, if the said Chas. Newman shall well and truly perform all the obligations of his said contract and complete the same within the time fixed by said contract and pay all damages which may accrue by reason of a failure to complete the same within the time agreed upon in said contract, and pay for all labor and material and for all debts incurred in the performance of this contract, then this obligation shall be void, otherwise to be in full force and effect in law.

Charles Newman

E. P. Jones

This contract and bond, and Sureties on said Bond approved this 19 day of June 1906.

Madison County Ditch Improvement Record.

E. J. Jones Ditch Construction.

Contract for Drain Pile.

County Surveyor.

Jno. E. Roberts
President of Board of Comrs.
Auditor's Office, Madison County, Ohio.
June 9 A.D. 1906.

In the matter of Ditch Improvement Petitioned for by E. J. Jones. } Contract for Drain Pile.

Whereas, The above styled improvement has been duly ordered and advertised for sale according to law, and the construction of Working Section No. 1-2-3-4-5-6-7 of 14044 feet sold by the County Surveyor, on the 19th day of June, 1906. to J. W. Van Blevé. Now, in consideration of the premises, it is agreed by me, to and with whomsoever may be interested therein, that I will furnish 191.78 rods of 12 inch Drain Pile from Station 0 to station 26; and 197.06 rods of 10 inch Drain Pile from Station 26 to Station 46.75 and from 0 to 6.52 on Lateral No. 1. 133.33 rods 8 inch tile from Station 0 to Station 22 on Lateral No. 2, and all necessary Ys for the sum of \$623.52. delivered on line of above styled improvement in lots of 100 rods, the same to be delivered on or before the 1st day of August 1906; delivery to begin within 10 days after notice; provided this contract shall be of no force and effect until approved by the Board of Commissioners of Madison County, Ohio.

H. S. Mc Cafferty

County Surveyor.

J. W. Van Blevé

Contractor.

Contractor's Bond for Drain Pile.

Contractor's Bond for Drain Pile.

Auditor's Office, Madison County, Ohio.
June 19 A.D. 1906.

In the matter of Ditch Improvement Petitioned for by E. J. Jones. }

Know All Men by These Presents, That J. W. Van Blevé as principal and as sureties are jointly held and bound unto the State of Ohio, in the penal sum of Twelve Hundred and Fifty Dollars, good and lawful money.

Signed and dated this 19th day of June, 1906.

The condition of the above obligation, is such, however, that whereas, the above bounden principal contractor has bid off the furnishing and delivering the Drain Pile for constructing Working Section No. 87-5-4-3, has duly entered into the accepted contract, subject to the condition that the same shall be approved by the Commissioners of said County.

Now if the said J. W. Van Blevé shall well and truly perform all the obligations of his said contract and complete the same within the time fixed by said contract and pay all damages which may occur by reason of a failure to complete the same within the time agreed upon in said contract, then this obligation shall be void, otherwise to be in full force and effect in law.

J. W. Van Blevé
E. P. Florence
Leonard Morgan

Madison County Ditch Improvement Record.

E. P. Jones, Ditch Contractor.

This Contract and Bond, and Sureties on said Bond approved this 19th day of June 1906.

N. S. McCafferty
County Surveyor.

Jno. E. Roberts
President of Board of Commissioners.

Commissioner's Office, Madison County,
London, Ohio, June 25, 1906.

Commissioners
Approval of
Contracts and
Bonds.

Commissioners met in regular session.
Present: Jno. E. Roberts, W. P. Cherruth, J. W. Bowers.

In the matter of } Approval of Contract and Bond of
Ditch Imp. Petitioned } P. J. McCaffrey.
for by E. P. Jones.

N. S. McCafferty, the County Surveyor, having made his report of the sale of the work of constructing said improvement, and having within the time required by law filed the contract entered into with P. J. McCaffrey, for the construction of working sections No. 1, 2, 3, of said improvement, and the bond of said contractor, which contract and bond have been examined and approved by this Board and they are ordered to be filed according to law,

And the County Auditor is directed to notify said contractor of the approval of his contract and bond and that he is required to comply therewith.

On roll call on the approval of the foregoing entry, all members voted "Aye."

Auditor's Office, Madison County, Ohio
April 4 A. D. 1906.

Finding on
the Petition -
copy for
Surveyor.

In the matter of the }
Ditch Imp. Petitioned }
for by E. P. Jones et al

This day the Commissioners of Madison County, being in special session, members present; Jno. E. Roberts, W. P. Cherruth, J. W. Bowers and a copy of a petition for the deepening, altering, widening, repair and construction of a county ditch having been delivered to us by the County Auditor, and it appearing to us that the proper bond has been filed with the Auditor, and by him approved, conditioned for the payment of all costs if the prayer of the petition be not granted or be dismissed for any cause, we, therefore on the 26th day of April 1906, the day fixed by the Auditor for hearings, did meet at the place of beginning of said ditch, as described in the petition, and heard all proof offered by any of the parties affected by said improvement and other persons competent to testify; and we went over and along the line of said improvement, and by actual view of the said ditch and the premises along and adjacent thereto and to be drained or benefited thereby, determined the necessity thereof. And we do hereby find that said improvement is necessary, and will be conducive to the public health, convenience and welfare, and a benefit to the lots and lands along the line thereof by furnishing drainage thereto.

And we further find that the route described is the best.

The following route was determined upon by us, viz: commencing

Madison County Ditch Improvement Record.

Co. of Jones Ditch Construction

at the west side of the Neil township road at the north line of the Little Miami R.R. near the north-east corner of Thomas and Catharine Shear; thence crossing said road and following the line of the County Ditch petitioned for Feb'y. 13th 1886, by Vandavia Strawbridge and others, thence the lands of Chas. Butler (Trustee of A. S. Jones) Edward P. and Robert Jones, Thos. Cavanaugh, Mary E. C. Florence and Samuel Hombeck in a general south easterly direction about two miles to the Kenia Road and there terminating.

And we do hereby order the Auditor to enter this, our finding, in writing, on the Commissioners' Journal. And we do further authorize the Auditor to enter upon said journal an order directing the County Surveyor to go upon the line as described in the petition, or as changed by us in accordance with Section 4489 R.S., as described above, and survey and level the same, and set a stake at every hundred feet, numbering down stream, and to embody in said order direction to the said Surveyor to make and return a schedule of all lots or lands, and public or corporate roads or railroads, that will be benefited, and an apportionment of the estimated cost of locating and constructing said improvement, in money, according to the benefits which will result to each, and to perform such other duties as are required in sections 4454, 4455 and 4456 R.S., as now in force and effect, and to file his report with the County Auditor on or before the time hereinafter fixed for hearing the same.

It is further ordered that the 26th day of April 1906, at 10 o'clock A.M. at the County Auditor's office, is hereby fixed for the hearing of applications for any appropriations of land taken for said improvement and damages said parties affected by said improvement, or any of them may sustain thereby, and for the approval of the report of the Surveyor.

J. J. Shaffer
Auditor.

Jno. E. Roberts,
President Board of Commissioners.

I certify the foregoing to be correctly copied from the records of the proceedings of the board.

J. J. Shaffer, Auditor,
Auditor's Office, Madison County, Ohio.

June 19th A.D. 1906.

Report of Sale of
the labor of
construction.

In the matter of the
Ditch Imp. Petitioned
for by E. P. Jones et al

Report of Sale of the Labor of Construction.

To the Honorable Commissioners of Madison County, Ohio:

Gentlemen: In obedience to your direction and also in pursuance of the notice, duly given by the Auditor of the sale of the work of constructing the above styled improvement, at the time and place therein specified, I offered the said working sections for sale to the lowest responsible bidder at public outcry and sold the same to the persons hereinafter named, at the prices herein stated and took their contracts and bonds respectively conditioned according to law, and return the same herewith for your approval.

Madison County Ditch Improvement Record.
E. J. Jones Ditch Construction.

| No. of Working Sections | To Whom Sold. | Amount for which it sold. | When to be completed. |
|--------------------------|-------------------|---------------------------|-----------------------|
| 1 | P. J. Mc Cafferty | | |
| 2 | " | | |
| part 3 | " | 844.00 | September 1", 1906. |
| 3 | Chas. Newman | | |
| 4 | " | | |
| 5 | " | | |
| 7 | " | | |
| 8 | " | 359.00 | October 1" 1906. |
| Contract for Drain Pile. | | | |
| 1 | J. W. Van Blevs | | |
| 2 | " | | |
| 3 | " | | |
| 4 | " | | |
| 5 | " | | |
| 6 | " | | |
| 7 | " | 623.52 | August 1" 1906. |
| | | <u>1826.52</u> | |

Order of Issue and Sale of various Ditch and Road Improvement Bonds.

In the matter of the issue and sale of various improvement bonds, } Order of Issue and Sale of various Ditch and Road Improvement Bonds.

This day the Board considered the matter of issuing and selling county bonds to meet the expense of the following improvement viz:

The Jones Ditch Improvement.

It was moved by W. P. Lohmuth, and seconded by J. W. Bowers that for the purpose of raising money to pay for the above named improvement, and in pursuance of the authority granted by Sections 4479, 4481, and 4482 and 4486 of the Revised Statutes of Ohio, and the laws amendatory thereof and supplementary thereto, that Bonds of the County be issued for each of said improvements as follows, to-wit:

The Jones Ditch Improvement.

- One bond for \$190, due March 1, 1907.
- One bond for \$190, due Sept. 1, 1907
- One bond for \$190, due March 1, 1908
- One bond for \$190, due Sept. 1, 1908
- One bond for \$190, due March 1, 1909
- One bond for \$190, due Sept. 1, 1909
- One bond for \$190, due March 1, 1910
- One bond for \$190, due Sept. 1, 1910
- One bond for \$190, due March 1, 1911
- One bond for \$190, due Sept. 1, 1911

Total amount of said bonds, \$ 1,900.

The said bonds will bear date of September 1" 1906, and will bear interest at the rate of four (4) per cent per annum, represented by

Madison County Ditch Improvement Record.

E. P. Jones Ditch Improvement.

coupons, payable as follows:

First installment due March 1, 1907, and payable semi-annually thereafter, and due September 1 and March 1 of each year.

That said bonds be issued in pursuance of the authority granted by Sections 4479, 4481, 4482 and 4486, of the Revised Statutes of Ohio, and the laws amendatory and supplementary thereto.

Bids will be received for the entire issue or any part thereof, and no bonds will be sold for less than their face value.

That bidders will be required to state the gross amount they will pay for said bonds or any portion or part thereof.

That bonds and interest be payable at the County Treasurer's Office in London, Ohio and said bonds will be delivered to the successful bidder or bidders at said Treasurer's office, upon the payment of purchase price, together with any accrued interest.

That no bid will be accepted or considered unless accompanied by a certificate of the County Treasurer showing that cash amounting to at least 5 per cent of the bonds bid for has been deposited, said deposit being required to bind the purchase.

That the deposited amount of the unsuccessful bidders be returned to the owners.

That the commissioners reserve the right to reject any or all bids.

That the County Auditor be directed to cause legal notice of such proposed bond sale to be published in The London Enterprise and The Ohio State Journal, two newspapers printed and of general circulation in said county and State.

On the question of the adoption of the foregoing entries and orders relating to said proposed bond sale, the roll being called, Jno. E. Roberts, W. P. Chenoweth, J. W. Bowers voted "Aye."

Sale of Bonds.

Commissioner's Office, Madison Co. London Ohio. Sept. 24, 1906. Page 342. of Com. Journal.

This above bond was offered for sale Sept. 4, 1906, and no bids being received they were re-advertised and offered for sale Sept. 24, 1906.

This being the day fixed by the board for the sale of various ditch improvement bonds, which bonds are specifically described in the order for the sale of the same dated September 4, 1906, and described on page 323, 324 & 325, this volume. The bids received were recorded as follows:

- The Central National Bank, St. Paris, Ohio;
- The Citizens Bank, So. Charleston, Ohio;
- Hayden, Miller & Co. Cleveland Ohio.
- Security Savings & Trust Co., Toledo, Ohio.
- Madison National Bank, London, Ohio.
- J. W. Hayes & Son, Cleveland, Ohio.

Upon examination and comparison it was found that the bid of The Central National Bank, St. Paris, Ohio, was the highest bid.

It was moved by J. W. Bowers, seconded by Jno. E. Roberts, that the bid of The Central Bank of St. Paris, Ohio, be accepted and that the County Auditor be directed to prepare the bonds so sold.

The roll being called on the adoption of the above motion, the same was declared duly adopted, W. P. Chenoweth, J. W. Bowers, Jno. E. Roberts voting "Aye."

Recorded November 9, 1906.

J. J. Shaffer, County Auditor and.