

The Grogan Ditch Improvement.

DITCH PETITION.

London, Ohio,.....A D.1915, Petition for Location, construction and tiling of a Ditch. To the Honorable Board, of Commissioners , Madison County, Ohio:

The undersigned owners of lots and land which will be drained or benefited by the improvement herein prayed for, hereby make application to your honorable body, and now file with the Auditor of said County, this, their petition, and now and hereby pray for the location, construction and tiling of a ditch on the route hereinafter set forth.

The necessity for and the benefits of the improvement so prayed for is that it will drain and reclaim the lands along the line thereof and adjacent thereto, and will promote the public health, convenience and welfare.

The following is the beginning, route and termini of said proposed improvement, to-wit: Commencing at a point in a 4-inch tile drain on the land of Minerva Burrell and east of the residence thereon; thence following said tile ditch or as near thereto as practical in a south easterly direction about 60 or 70 rods through the land of said Burrell and Susan V. Grogan to an open ditch; thence following said open ditch or as near thereto as practical through the lands of said Grogan and Edward Fitzgerald, et al., in a general easterly direction to a 15 inch tile ditch on the land of said Fitzgerald and there terminating.

Your petitioner also asks for the location, construction and tiling of all necessary laterals to said ditch.

The Names of all Persons and Corporations, either public or private, who in the opinion of the petitioners are in any way affected or benefited thereby are as follows:

- Susan V. Grogan
- Mrs. Thomas Burrell
- Minerva Burrell Halfhill
- Edw. Fitzgerald ,et al.
- Guy Underwood, Trustee for Minerva Burrell Halfhill
- James Grogan, Tenant

FILED
MAR. 3, 1915,
H.M. CHANEY,
Auditor.

Susan V. Grogan)
E. J. Fitzgerald, et. al.) Petitioners.

#

PETITIONER'S BOND .

KNOW ALL MEN BY THESE PRESENTS, That Susan V. Grogan as principal, and William T. Graham and James Grogan as sureties, are held and firmly bound unto the State of Ohio, in the penal sum of Two hundred Dollars, good and lawful money, for which we bind ourselves, and our heirs, executors and administrators.

Signed by us and dated thisday ofA.D.1915.

The condition of the above obligation is such, nevertheless, that, whereas, on the day of, 1915, the above bounden Susan V. Grogan made application to the Commissioners of Madison County, and on said day filed with the Auditor of said County his petition for the location, construction and tiling of a ditch in pursuance of the statute in such case made and provided, on the following route and termini, to-wit. Commencing at a point in a 4 inch tile drain on the lands of Minerva Burrell and east of the residence thereon; thence following said tile ditch or as near thereto as practical in a south easterly direction about 60 or 70 rods through the land of said Burrell and Susan V. Grogan to an open ditch; thence following said open ditch or as near thereto as practical through the lands of said Grogan and Edward Fitzgerald et al., in a general easterly direction to a 15 inch tile ditch on the land of said Fitzgerald and there terminating.

Your petitioners also asks for the location, construction and tiling of all necessary laterals to said ditch.

(Stamp 50¢)

Now if the above bounden Susan V. Grogan shall pay all costs, if the prayer of said petition be not granted, or if for any other cause the same shall be dismissed, then this obliga-

The Grogan Ditch Improvement.

tion shall be void.

The above bond and the sureties thereon,
are approved by me this 3rd day of March, 1915.

H.M. Chaney, County Auditor. (G.T. Clark, Jr.)

Susan V. Grogan
Wm. T. Graham
his
James x Grogan
mark

FILED
MAR. 3, 1915,
H.M. CHANEY,
Auditor.

to have #

NOTICE TO COMMISSIONERS

OF PETITION FILED AND TIME FOR HEARING.

Office of Auditor of Madison County, O., March 3, A.D. 1915.

To the Honorable Board of Commissioners of said County:

GENTLEMEN: You are hereby notified that a petition and bond for a ditch improvement has been filed in this office on the 3rd day of March, 1915, a copy of which petition is attached below; and as required by law I have fixed the 25th day of March, 1915, at 10 o'clock A.M., at the beginning of said proposed ditch described in said petition, for your hearing of said matter.

H.M. Chaney, Auditor.

COPY OF DITCH PETITION.

London, Ohio,A.D. 1915, Petition for location, construction and tiling of a Ditch.

To the Honorable Board of Commissioners, Madison County, Ohio:

The undersigned owners of lots and land which will be drained or benefited by the improvement herein prayed for, hereby make application to your honorable body, and now file with the Auditor of said County, this, their petition, and now and hereby pray for the location, construction and tiling of a ditch on the route hereinafter set forth.

The necessity for and the benefits of the improvement so prayed for is that it will drain and reclaim the lands along the line thereof and adjacent thereto, and will promote the public health, convenience and welfare.

The following is the beginning, route and termini of said proposed improvement, to-wit; Commencing at a point in a 4 inch tile drain on the land of Minerva Burrell and east of the residence thereon; thence following said tile ditch or as near thereto as practical in a south easterly direction about 60 or 70 rods through the land of said Burrell and Susan V. Grogan to an open ditch; thence following said open ditch or as near thereto as practical through the lands of said Grogan and Edward Fitzgerald, et al., in a general easterly direction to a 15 inch tile ditch on the land of said Fitzgerald and there terminating.

Your petitioners also ask for the location, construction and tiling of all necessary laterals to said ditch.

The Names of all Persons and Corporations, either public or private, who in the opinion of the petitioners are in any way affected or benefited thereby are as follows;

- Susan V. Grogan
- Mrs. Thomas Burrell
- Minerva Burrell Halfhill
- Edw. Fitzgerald et al.
- Guy Underwood, Trustee for Minerva Burrell Halfhill
- James Grogan, Tenant.

Susan V. Grogan)
E.J. Fitzgerald et al.) Petitioners.

I Hereby Certify the foregoing to be a true copy of a Ditch Petition filed in my office on the 3rd day of March, 1915.

H.M. Chaney, County Auditor.
Per B.

#

The Grogan Ditch Improvement.

See Commissioners' Journal Entry, Vol. 12, Page 551, Petition and Bond Filed.

#

Auditor's Office, Madison County, Ohio.
March 5, A.D. 1915.

In the matter of Ditch Improvement)
Petitioned for by Susan V. Grogan et al.) Notice to Lot or Land Owners.
To the Lot or Land Owners and to the Corporations, either Public or Private, affected by said Improvement:

You, and each of you, are hereby notified that on the 3rd day of March, 1915, Susan V. Grogan and others, filed a petition with the Auditor of Madison County, the prayer of which is for the location, construction and tiling of a Ditch on the following starting point, route and terminis, to-wit; Commencing at a point in a 4 inch tile drain on the land of Minerva Burrell and east of the residence thereon; thence following said tile ditch or as near thereto as practical in a south-easterly direction about 60 or 70 rods through the land of said Burrell and Susan V. Grogan to an open ditch; thence following said open ditch or as near thereto as practical through the lands of said Grogan and Edward Fitzgerald et al., in a general easterly direction to a 15 inch tile ditch on the land of said Fitzgerald and there terminating.

Your petitioners also ask for the location, construction and tiling of all necessary laterals to said ditch.

You are also notified that the following time and place have been fixed when and where the Commissioners of said County will meet for the hearing of said petition, to-wit; Thursday, March 25, 1915, at 10 o'clock A.M., at the beginning of said proposed ditch improvement, for the purpose of hearing any and all proof offered by any of the parties affected by said ditch improvement, whether the said ditch will be conducive to the public health, convenience and welfare; and whether the route described is the best route; and any and all objections to said proposed ditch improvement.

Any application for compensation or damage, or for any change of route, must be in writing and filed with the Commissioners on or before the day set for hearing.

No further notice of any proceedings in this matter will be given.

H.M. Chaney, Auditor Madison County.
Per B.

#

Auditor's Office, Madison County, Ohio.
March 9th, A.D. 1915.

The State of Ohio,)
Madison County.) PROOF OF PERSONAL NOTICE.

On this 9th day of March, 1915, personally came James Minshall who being duly sworn according to law, deposes and says that on the days hereinafter named, he served the annexed notice on the persons hereinafter named, by delivering to each person opposite whose name appears "D" a true copy of the annexed notice; and on those opposite whose name appears "R" by leaving the same at their usual place of residence.

Name of Person Served.	How Served. D. or R.	When Served.
Susan V. Grogan	D	March 8 th , 1915.
Mrs. Thomas Burrell	D	" " "
Minerva Burrell Halfhill	D	" " "
Guy Underwood Trustee for Minerva Burrell Halfhill	D	March 5 th , 1915.
James Grogan, Tenant	D	March 8 th , 1915.
Edward Fitzgerald	D	March 8 th , 1915.

Filed March 8th, 1915.
H.M. Chaney, Auditor.
Per B.

and further this deponent saith not.

Sworn to by James Minshall before me, and by him subscribed in my presence, this 9th day of March, 1915.

James Minshall.

Ella Blizzard
Deputy County Auditor.

#

The Grogan Ditch Improvement.

(See Entries below.)

Auditor's Office, Madison County, Ohio.

May 13th, AD.1915.

In the matter of Ditch Improvement)
Petitioned for by Susan V.Grogan.) Report and Schedules of Engineer.

To the Honorable , the Board of Commissioners of Madison County, Ohio:

The undersigned Engineer, in obedience to the direction of your Honorable Body, made on theday of,1915, has proceeded in the above matter, and has made a level and survey of the line of said proposed ditch improvement, and set a stake at every hundred feet numbering down stream; and I have made a note of the intersections of lines and boundaries of lands, and bench marks, and I herewith make report of the same, with profile and plat and estimate, and the cost for each working section on said report indicated.

I have also made, and return herewith, a schedule of all lands, that will be benefited by said improvement; and an apportionment of the cost of location and construction, in money, to each tract of land, according to the benefits which will result to each from the said improvement; The said survey, level reports and schedules are hereunto attached and made a part hereof.

The following is an itemized cost bill , made by me, in the proper discharge of my duty, under your order.

H.L. McCafferty	Engineer,	1 day,	at \$5.00 per day,	\$ 5.00
Gideon T. Clark, Jr.	Deputy "	8 " "	5.00 " "	40.00
Chas. Lohr	" "	1 " "	4.00 " "	4.00
Jesse Paine	Chairman	2 " "	2.00 " "	4.00
Jas. Goldsberry	"	1 " "	2.00 " "	2.00
O.D. Call	"	1 " "	2.00 " "	2.00
Reed Fraher	Axman	1 " "	2.00 " "	2.00
Other Expenses:				
Thos. Largy - Team and driver	-1 day			4.25
A.G.Kulp - Horse and buggy	-2 "			4.00
Urban Allen - Auto				4.50
J.H.Irwin - Stakes				<u>3.85</u>
Total				\$75.60

FILED
MAY 18, 1915,
H.M. CHANEY,
Auditor.

The foregoing Cost Bill allowed by us191....

.....)Engineer.
.....) County Commissioners.
.....)

xxx

See Commissioners' Journal Entry, Vol.12, Page 564, Adjourned Hearing on Petition.
See Commissioners' Journal Entry, Vol.12, Page 575, Commissioners' Finding on Petition.
#

The Grogan Ditch Improvement.

REPORT OF ENGINEER.

SLOPE.....

SCHEDULE "A".

Stake every 100 feet measured down stream.	Surface Elevation	Grade Elevation	Entire Depth.	Cut.	Course and Distance
BM. 100.00					
0	99.41	96.97	2.44	2.44	Burr oak -right.
1	99.25	96.69	2.56	2.56	0 - 5 = N. 68° 30' E. ✓
2	99.14	96.41	2.73	2.73	
3	98.66	96.13	2.53	2.53	
4	98.60	95.85	2.75	2.75	
5	98.20	95.57	2.63	2.63	5 - 8+39 = N. 87° E. ✓
6	98.43	95.29	3.14	3.14	
7	98.22	95.01	3.21	3.21	1660 feet on Burrell.
8	97.81	94.73	3.08	3.08	
+39	97.65	94.62	3.03	3.03	8+39 - 11+71 = S. 74° 30' E. ✓
9	97.38	94.45	2.93	2.93	
10	97.28	94.17	3.11	3.11	
11	97.18	93.89	3.29	2.29	
+71	96.87	93.70	3.17	3.17	11+71 - 16+50 = N. 78° E. ✓
12	97.46	93.61	3.85	1.52	
13	97.41	93.33	4.08	2.00	
14	97.58	93.05	4.53	2.48	
		-0.14			
15	97.45	92.91	4.54	2.25	
16	97.43	92.77	4.66	2.06	
+50	97.20	92.70	4.50	4.50	16+50 - 25+30 = S. 47° E. ✓
17	97.42	92.63	4.79	4.79	16+60 - line of Burrell and Grogan
18	96.80	92.49	4.31	4.31	
19	96.90	92.35	4.55	4.55	
20	96.77	92.21	4.56	4.56	
21	96.55	92.07	4.48	4.48	
22	96.48	91.93	4.55	4.55	1001 feet on Grogan
23	96.46	91.79	4.67	4.67	
+32	96.65	91.75	4.90	4.90	
BM	95.80				8" Elm - left.
24	96.34	91.67	4.67	4.67	
25	96.58	91.55	5.03	5.03	
+30	96.48	91.51	4.97	2.70	25+30 - 29+15 = S. 74° E. ✓
26	95.19	91.43	3.76	2.72	26+61 = line of Grogan- Fitzgerald
27	94.65	91.31	3.34	2.74	
28	94.31	91.19	3.12	2.75	
29	94.31	91.07	3.24	2.78	
+15	95.60	91.05	4.55	2.77	29+15-35+90 = N. 75° 30' E. ✓
30	95.08	90.95	4.13	2.80	
31	94.89	90.83	4.06	2.75	
BM	95.33				Cotton Wood right of Sta.29.
+55	94.63	90.77	3.86	2.70	
32	95.08	90.71	4.37	2.59	
33	94.65	90.59	4.06	2.54	
34	94.30	90.47	3.83	2.48	
35	93.98	90.35	3.63	2.60	

The Grogan Ditch Improvement.

REPORT OF ENGINEER.					SLOPE--	SCHEDULE "A"
Stake number feet number down stream	Surface Elevation	Grade Elevation	Entire Depth	Cut	Course and Distance.	
+90	93.61	90.25	3.36	2.80	35+90 - 37+73 = N. 45° E. ✓	
36	93.13	90.23	2.90	2.80		
37	93.78	90.11	3.67	2.65		
+73	94.88	90.02	4.86	2.50	37+73 - 43+97 = N. 2° 30' W. ✓	
BM	95.71				Top of stump on right bank	
38	94.50	89.99	4.51	2.47		
39	95.50	89.87	5.63	2.65		
40	95.59	89.75 -0.18	5.84	2.71		
41	94.88	89.57	5.31	2.68		
BM	94.43				Elm - right	
42	94.68	89.39	5.29	2.66		
43	94.09	89.21	5.88	2.63		
+97	93.41	89.04	4.38	2.61	43+97 - 45+13 = N. 29° 30' E. ✓	
44	93.45	89.03	4.42	2.62		
45	93.23	88.85	4.38	2.48		
+13	93.92	88.83	5.09	2.42	45+13 - 52+12 = N. 84° 30' E. ✓	
46	94.77	88.67	6.10	2.28		
47	94.45	88.49	5.96	2.41	- 3389 feet on Fitzgerald	
48	94.40	88.31	6.09	2.59		
49	93.85	88.13	5.72	2.67		
50	93.31	87.95 -0.24	5.36	2.75		
51	93.21	87.71	5.50	2.86		
52	92.95	87.47	5.48	2.98		
+12	92.93	87.44	5.49	5.49	52+12 - 54+90 = N. 20° 30' E. ✓	
53	92.17	87.23	4.94	4.94		
54	91.85	86.99	4.86	4.86		
BM	94.41				Hickory - left	
+90	91.68	86.77	4.91	4.91	54+90 - 60+50 = N. 21° 15' W. ✓	
55	91.57	86.75	4.82	4.82		
56	91.37	86.51	4.86	4.86		
57	90.26	86.27	3.99	3.99		
58	90.26	86.27	3.99	3.99		
58	90.05	86.03	4.01	4.01		
59	89.60	85.79	3.81	3.81		
60	89.95	85.55	4.40	4.40		
+50	88.90	85.43	3.47	3.47		
<u>Lateral No. 1 @ Sta. 1. Main = right.</u>						
0	100.12	97.22 20.10	2.90	2.90	0 -- 3+69 = N. 7° 30' E. ✓	
1	99.60	97.12	2.48	2.48	220 feet on Grogan	
2	99.40	97.02	2.38	2.38	2+20 = line of Grogan and	
3	99.29	96.92	2.27	2.27	Burrell	
+68	99.25	96.85	2.40	2.40	148' feet on Burrell	

The Grogan Ditch Improvement.

REPORT OF ENGINEER.

SLOPE ---

SCHEDULE "A".

Stake every 100 feet marked down stream	Surface Elevation	Grade Elevation	Center Ditch	Cut	Course and Distance
<u>Lateral No. 2 @ Sta. 11+71 Main - right.</u>					
BM	99.11				Burr oak - North 80' in fence.
0	97.71	95.50 -0.32	2.21	2.21	0- 2+33 = N. 45° 30' E. ✓
1	97.69	95.18	2.51	2.51	225 feet on Grogan
2	97.69	94.86	2.83	2.83	2+25 = line of Grogan and Burrell
+33	97.85	94.75	3.10	3.10	2+33 - 3+96 = N. 78° E. ✓
3	97.25	94.54	2.71	2.71	
+96	96.87	94.23	2.64	2.64	
<u>Lateral No. 3 @ Sta. 14 Main - left.</u>					
0	96.63	94.00 -0.25	2.63	2.63	0 - 1+94 = S. 35° 30' E. ✓
1	96.13	93.75	2.38	2.38	
+94	97.58	93.50	4.08	2.03	194 feet on Burrell
<u>Lateral No. 4 @ 23+32 Main - left.</u>					
0	96.40	94.20 -0.50	2.20	2.20	0-4+58 = S. 8° 30' W. ✓
1	96.42	93.70	2.72	2.72	
2	96.13	93.20	2.93	2.93	
3	96.39	92.70	3.69	3.69	453 feet on Grogan
4	96.00	92.20	3.80	3.80	
+58	96.65	91.91	3.74	3.74	
<u>Lateral No. 5 @ 31+55 Main - right.</u>					
0	96.59	94.40 -0.22	2.19	2.19	0- 9+35 = N. 69° E. ✓
1	96.17	94.18	1.99	1.99	
2	96.09	93.96	2.13	2.13	
+56	96.07	93.84	2.23	2.23	
3	96.18	93.74	2.44	2.44	1211 feet on Fitzgerald
4	96.04	93.52	2.52	2.52	
5	96.03	93.30	2.73	2.73	
6	95.67	93.08	2.59	2.59	
7	95.50	92.86	2.64	2.64	
8	95.32	92.64	2.68	2.68	
9	94.93	92.42 -0.40	2.51	2.51	
+35	94.83	92.29	2.54	2.54	9+35 - 12+11 = N. 59° 45' E. ✓
10	95.39	92.02	3.37	3.37	
11	94.86	91.62	3.24	3.24	
12	94.54	91.22	3.32	3.32	
+11	94.63	91.18	3.45	2.70	
<u>Lateral No. 1 of No. 5 at 2+56 - left.</u>					
BM	98.48				Jack Oak -left.
0	96.76	94.56 -0.17	2.20	2.20	0-2+30 = S. 83° E. ✓
1	96.76	94.39	2.37	2.37	
2	96.65	94.22	2.43	2.43	390 feet on Fitzgerald
+30	96.46	94.17	2.29	2.29	2+30 - 3+90 = S. 50° 30' E. ✓
3	96.56	94.05	2.51	2.51	
+90	96.07	93.90	2.17	2.17	

The Grogan Ditch Improvement.

Estimate.

<u>Section No. 1.</u>		Sta. 60+50 to Sta. 23 = 3750'		
		227.27 rods 12" tile const. @ 1.00 =	\$227.27	
<u>Section No. 2.</u>		Sta. 23 to Sta. 16+50 = 650'		
		39.39 rods 10" tile const. @ 1.25 =	49.24	
		Sta. 16+50 to Sta. 0 = 1650'		
		100.00 rods 8" tile const. @ .70 =	<u>70.00</u>	\$119.24
<u>Section No. 3.</u>				
	<u>Lateral No. 1.-</u>	Sta. 3+68 to Sta. 0 = 368'		
		22.30 rods 4" tile const. @ 30¢ =	6.69	
	<u>Lateral No. 2.-</u>	Sta. 3+96 to Sta. 0 = 396'		
		24.00 rods 4" tile const. @ 30¢ =	7.20	
	<u>Lateral No. 3.-</u>	Sta. 1+94 to Sta. 0 = 194'		
		11.76 rods 4" tile const. @ 30¢ =	3.53	
	<u>Lateral No. 4 -</u>	Sta. 4+58 to Sta. 0 = 458'		
		27.76 rods 5" tile const. @ 40¢ =	11.10	
	<u>Lateral No. 5 -</u>	Sta. 12+11 to Sta. 0 = 1211'		
		73.39 rods 8" & 6" tile const. at 50¢ =	36.70	
	<u>Lat. 1 of No. 5.-</u>	Sta. 3+90 to Sta. 0 = 390'		
		23.64 rods 4" tile const. @ 30¢ =	7.09	
	<u>Lat. No. 2 of No. 5.-</u>	Sta. 7+94 to Sta. 0 = 794'		
		48.12 rods 5" tile const. @ 30¢ =	14.44	
	<u>Lateral No. 6. -</u>	Sta. 4+92 to Sta. 0 = 492'		
		29.82 rods 5" tile const. @ 30¢ =	8.95	
	<u>Lateral No. 7 -</u>	Sta. 8+52 to Sta. 0 = 852'		
		51.64 rods 6" tile const. @ 40¢ =	<u>20.66</u>	.116.36
<u>Section No. 4.</u>				
		227.27 rods 12" tile @ 1.55 =	\$352.27	
		39.39 " 10" " @ 1.15 =	45.30	
		116.73 " 8" " @ .70 =	81.71	
		108.30 " 6" " @ .50 =	54.15	
		105.70 " 5" " @ .40 =	42.28	
		81.70 " 4" " @ .30 =	<u>24.51</u>	
			600.22	
	Y's		<u>15.85</u>	<u>616.07</u>
				1078.94

Recapitulation.

Construction	\$462.87
Tile and Ys	616.07
Engineering, cost, etc.,	<u>300.00</u>
	\$1378.94

: : : : : : : : :

The Grogan Ditch Improvement.

REPORT OF ENGINEER.

SCHEDULE "B".

OWNER'S NAME AS FOUND ON DUPLICATE.	Survey	Description.	Acres Owned.	Acres Benefited	Total Cost.	Apportioned
Edw. J. Fitzgerald et al.	12172	Jeff. Monroe Tp. Sch.	162.50			
" " " "	12272	Canaan Tp.	261.50	.55.	\$576.00	
Susan V. Grogan	12272	Jefferson Tp.	51.00	.31.	413.94	
Thomas Burrell (Minerva Burrell)	12272	Canaan-Monroe Tp. Sch.	100.00	21.	390.00	
Total					\$1379.94	

The above Engineer's Report is accepted as submitted.

E.E. Willard)
 Geo. Fitzgerald) Co. Commissioners.
 P.M. Gregg

Specifications.

This improvement is to be made a tile ditch throughout, using the following sized tile:

Main Ditch.

From Sta. 60+50 to Sta. 23	12" tile
" " 23 to " 16+50	10" "
" " 16+50 to " 0	8" "
<u>Lateral No. 1</u> - - - - -	4" "
<u>Lateral No. 2</u> - - - - -	4" "
<u>Lateral No. 3</u> - - - - -	4" "
<u>Lateral No. 4</u> - - - - -	5" "
<u>Lateral No. 5</u>	-
From Sta. 12+11 to Sta. 9+35	8" "
" " 9+35 " " 0	6" "
<u>Lateral No. 6</u> - - - - -	5" "
<u>Lateral No. 7</u> - - - - -	6" "

Tile.

All tile shall be first class cylindrical well burned drain tile. The tile shall be placed upon the line of the ditch in lots of 100 feet to each 100 ft. of ditch in such a manner that the contractor for construction will not have to transfer any tile over any fence. In case the contractor for construction be delayed by failure to deliver tile on time or by improper delivery of same, he will be paid for such delay and the amount of same will be charged to and deducted from the tile contract at time of settlement.

All Y's to be first class Vitriified Sewer Pipe..

Construction.

The trench must be cut fully down to the grade line at all points and made to conform to the gradients shown on profile and in schedule "A" of this report. The tile to be carefully laid in the trench and jointed to within one quarter inch.

The contractor is to put in all Y's and make all connections of laterals either new or old, but in connecting old laterals, he is not required to go more than one rod from the ditch. Any distance exceeding one rod shall be paid for by the landowner

The Grogan Ditch Improvement.

at a price determined by the Engineer. It shall be the duty of the landowner to have all necessary tile and Y's for these connections upon the ground at the time the contractor passes the laterals, and should he fail to do this, then the contractor is freed from making such connections.

Only sufficient filling shall be done to hold the tile in place until after the Engineer has inspected the work. If the work is satisfactory all excavated material shall be replaced by the contractor.

All green trees, bushes, etc., standing nearer than 20 feet of the tile shall be deadened by the contractor and all willows within said area shall be removed by the landowner and in case he fails to do so, the Engineer will have it done at the landowner's expense.

A clear right-of-way of 15 feet on either side of the ditch is reserved for the convenience of the tile and construction contractors.

: : : : : : : :

See Commissioners' Journal Entry, Vol. 12, Page 606, Adjourned Hearing on Report of Engineer.

See Commissioners' Journal Entry, Vol. 12, Page 619, Commissioner's Finding on Report of Engineer.

#

DITCH SALE.

NOTICE TO CONTRACTORS.

The undersigned County Surveyor will sell at public outcry to the lowest and best bidder on Wednesday, June 2, 1915, at 10 o'clock A.M., standard time, at the County Surveyor's office in the basement of the court house, at London, the labor of constructing and furnishing of all necessary materials for The Grogan Ditch Improvement, located in Jefferson and Canaan Townships, Madison County, Ohio.

Main Ditch.

Section 1.	From Station 60+50 to Station 23- 3750 feet.			
	227.27 rods 12 inch tile construction (3 feet 3 inches) at \$1.00			\$227.27
Section 2.	From Station 23 to Station 0- 2300 feet.			
	39.39 rods 10-inch tile construction (4 feet 7 inches) at \$1.25	\$49.24		
	100.00 rods 8-inch tile construction (2 feet 9 inches) at .70	70.00	119.24	
Section 3.	LATERAL NO. 1- 368 feet.			
	22.30 rods 4-inch tile construction (2 feet 6 inches) at .30	6.69		
	LATERAL NO. 2- 396 feet.			
	24.00 rods 4-inch tile construction (2 feet 8 inches) at .30	7.20		
	LATERAL NO. 3- 194 feet.			
	11.76 rods 4-inch tile construction (2 feet 4 inches) at .30	3.53		
	LATERAL NO. 4 - 458 feet.			
	27.76 rods 5-inch tile construction (3 feet 2 inches) at .40	11.10		
	LATERAL NO. 5 - 1211 feet.			
	73.39 rods 8-inch and 6-inch tile construction (2 ft. 7 in.) at .50	36.70		
	LATERAL NO. 1 OF NO. 5- 390 feet.			
	23.64 rods 4-inch tile construction (2 feet 4 inches) at .30	7.09		
	LATERAL NO. 2 OF NO. 5 - 794 feet.			
	48.12 rods 5-inch tile construction (2 feet 4 inches) at .30	14.44		
	LATERAL NO. 6 - 492 feet.			
	29.82 rods 5-inch tile construction (2 feet 6 inches) at .30	8.95		
	LATERAL NO. 7 - 852 feet.			
	51.54 rods 6-inch tile construction (2 feet 7 inches) at .40	20.66	116.36	

The Grogan Ditch Improvement.

Section 4.	227.27 rods 12-inch tile at \$1.55	\$352.27		
	39.39 rods 10-inch tile at 1.15	45.30		
	116.73 rods 8-inch tile at .70	81.71		
	108.30 rods 6-inch tile at .50	54.15		
	105.70 rods 5-inch tile at .40	42.28		
	81.70 rods 4-inch tile at .30	24.51	\$600.22	
	6 12-inch Vitrified Y's at \$1.85	11.10		
	4 8-inch Vitrified Y's at 1.00	4.00		
	1 6-inch Vitrified Y's at .75	.75	15.85	\$616.07
	Total			\$1078.94

Recapitulation.

Construction	\$462.87
Tile and Y's	<u>616.07</u>
Total,	\$1078.94

Bidders are required to deposit \$25 cash -- no checks taken -- before any bid will be considered. Contract and bond must be entered into within five days from date of sale.

Persons desiring to view the ditch should do so prior to time of sale.

Specifications now on file in the Auditor's office at London, Ohio.

The right to reject any or all bids is reserved.

By order County Commissioners of Madison County, Ohio.

H.M. CHANEY, Auditor.

H.L. McCafferty, County Surveyor.

PLEASE POST.

#

Auditor's Office, Madison County, Ohio.

June 3rd, A.D. 1915.

In the matter of County Ditch Improvement Petitioned for by Susan V. Grogan et al.) Report of Sale of the Labor of Construction.

To the Honorable Commissioners of Madison County, Ohio:

Gentlemen: In obedience to your direction and also in pursuance of the notice, duly given by the Auditor of the sale of the work of constructing the above styled improvement, at the time and place therein specified, I offered the said several working sections for sale to the lowest responsible bidder at public out-cry and sold the same to the persons hereinafter named, at the prices herein stated, and took their contracts and bonds respectively conditioned according to law, and return the same herewith for your approval.

No. of Working Sections.	TO WHOM SOLD	Amount for which it sold.	Amount for which it was estimated.	WHEN TO BE COMPLETED.
1,2,3	<u>Ditch Construction.</u>			
	Frank Cutlip	\$280.00	\$462.87	Sept. 1st, 1915.
4	<u>Tile.</u>			
	Monroe Bidwell	616.00	618.57	Sept. 1st, 1915.

Respectfully submitted,

H.L. McCafferty,

Co. Surveyor.

#

The Grogan Ditch Improvement.

Auditor's office, Madison County, Ohio.

In the matter of County Ditch Improvement,)

June 3rd, A.D.1915.

No...Petitioned for by Susan V.Grogan, et al.)

Contract for Labor of Construction.

WHEREAS, The above styled improvement has been duly ordered, and advertised for sale according to law, and the Construction of Working Section Nos. 1-2-3 was sold by the County Surveyor, on the 3rd day of June, 1915, to the undersigned, for two hundred eighty (\$280.00) Dollars, pursuant to said order and notice. Now, in consideration of the premises, it is agreed by me, to and with whomsoever may be interested therein, that I will do and perform all the labor of constructing said improvement in accordance with the specifications for constructing the same, as shown in the record of the proceedings thereof, the same to be completed on or before the 1st day of September, 1915; Provided, however, this contract shall be of no force and effect until approved by the Board of Commissioners of Madison County, Ohio.

County Surveyor.

Frank Cutlip,
Contractor.

Auditor's Office, Madison County, Ohio.

In the matter of County Ditch Improvement)

June 3rd, 1915.

No...Petitioned for by Susan V.Grogan, et al.)

Contractor's Bond .

Know all Men by these Presents, That Frank Cutlip as principal, and _____ and _____ as sureties, are firmly held and bound unto the STATE OF OHIO, in the penal sum of five hundred sixty (560.00) Dollars, good and lawful money.

Signed and dated this 3rd day of June, 1915..

The Condition of the Above Obligation is such, however, that whereas, the above bounden principal contractor has bid off the labor of constructing Working Section Nos. 1-2-3, has duly entered into the annexed account, subject to the condition that the same shall be approved by the Commissioners of said Madison County, and has agreed to fully do and perform all labor of constructing said improvement in accordance with the plans and specifications of said improvement, as shown on the record of said proceedings, on or before the 1st day of September, 1915.

Now, if the said Frank Cutlip shall well and truly perform all the obligations of his contract and complete the same within the time fixed by said contract and pay all damages which may accrue by reason of a failure to complete the same within the time agreed upon in said contract, and pay for all labor and material and for all debts incurred in the performance of this contract, then this obligation shall be void, otherwise to be in full force and effect in law.

Frank Cutlip
Monroe Bidwell
Eber W. Bidwell

This Contract and Bond, and Sureties on said Bond approved this _____ day of _____ 19__.

County Surveyor.

E.E. Willard,
President of Board of Com'rs.

(Stamps 50c)

#

The Grogan Ditch Improvement.

CONTRACT FOR DRAIN TILE.

Auditor's Office, Madison County, Ohio..

In the matter of Ditch Improvement No..) June 3rd, A.D. 1915.

Petitioned for by Susan V. Grogan, et al.) CONTRACT FOR DRAIN TILE.

WHEREAS, The above styled improvement has been duly ordered, and advertised for sale according to law, and the construction of Working Section Nos.1-2-3 was sold by the County Surveyor, on the 3rd day of June, 1915, to the undersigned, for the sum of six hundred and sixteen (\$616.00) Dollars. Now, in consideration of the premises, it is agreed by me, to and with whomsoever may be interested therein, that I will furnish 227.27 rods of 12 inch Drain Tile from Station ___ to Station ___; and 39.39 rods of 10 inch Drain Tile from Station ___ to Station ___; 116.73 rods 8"; 108.30 rods 6"; 105.70 rods 5"; 81.70 rods 4"; and 1-15" Y; 6-12" Ys; 1-6" Y, delivered on line of above styled improvement in lots as needed, the same to be delivered on or before the 1st day of September, 1915; provided this contract shall be of no force and effect until approved by the Board of Commissioners of Madison County, Ohio.

County Surveyor.

Monroe Bidwell,
Contractor.

CONTRACTOR'S BOND FOR DRAIN TILE.

Auditor's Office, Madison County, Ohio.

In the matter of Ditch Improvement No.) June 3rd, A.D. 1915.

Petitioned for by Susan V. Grogan, et al.))

Know all Men by these Presents, That Monroe Bidwell as principal, and _____ and _____ as sureties, are firmly held and bound unto the STATE OF OHIO, in the penal sum of One thousand two hundred and thirty two Dollars, good and lawful money.

Signed and dated this 3rd day of June, 1915.

The Condition of the Above Obligation is such, however, that whereas, the above bounden principal contractor has bid off the furnishing and delivering the Drain Tile for constructing Working Section No. 4, has duly entered into the annexed contract, subject to the condition that the same shall be approved by the Commissioners of said County.

Now, if the said Monroe Bidwell, shall well and truly perform all the obligations of his said contract and complete the same within the time fixed by said contract and pay all damage which may occur by reason of a failure to complete the same within the time agreed upon in said contract, then this obligation shall be void, otherwise to be in full force and effect in law.

(Stamps 50c)

Monroe Bidwell
Eber W. Bidwell
Frank Cutlip

This Contract and Bond, and Sureties on said Bond approved this _____ day of _____, 19__.

County Surveyor

E.E. Willard
President of Board of Com'rs.

#

See Commissioners Journal Entry, Vol.13, page

#