

## The Hedrick Ditch Construction.

London, Ohio, June 22<sup>nd</sup>, 1910.

We, the undersigned trustees of Jefferson township, Madison County, Ohio, hereby waive our jurisdiction and right to act upon the ditch petitioned for by M. Hedrick, et al.

Wilson Johnson            ) Trustees of  
Ed. Quinn                 ) Jefferson Township.  
Geo. F. Wise.             )

## DITCH PETITION.

London, Ohio, June 22, A.D. 1910, Petition for Location, construction and tiling of a Ditch.

To the Honorable Board of Commissioners, Madison County, Ohio.

The undersigned owners of lots and land which will be drained or benefited by the improvement herein prayed for, hereby make application to your honorable body, and now file with the Auditor of said County, this, their petition, and now and hereby pray for the location, construction and tiling of a ditch on the route hereinafter set forth.

The necessity for and the benefits of the improvement so prayed for is that it will drain and reclaim the lands along the line thereof and adjacent thereto, and will promote the public health, convenience and welfare.

The following is the beginning, route and termini of said proposed improvement, to-wit; Commencing at a tile well on the lands of Wilson Goodson about 50 rods north of the Peterman dirt road in Jefferson Township; thence in a general southerly and easterly course following the line of a township ditch or as near as is practical, through the lands of said Goodson, to and crossing said road into and across the lands of Stuckey heirs, Chas. McCoy, Grant Timmons, to and across the Middle Pike; into and across the lands of Perry Young, Morris Hedrick, Chas. Silver, Finis High, Owen Harbage, to and crossing the East pike into the lands of Lilly Maud Beach a distance in all of about 750 rods and there terminating. Your petitioners ask that the tile now in said township ditch be taken up and larger tile put in as far as said ditch is now tiled and that the tile be extended to the East side of the East pike and that the open ditch be deepened and widened far enough to give a good and sufficient outlet for the tile. They also ask for the location and construction of all necessary laterals.

The Names of all Persons and Corporations, either public or private, who in the opinion of the petitioners are in any way affected or benefited thereby are as follows;

Wilson Goodson	Eugene Stuckey	Finis High
(Byron Fellows (Non R.)	William Pennybaker	(Owen Harbage
(Ollie Olney, Tenant.	Chas. McCoy	(William Smith, Tenant.
Geo. Prugh	Grant Timmons	Lilly Maud Beach
(Isaac Braithwaite (Non R)	Perry Young	John Betts
(Thos. Patterson, Tenant	Morris Hedrick	Salina Peterman (Dower)
Elizabeth Millikin	Chas. Silver	Riley Miller
M. Hedrick	FILED	Charles Silver )
	NOV. 12, 1910,	Finis High )
	J. J. SHAFFER,	) Petitioners.
	Auditor.	)

## The Hedrick Ditch Improvement.

## PETITIONER'S BOND.

KNOW ALL MEN BY THESE PRESENTS, That Morris Hedrick as principal, and Charles Silver and Finis High as sureties, are held and firmly bound unto the State of Ohio in the penal sum of Two hundred Dollars, good and lawful money, for which we bind ourselves, and our heirs, executors and administrators.

Signed by us and dated this 22<sup>nd</sup> day of Oct. A.D. 1910.

The condition of the above obligation is such, nevertheless, that whereas, on the 22<sup>nd</sup> day of June, 1910, the above bounden Morris Hedrick made application to the Commissioners of Madison County, and on said day filed with the Auditor of said County his petition for the location, construction and tiling of a ditch in pursuance of the statute in such case made and provided, on the following route and termini, to-wit; Commencing At a tile well on the lands of Wilson Goodson about 50 rods north of the Peterman Dirt road in Jefferson Township; thence in a general southerly and easterly course, following the line of a township ditch or as near as is practical through the lands of said Goodson to and crossing said road into and across the lands of Stuckey Heirs, Chas. McCoy, Grant Timmons, to and across the Middle Pike, into and across the lands of Perry Young, Morris Hedrick, Chas. Silver, Finis High, Owen Harbage, to and crossing the East pike, into the lands of Lilly Maud Beach, a distance in all of about 750 rods and there terminating. Your petitioners ask that the tile now in said township ditch be taken up and larger tile put in as far as said ditch is now tiled, and that the tile be extended to the East side of the East Pike, and that the open ditch be deepened and widened far enough to give a good and sufficient outlet for the tile.

They also ask for the location and construction of all necessary laterals.

Now if the above bounden..... shall pay all costs, if the prayer of said petition be not granted, or if for any other cause the same shall be dismissed, then this obligation shall be void.

The above bond and the sureties thereon  
are approved by me this 12 day of November, 1910.

J. J. Shaffer,  
County Auditor.

M. Hedrick  
Charles Silver  
Finis High

FILED  
NOV. 12, 1910,  
J. J. SHAFFER,  
Auditor.

NOTICE TO COMMISSIONERS  
OF PETITION FILED AND TIME FOR HEARING.

Office of Auditor of Madison County, O., Nov. 14<sup>th</sup>, A.D. 1910.

To the Honorable Board of Commissioners of said County;

GENTLEMEN; You are hereby notified that a petition and bond for a ditch improvement has been filed in this office on the 12<sup>th</sup> day of Nov. 1910, a copy of which petition is attached below; and as required by law I have fixed the 13<sup>th</sup> day of Dec. 1910, at 10 o'clock A.M., at the beginning of said proposed ditch described in said petition, for your hearing of said matter.

J. J. Shaffer, Auditor.

## COPY OF DITCH PETITION.

London, Ohio, Nov. 12<sup>th</sup>, A.D. 1910, Petition for location, construction and tiling of a Ditch.

To the Honorable Board of Commissioners, Madison County, Ohio;

The undersigned owners of lots and land which will be drained or benefited by the improvement herein prayed for, hereby make application to your honorable body, and now file with the Auditor of said County, this, their petition, and now and hereby pray for the location, construction and tiling of a ditch on the route hereinafter set forth.

The necessity for and the benefits of the improvement so prayed for is that it will drain and reclaim the lands along the line thereof and adjacent thereto, and will promote the public health, convenience and welfare.

The following is the beginning, route and termini of said proposed improvement, to-wit; Commencing at a tile well on the lands of Wilson Goodson about 50 rods north of the Peterman dirt road in Jefferson Township; thence in a general southerly and easterly course following the line of a township ditch or as near as is practical, through the lands of said Goodson, to and crossing said road into and across the lands of Stuckey Heirs, Chas. McCoy, Grant Timmons, to and across the Middle Pike into and across the lands of Perry Young, Morris Hedrick, Chas. Silver, Finis High, Owen Harbage, to and crossing the East pike into the lands of Lilly Maud Beach a distance in all of about 750 rods and there terminating. Your petitioners ask that the tile now in said township ditch be taken up and larger tile put in as far as said ditch is now tiled and that the tile be extended to the east side of the East pike and that the open ditch be deepened and widened far enough to give a good and sufficient outlet for the tile. They also ask for the location and construction of all necessary laterals.

The names of all Persons and Corporations, either public or private, who in the opinion of the petitioners are in any way affected or benefited thereby are as follows;

Wilson Goodson	Perry Young	Riley Miller
(Byron Fellows Non R.	Morris Hedrick	
(Ollie Olney, Tenant	Elizabeth Millikin	
Geo. Prugh	Chas. Silver	
(Isaac Braithwaite Non Res.	Finis High	
(Thos. Patterson, Tenant	(Owen Harbage	
Eugene Stuckey	(William Smith Tenant	
William Pennybaker	Lilly Maud Beach	
Chas. McCoy	John Betts	
Grant Timmons	Salina Peterman (Dower)	
	M. Hedrick ) )	
	Chas. Silver )	Petitioners.
	Finis High )	

I Hereby Certify the foregoing to be a true copy of a Ditch Petition filed in my office on the 12<sup>th</sup> day of Nov. A.D. 1910.

J. J. Shaffer, County Auditor.

## The Hedrick Ditch Improvement.

Auditor's Office, Madison County, Ohio.

Nov. 14<sup>th</sup>, A.D. 1910.

In the matter of Ditch Improvement No... )

Petitioned for by M. Hedrick ,et al. ) Notice to Lot or Land Owners.

To the Lot or Land Owners and to the Corporations, either Public or Private, affected by said Improvement;

You, and each of you, are hereby notified that on the 12<sup>th</sup> day of Nov. 1910, M. Hedrick and others, filed a petition with the Auditor of Madison County, the prayer of which is for the location, construction and tiling of a Ditch on the following starting point, route and terminus, to-wit; Commencing at a tile well on the lands of Wilson Goodson about 50 rods north of the Peterman dirt road in Jefferson Township; thence in a general southerly and easterly course following the line of a township ditch or as near as is practical, through the lands of said Goodson, to and crossing said road into and across the lands of Stuckey Heirs, Chas. McCoy, Grant Timmons, to and across the Middle Pike, ainto and across the lands of Perry Young, Morris Hedrick, Chas .Silver, Finis High, Owen Harbage to and crossing the East pike into the lands of Lilly Maud Beach a distance in all of about 750 rods and there terminating. Your petitioners ask that the tile now in said township ditch be taken up and larger tile put in as far as said ditch is now tiled and that the tile be extended to the east side of the East pike and that the open ditch be deepened and widened far enough to give a good and sufficient outlet for the tile. They also ask for the location and construction of all necessary laterals.

You are also notified that the following time and place have been fixed when and where the Commissioners of said County will meet for the hearing of said petition, to-wit; Tuesday, Dec. 13<sup>th</sup>, 1910, at 10 o'clock A.M., at the beginning of said proposed ditch improvement, for the purpose of hearing any and all proof offered by any of the parties affected by said improvement, whether the said ditch will be conducive to the public health, convenience and welfare; and whether the route described is the best route; and any and all objections to said proposed ditch improvement.

Any application for compensation or damage, or for any change of route, must be in writing and filed with the Commissioners on or before the day set for hearing.

No further notice of any proceedings in this matter will be given.

J. J. Shaffer, Auditor of Madison County.

The Hedrick Ditch Improvement.

Auditor's Office, Madison County, Ohio.  
 London, O., Nov. 25", 1910.

THE STATE OF OHIO, )  
 Madison County, ss. )

PROOF OF PERSONAL NOTICE.

On this 25<sup>th</sup> day of Nov. 1910, personally came James Minshall who being duly sworn according to law, deposes and says that on the days hereinafter named, he served the annexed notice on the persons hereinafter named, by delivering to each person opposite whose name appears "D" a true copy of the annexed notice; and on those opposite whose name appears "R" by leaving the same at their usual place of residence.

NAME OF PERSON SERVED.	HOW SERVED D. OR R.	WHEN SERVED.
Wilson Goodson	D	Nov. 22", 1910.
Ollie Olney	D	" " "
George Prugh	R	" " "
Thomas Patterson	R	" " "
Eugene Stuckey	D	Nov. 21", 1910.
Wm. Pennybaker	R	" " "
Chas. McCoy	R	" " "
Grant Timmons	D	" " "
M. Hedrick	R	" " "
Perry Young	D	" " "
Elizabeth Millikin	D	" " "
Chas. Silver	D	" " "
Finis High	R	" " "
Owen Harbage	D	" " "
Wm. Smith	R	" " "
Lilly Maude Beach	R	" " "
John Betts	D	" " "
Riley Miller	D	" " "

FILED  
 NOV. 25 1910.  
 J. J. SHAFER  
 Auditor.

and further this deponent saith not.

James Minshall.

Sworn to by James Minshall before me, and by him subscribed in my presence this 25<sup>th</sup> day of Nov. 1910.

Ella Blizzard,  
 Deputy County Auditor.

The State of Ohio, Madison County, SS.

R.K. SHAW, being duly sworn, says he is the Business Manager of THE LONDON TIMES, a weekly newspaper printed and in general circulation in said county, and that a notice, of which the annexed is a copy, was published in said newspaper on the 24th day of November, 1910.

R.K. Shaw.

Sworn to and subscribed before me this 28<sup>th</sup> day of November, 1910.

Ella Blizzard,  
 Deputy County Auditor.

## The Hedrick Ditch Improvement.

## DITCH NOTICE.

Auditor's Office, Madison County, Ohio, )

November 14, 1910. )

## Notice to Non-resident Lot or Land Owners.

In the matter of Ditch Improvement petitioned for by M. Hedrick, et al.

To the Lot or Land Owners and to the Corporations, either Public or Private, affected by said Improvement;

You, and each of you, are hereby notified that on the 12<sup>th</sup> day of November, 1910, M. Hedrick and others, filed a petition with the Auditor of Madison County, the prayer of which is for the location, construction and tiling of a Ditch on the following starting point, route and terminus, to wit;

Commencing at a tile well on the lands of Wilson Goodson about 50 rods north of the Peterman dirt road in Jefferson township; thence in a general southerly and easterly course following the line of a township ditch or as near as is practical, through the lands of said Goodson, to and crossing said road into and across the lands of Stuckey heirs, Chas. McCoy, Grant Timmons, to and across the Middle Pike, into and across the lands of Perry Young, Morris Hedrick, Chas. Silver, Finis High, Owen Harbage to and crossing the East pike into the lands of Lilly Maud Beach, a distance in all of about 750 rods and there terminating.

Your petitioners ask that the tile now in said township ditch be taken up and larger tile put in as far as said ditch is now tiled and that the tile be extended to the east side of the East Pike and that the open ditch be deepened and widened far enough to give a good and sufficient outlet for the tile. They also ask for the location and construction of all necessary laterals.

You are also notified that the following time and place have been fixed when and where the commissioners of said county will meet for the hearing of said petition, to wit; Tuesday, December 13, 1910, at 10 a.m., at the beginning of said proposed ditch improvement for the purpose of hearing any and all proof offered by any of the parties affected by said ditch improvement, whether the said ditch will be conducive to the public health, convenience and welfare; and whether the route described is the best route; and any and all objections to said proposed ditch improvement.

Any application for compensation or damage, or for any change of route, must be in writing and filed with the Commissioners on or before the day set for hearing.

No further notice of any proceedings in this matter will be given.

J. J. SHAFFER,

Auditor of Madison County.

Nov. 24, 1910-1t.

See Commissioners' Journal entry of December 13, 1910, Volume 11, Page 291.

## The Hedrick Ditch Improvement.

London, Ohio, Dec. 13<sup>th</sup>, 1910.

In the matter of Ditch Improvement Petitioned for by Morris Hedrick, et al.

The undersigned being the owner of land through which it is proposed to locate a portion of said improvement hereby asks that the same may be constructed as a tile ditch from the East pike through her first field east of said pike and about 2 or 3 rods into her second field east of said pike.

To the Commissioners of Madison County, Ohio. Delilah Worthington.

West Jefferson, Ohio,

December 13, 1910.

To the Honorable Board of County  
Commissioners of Madison County, O.  
Gentlemen;

We the undersigned land owners of Jefferson Township, Madison County, Ohio, hereby represent that we are interested parties in the ditch, petitioned for by Morris Hedrick, et al.

Petitioners further represent that the said proposed ditch would not be to their best interests, nor is it necessary for the health, and drainage of the section proposed to be drained.

We therefor submit our opposition to said ditch, and ask that the same be refused as proposed.

Owen Harbage

Elizabeth Millikin

See Commissioners Journal entry of December 19, 1910, Volume 11, Page 293.

See Commissioners' Journal entry of January 24, 1911, Volume 11, Page 316.

See Commissioners' Journal entry of January 31, 1911, Volume 11, Page 316.

See

The Hedrick Ditch Improvement.

Auditor's Office, Madison County, Ohio.

In the matter of Ditch Improvement No... ) Jany. 31<sup>st</sup>, A.D. 1911.  
 Petitioned for by M. Hedrick. ) Report and Schedules of Engineer.

To the Honorable, the Board of Commissioners of Madison County, Ohio;

The undersigned Engineer, in obedience to the direction of your Honorable Body, made on the 13<sup>th</sup> day of December, 1910, has proceeded in the above matter, and has made a level and survey of said proposed ditch improvement, and set a stake at every hundred feet numbering down stream; and I have made a note of the intersections of lines and boundaries of lands, township and county lines, land marks, bench marks, and road and railroad crossings; and I herewith make report of the same, with profile, and plat and an estimate of the number of the cubic yards of earth or other substance to be removed, and the cost per cubic yard for each working section on said report indicated and of each section of one hundred feet.

I have also made, and return herewith, a schedule of all the lots and lands, and public and corporate roads and railroads, together with the name of the owners of such railroad companies, and the names of the lessees operating the same, that will be benefited by said improvement; and an apportionment of the cost of location and construction, in money, to each lot and tract of land, road and railroad, according to the benefits which will result to each from the said improvement; and in apportioning the costs of such improvement the benefits to any lots or lands by diking the same in whole or in part, have been by me considered with other benefits; and a specification of the manner in which the improvement shall be made and completed; the number of flood gates, water-ways, farm crossings and bridges, including kinds and dimensions thereof; and such other matters as the undersigned deems important. The said survey, level reports and schedules are hereunto attached and made a part hereof.

The following is an itemized cost bill, made by me, in the proper discharge of my duty, under your order.

H. L. McCafferty,	Engineer,	12 days, at	\$5.00 per day,	\$ 60.00
Jesse Paine,	Rodman,	4 " "	\$2.00 " "	\$ 8.00
Chas. Lohr,	Chainman,	4 " "	\$2.00 " "	\$ 8.00
A. T. O'Neill,	"	4 " "	\$2.00 " "	\$ 8.00
Earl Prugh,	Stake Driver,	2 " "	\$2.00 " "	\$ 4.00
Jack Kennedy,	Axman,	1 " "	\$2.00 " "	\$ 2.00
Andy Miller,	Digging holes,	1 " "	\$2.00 " "	\$ 2.00
J. H. Asher,	Engineer,	4 " "	\$5.00 " "	\$ 20.00
Other Expenses;				
W. R. Rainey,	Draughtsman,	11 days, @	4.00 " "	44.00
Thomas Largey,	Team and hand,	2 " "	4.25	8.50
Wm. Baber,	Horse and buggy,	3 " "	1.50	4.50
M. B. Irwin,	250-18" Stakes	"	1½ 3.75	
	250-12" "	"	1¼ 3.13	6.88
H. L. McCafferty,	Cash paid for car fare, meals, & feed,			3.25
J. H. Asher,	Cash paid car fare,			.35
Wm. Baber,	Team and carriage, 1 day,			3.00
Total Cost,				\$182.48

The foregoing Cost Bill allowed by us .....190..

.....Engineer.

} County Commissioners.

The Hedrick Ditch Improvement.

REPORT OF ENGINEER.				SLOPE...		SCHEDULE "A".
<i>Take every 100 feet number down stream</i>	Surface Elevation	Grade Elevation	Total fall from station 0.	Entire Depth	Course and Distance	
						Begin at the end of
0	100.00	95.50		4.50	0 To 300	10" and 2-6" tile in a
1	100.12	95.30		4.82	S. 66° 30' E. 300'	Tile well on lands
2	99.73	95.10		4.63		of J. W. Goodson.
3	99.58	94.90		4.68	300 To 700	
4	99.38	94.70		4.68	S. 77° E. 400'	
B	100.06	--		4-		Swamp Burr Oak L.
5	99.33	94.50		4.83	7 To 778	J.W. & Clara Goodson
6	99.32	94.30		5.02	S. 64° E. 78'	and Nancy Roberts) 731 = Line
7	99.16	94.10		5.06		and E.H. Stuckey) land center road
+78	98.70	93.95		4.75	778 To 1061	distance on
8	98.62	93.90		4.72	S. 8° 45' W. 283'	Goodson 731'
9	98.61	93.70		4.91		
10	98.51	93.50		5.01		
+61	98.15	93.38		4.77		
11	98.19	93.30		4.89		
12	98.17	93.10		5.07	1061 To 1400	
13	97.95	92.90		5.05	S. 24° E. 339'	Nancy J. Roberts) 1969
14	97.59	92.70		4.89		and E.H. Stuckey) - Line
15	97.53	92.50		5.03		Chas. & Clara McCoy)
16	97.78	92.30		5.48		distance on
17	97.25	92.10		5.15		Roberts and Stuckey 1238'
B	100.44	--		--		Walnut Tree L.
18	97.12	91.90		5.22		
19	96.94	91.70		5.24	1400 To 2037	
20	95.93	91.50		4.43	S. 59° E. 637'	
+37	95.79	91.32		4.47		
21	95.51	91.00		4.51		
22	94.09	90.50		3.59		
23	93.81	90.00		3.81		
24	93.63	89.50		4.13	2037 To 2600	
25	94.85	89.00		5.85	N. 87° 30' E. 563'	
26	93.32	88.60		4.72		
27	93.03	88.20		4.83	2600 To 2840	
28	92.48	87.80		4.68	N. 86° 45' E. 240'	
+40	92.69	87.64		5.05		
B	94.91	--		--		Hackberry L.
29	92.22	87.40		4.82		
30	92.13	87.00		5.13	2840 To 3271	
31	91.85	86.60	8.90	5.25	S. 45° 45' E. 431	
32	91.48	86.20		5.28		
+71	90.51	85.92		4.59		
33	90.35	85.80		4.55		Chas. & Clara McCoy) 3836'
34	89.96	85.40		4.56		and Grant Timmons) = Line
35	90.19	85.00		5.19		

Same as Depth

The Hedrick Ditch Improvement.

Stake every 100 feet numbered from stream	Surface Elevation	Grade Elevation	Total fall from station	Entire Depth	Cut	Course and Distance
36	88.66	84.60		4.06		distance on
37	88.28	84.20		4.08		Chas. & Clara McCoy
38	88.14	83.80		4.34		1867 feet.
39	87.46	83.40		4.06		
40	88.30	83.00		5.30		
41	87.81	82.60		5.21		3271 To 4125 Grant Timmons ) 4705
+25	87.26	82.50		4.76	Depth	N. 80° 31' E. 854 Chas. and Clara McCoy)=Line
42	86.56	82.20		4.36		distance on
43	86.16	81.80		4.36	same as	Grant Timmons 869'
44	86.14	81.40		4.74		4125 To 4525
45	86.98	81.00		5.98		N. 58° 15' E. 400'
+25	85.91	80.95		4.96		
46	85.88	80.80		5.08		
47	85.84	80.60		5.24		
B	86.40	--		--		Nail in Cor. Post
48	85.48	80.40		5.08		
49	84.96	80.20		4.76		4525 To 4933 Grant Timmons ) 5705'
+10	84.87	80.18		4.69		N. 23° 15' E. 408' Chas. & Clara McCoy )=Line
+33	85.31	80.13		5.18		distance on McCoy,
50	85.56	80.00		5.56		1000 feet.
51	84.61	79.80		4.81		
52	84.90	79.60		5.30		
B	85.76	--		--		4933 To 5366 Elm Right
53	84.64	79.40		5.24		N. 60° 45' E. 433'
+66	84.17	79.27		5.51		Grant Timmons and ) 5863'
54	83.72	79.20		4.52		Perry and Kitty Young)=Line
55	84.20	79.00		5.20		5366 To 5662 distance on
56	83.67	78.80		4.87		N. 77° E. 296' Grant Timmons 158'
+62	83.70	78.68		5.02		
57	83.31	78.60		4.71		
58	84.03	78.40		5.63		
+63	87.83	78.28		9.55		=Center Pike
B	88.37	--		--		S.E. Cor. Bridge
59	83.34	78.20		5.14		5662 To 5975
+75	82.63	78.05	17.45	4.58		S. 89° E. 313'
60	81.79	78.00		3.79		
61	82.96	77.75		5.21		Perry Young ) 6572
62	82.02	77.50		4.52		and Morris Hedrick)=Line
63	81.80	77.25		4.55		709' =
64	80.84	77.00		3.84		5975 To 6515 distance on Young
65	80.84	76.75		4.09		S. 41° 15' E. 540'
+15	80.93	76.71		4.22		
B	81.50	--		--		Ash right
66	80.22	76.50		3.72		
67	80.66	76.25		4.41		
68	80.46	76.00		4.46		

The Hedrick Ditch Improvement.

	Stake every 100 feet numbered from station.	Surface Elevation	Grade Elevation	Portals fall from station 0.	entire depth cut	Course and Distance	
69		79.74	75.75		3.99		
70		79.55	75.50		4.05	6515 To 7210	
71		79.50	75.00		4.50	S. 69° 35' E. 695'	
72		78.57	74.50		4.07		
10		78.60	74.45		4.15		
B		79.34	--		--		Elm Right
73		77.54	74.00		3.54	7210 To 7500	
74		77.57	73.50		4.07	N. 53° 30' E. 290'	
75		77.30	73.00		4.30		
76		77.13	72.50		4.63		
77		76.80	72.00		4.80		
78		76.51	71.50		5.01	7500 To 7950	
79		75.78	71.00		4.79	N. 30° 30" E. 450	
B		77.26	--		--		Swamp. B.O. Right
50		76.19	70.75		5.44		
80		74.80	70.50		4.30		
81		75.21	70.00		5.21		
82		73.82	69.50		4.32		
83		74.73	69.00		5.73		
84		74.30	68.50		5.80		
85		73.58	68.00		5.58		
86		72.52	67.50		5.02		
87		72.21	67.00		5.21	7950 To 8900	
88		72.34	66.50		5.84	N. 85° E. 950'	
B		72.75	--		--		Elm Stump right.
89		71.41	66.00		5.41		
90		71.56	65.50		6.06		
91		69.65	65.04		4.61		
92		70.16	64.58	30.92	5.58		
92-20		69.96	64.49		5.47		
93		70.41	64.12		6.29	8900 To 9447	
94		67.35	63.66		3.69	S. 73° 15" E. 547'	
B		70.61	--		--		Hickory right
47		69.51	63.44		6.07		Morris Hedrick ) 9606
95		69.04	63.20		5.84		Chas. Silver. ) = Line
96		66.62	62.63		3.99		
97		68.54	62.06		6.48	9447 To 9840	distance on
98		67.85	61.49		6.36	S. 54° 30" E. 393'	Hedrick 3034'
40		67.62	61.26		6.36		
99		67.30	60.92		6.38		
100		66.90	60.35		6.55		
101		66.66	59.78		6.88		
B		66.79	--		--	9840 To 10271	Hickory right
102		66.03	59.21		6.82	S. 52° E. 431'	
71		65.54	58.81		6.73		Chas. Silver. ) 10322
103		65.12	58.64		6.48		Finis-High ) = Line

Same as Depth

The Hedrick Ditch Improvement.

Stake every 10 feet numbered down stream.	Surface Elevation	Grade Elevation	Depth from station 0.	Entire Depth	Cut	Cubic Yards	Course and Distance.	
104	61.92	58.07		3.85				
105	63.57	57.50		6.07	2.85			
106	63.54	56.93		6.61	3.02		10271 To 10878	distance on Silver 716'
107	61.48	56.36		5.12	2.99		S. 87½° E. 607'	
108	61.77	55.79		5.98	2.96			
+78	60.53	55.35		5.18	3.30			
B	60.89	--		--	--			Elm right
109	61.86	55.22		6.64	6.64			
110	61.03	54.65		6.38	3.46			
111	60.39	54.15		6.24	3.66			
112	60.34	53.65		6.69	3.26			
113	57.91	53.15		4.76	3.16			Finis High ) 11761
114	57.31	52.65		4.66	3.16			Owen Harbage )=Line
115	56.59	52.15		4.44	3.06		10878 To 11696	distance on High 1439'
116	55.33	51.65		3.68	3.68		N. 56½° E. 818'	
+96	57.00	51.17		5.83	5.83			
117	56.94	51.15		5.79	3.48		11696 To 11790	
B	57.15	--		--	--		N. 75½° E. 94'	Elm left.
118	55.18	50.65		4.53	3.88			
119	55.05	50.15		4.90	3.68		11790 To 12000	
120	55.48	49.65		5.83	3.68		S. 77° E. 210'	
121	55.28	49.25		6.03	3.88			
122	55.19	48.85	46.65	6.34	3.75			
123	54.62	48.45		6.17	3.85		12000 To 12329	
+29	54.57	48.34		6.23	6.23		S. 58½° E. 329'	
124	54.13	48.05		6.08	3.45			
+50	56.57	47.85		8.72	8.72		12329 To 12475	Center Pike
+75	53.47	47.75		5.72	5.72		N. 84° E. 146'	
B	55.96	--		--	--			Body of Hedge Orange
125	53.31	47.65		5.66	5.66			Nail in blaze
126	52.23	47.25		4.98	4.98			
127	52.66	46.85		5.81	5.81			Owen Harbage )12459
128	51.92	46.45		5.47	5.47		12475 To 12965	Delilah, Worthington)
129	50.94	45.27		5.67	5.67		N. 70° E. 490'	
+65	50.03	44.50		5.53	5.53			distance on Harbage
130	49.70	44.09		5.61	5.61			698'
131	49.02	42.91		6.11	6.11		12965 To 13300	
132	46.75	41.73		5.02	5.02		N. 86° 30' 335'	
+60	46.11	41.00		5.11	5.11			
133	47.34	39.88		6.11	6.11			
134	44.40	39.58		7.46	4.62	61		
135	43.50	39.28		4.82	3.62	128		
136	43.60	38.98		4.22	3.02	89	13300 To 13822	
137	43.60	38.98		4.62	4.62	113	N. 87° E. 522'	
B	43.11	--		--	--	--		Ash left.
138	42.40	38.68		3.72	3.72	128		
139	41.30	38.38		2.92	2.92	83		

End of Pile  
Open Ditch

The Hedrick Ditch Improvement.

Stake every 10 feet numbered from stream	Surface Elevation	Grade Elevation	Total fall from station 0.	Entire Depth	Cut.	Cubic yards	Course & Distance.	
+22	40.46	38.32		2.14	.68		13822 To 13977	distance on
139	38.94	38.08		.86	.42	60	N. 55½° E. 155'	Worthington 1518'
+77	39.37	37.85	57.65	1.52	.05	38		
Lateral No. 1 @ Sta. 49+10.								
B	100.06						0 To 509	Swamp Burr Oak.
0	99.84	96.34		3.50			S. 82°30' E. 509'	Bet. 4 and 5 of main
1	100.28	96.14		4.14				Begin on J.W. & Clara
2	100.44	95.94		4.50				Goodson
3	99.91	95.74		4.17				Goodson J.W. } 398'
4	99.75	95.54		4.21				C.R. and P. } =Line
5	99.91	95.34		4.57				Miller } 398 feet on Goodson
+9	99.87	95.32		4.55				
6	99.91	95.14		4.77			509 To 800	
7	98.47	94.94		3.53			N. 60°45' E. 291'	C.R. & P. Miller } 822'
8	98.75	94.74		4.01				and S. Peterman } =Line
9	97.83	94.54		3.29				distance on
10	97.76	94.34		3.42				Miller 424'
B	97.96	--		--				Ash right and
11	98.16	93.74		4.42			800 To 1190	S. Peterman } 913'
+90	97.09	93.14		3.95			S. 77°30' E. 390'	C. Huddle } =Line
12	97.09	93.14		3.95				distance on
13	96.35	92.54		3.81				
14	95.96	91.94		4.02			1190 To 1473	S. Peterman 91'
+73	94.70	91.50		3.20			S. 38°45' E. 283'	
15	94.73	91.34		3.39				C. Huddle and } 1156'
16	94.32	90.74		3.58				W. Pennybaker } =Line
17	93.73	90.14		3.59				distance on Huddle
18	93.26	89.54		3.72				243 feet.
B	94.92	--		--				Hickory right
19	93.21	89.34		3.87				
20	92.91	89.14		3.77				
21	92.41	88.94		3.47				
22	92.01	88.74		3.27			1473 To 2400	Pennybaker Wm. } 2669
23	92.28	88.54		3.74			S. 54°30' E. 927'	and Chas. and Clara McCoy } =Line
24	91.47	88.34		3.13				distance on
25	91.23	88.14		3.09				Pennybaker 1513'
26	92.06	87.94		4.12				
B	92.13	--		--			2400 To 2690	Walnut left.
+90	89.90	86.84		3.06			S. 64°30' E. 290'	
27	89.79	86.72		3.07				
28	89.70	86.22		3.48				
29	89.84	85.72		4.12				
30	89.24	85.22		4.02			2690 To 3183	
31	88.92	84.72	11.62	4.20			S. 18°45' E. 493'	
+83	88.06	84.30		3.76				
32	88.40	84.22		4.18				

The Hedrick Ditch Improvement.

Stake every 100 feet numbered down stream.	Surface Elevation	Grade Elevation	Total fall from station 0.	Entire Depth	Course and Distance.
33	87.85	84.02		3.83	3183 To 3458
34	87.80	83.82		3.98	N. 83° E. 275'
+58	87.29	83.70		3.59	
35	88.07	83.62		4.45	distance on
36	86.98	83.42		3.56	Chas. and Clara McCoy
37	87.15	83.22		3.93	1296'
38	86.08	82.25		3.83	
39	85.60	81.23		4.42	3458 To 3965
+65	84.82	80.64	15.70	4.18	S. 76° 30' E. 507'

Report of Engineer.

Schedule A A.

Statement of Working Sections of the Hedrick Ditch.

No. of Working Sections.	No. of Stakes From.	No. of Stakes To.	No. of Linear Feet.	No. of Cubic Yards.	Price Per Yard.	Amount	Remarks.
<u>Main Ditch Open.</u>							
Sec. 1.	139+77	132+60	717	700	.25¢	\$175.00	Average Depth 3.83'
<u>Main Ditch Tile.</u>							
2.	132+60	119+47	1313				
	79.58	Rods 18" Tile @			4.20	334.24	
	79.58	" Construction @			3.00	238.74	Average Cut 5.50'
		Total,				\$572.98	
3.	119+47	94+47	2500				
	151.51	Rods 18" Tile @			4.20	636.34	Average Cut 4.65'
	151.51	" Construction			2.50	378.78	
		Total,				\$1015.12	
4.	94+47	74	2047				
	124.06	Rods 12" Tile @			1.70	210.90	
	124.06	" Construction			2.25	279.14	Average Cut 5.18'
		Total,				\$490.04	
5.	74	49	2500				
	151.51	Rods 12" Tile @			1.70	257.57	
	151.51	" Construction			2.00	303.02	Average Cut 4.75'
		Total,				\$560.59	
6.	49	25	2400				
	145.46	Rods 10" Tile @			1.20	174.55	
	145.46	" Construction			2.00	290.92	Average Cut 4.82
		Total,				\$465.47	

## The Hedrick Ditch Improvement.

No. of Working Sections	No. of From.	No. of Stakes To.	No. of Feet.	Price Per Yard.	Amount	Remarks.	
7.	25	0	2500				
	151.51	Rods	10" Tile	@ \$1.20	\$181.81		
	151.51	"	Construction	1.50	227.27	Average Cut 4.80'	
			Total,		\$409.08		
<u>Lateral No. 1 @ Station 49+10.</u>							
8.	39+65	24	1565				
	94.85	Rods	10" Tile	1.20	113.82		
	94.85	"	Construction	1.25	118.56	Average Cut 3.83'	
			Total,		\$232.38		
9.	24	0	2400				
	66.67	Rods	6" Tile	@ .50¢	33.34		
	78.79	"	8" " "	.80¢	63.03		
	145.46	"	Construction	1.00	145.46	Average Cut 3.84'	
			Total		\$241.83		
10.	<u>Concrete Bulkhead,</u>						
	@ Station 132+60						
	Wall 30' X 9' X <sup>2 1/2</sup> / <sub>2</sub>						
	Apron 6' X 8' X 2'						
	2 do Walls 8' X 4' X 1'						
	Total 26 Cu. Yds. @				6.00	156.00	
	Estimate For Ys.					60.00	
	Estimate for extra labor and material that may be needed,					100.00	
	Estimated cost for superintending the Construction and expense,					300.00	
<u>Recapitulation.</u>							
	66.67	Rods	6" Tile	.50¢	33.34		
	78.79	"	8" " "	.80¢	63.03		
	391.82	"	10" " "	1.20	470.18		
	275.57	"	12" " "	1.70	468.47		
	231.09	"	18" " "	4.20	970.58		
			Total Tile		2005.60		

The Hedrick Ditch Improvement.

No. of Working Section			Price Per Yd.	Amount.
<u>Construction.</u>				
1.	700	Cu. Yds Open Ditch	.25¢	\$175.00
2	79.58	Rods Tile Const.	@ 3.00	238.74
3	151.51	" " "	2.50	378.78
4	124.06	" " "	2.25	279.14
5	151.51	" " "	2.00	303.02
6	145.46	" " "	2.00	290.92
7	151.51	" " "	1.50	227.27
8	94.85	" " "	1.25	118.56
9	145.46	" " "	1.00	145.46
<u>Total Construction</u>				<u>2156.89</u>

<u>Totals.</u>	
Tile	2005.60
Construction Tile ditch	1981.89
do Open "	175.00
Concrete	156.00
Extra Labor and Material	100.00
Engineers Cost (Est.)	300.00
Estimate for Ys	<u>60.00</u>
<u>Total</u>	<u>4778.49</u>

## The Hedrick Ditch Improvement.

REPORT OF ENGINEER.			SCHEDULE "B"		
Owner's Name As Found On Duplicate.	Survey.	Description.	Area Owned	Area Benefited	Total Cost Apportioned.
J.W. Goodson	3157	Jefferson Tp.	8.50	8.50	\$ 40.25
"	"	"	1.00	1.00	4.75
"	2985	"	135.	40.50	191.60
"	"	"	28.25	15.	71.
"	3157	"	32.11	15.	71.
Main	313.60				
Lat. No. 1	65.00				
Nancy J. Roberts and E. H. Stuckey	2682	"	49.	49	330.65
Main	270.65				
Lat. No. 1	60.00				
Chas. and Cora McCoy	2682	"	102.68	87.68	784.00
"	8461	"	9.25	9.25	82.32
Main	744.00				
Lat. No. 1	122.32				
U. S. Grant Timmons	2682	"	111.93	25.	220.00
Main					
Perry and Kitty Young	8461	"	37.50	24.50	162.00
"	2682	"	7.00	7.00	46.
Main					
Morris Hedrick	2682	"	80.	70.	1008.25
Main					
Chas. Silvers	8461	"	80.	60.	400.00
Main					
Finis High	2680	"	153.	45.	384.00
Main					
Owen Harbage	2679	"	150.	30.	290.36
Main					
Delilah Worthington	2679	"	111.	25.	236.25
Main					
F.R. and P. Miller	3157	"	3.	3.	57.25
Main	12.25				
Lat. No. 1	45.00				

The Hedrick Ditch Improvement.

Owner's Name As Found On Duplicate.	Survey.	Description.	Acres Owned.	Acres Benefited.	Total Cost apportioned.
Salina Peterman (dower)	3157	Jefferson Tp.	4.	4.	\$ 31.25
Main	11.25				
Lat. No.1	20.00				
Wm. Pennybaker	2682	"	60.	13.	97.50
"	16025	"	15.25	7.	52.50
Main	15.00				
Lat. No.1	135.00				
T. B. Fellows	3157	"	50.	5.	13.80
"	2985	"	125.	10.	27.70
Main					
Isaac Braithwaite	2682	"	141.25	60.	168.00
Main					
Geo. W. Prugh	2682	"	148.90	5.	15.60
Main					
Elizabeth Millikin	2680	184.	154.	7.	20.80
Main					
Madison County					
Lat. No.1-1 Road Crossing					33.19
Main 2 " "					120.95
Total,					<u>\$4960.97</u>

The above apportionment includes the cost of location and the same is hereby approved this 2nd day of February, 1911.

J. W. Bowers, Pres. ) County  
 E. C. Breyfogle ) Commissioners

Specifications.

The New Main Ditch in this Improvement shall be made a Tile ditch from Station 0 to Station 132+60 and an open ditch from Station 132+60 to Station 139+77.

Lateral No. 1, shall be made a tile ditch from Station 0 to Station 39+65 and to be connected with the new main ditch at Station 49+10 with a 12"X10"Y.

Sizes of Tile.

The New Main Ditch shall have 10 inch tile from Station 0 to Station 49 and 12 inch tile from Station 49 to Station 94+47 and 18 inch tile from Station 94+47 to Station 132+60.

Lateral No. 1, shall have 6 inch tile from Station 0 to Station 11 and 8 inch tile from Station 11 to Station 24 and 10 inch tile from Station 24 to Station 39+65.

Main Ditch.

The New Main ditch from Station 0 to Station 94+47 is to be constructed of the sizes of tile above mentioned as an independent ditch free and clear and also parallel on the East and Northeast side to and from the old ditch a sufficient distance so as not to interfere, touch or in any way molest the working of said old ditch, except that the old ditch is to be connected by an 18 inch X 12 inch Vitriified Sewer pipe Y at or near Station 94+47 thereby making the tile in said old main ditch from Station 0 to Station 94+47 an independent ditch having its outlet in the 18 inch tile in the new ditch from Station 94+47 to Station 132+60 et esq.

Old Tile.

The tile to be removed in the construction of Lateral No. 1 so far as they be found of sufficient size and quality will be accepted and paid for at the contract price of said size of tile and used in the construction of this Lateral above Station 24 provided the land owners on whose premises they are found comply with the specifications in regard to other tile to be used in the construction of the Main ditch, but if the tile taken out are found to be of inferior quality and not of the required size, they will become the property of the land owner on whose property they are found.

Any money obtained by the use and sale of tile taken from Lateral No. 1 and used in the new construction thereof shall be credited to the persons paying for said Lateral in proportion to their assessments thereon.

All Laterals entering the Old Main ditch from the East, North or Northeast side thereof shall be disconnected therefrom and connected with the new main ditch to be constructed and all Laterals entering the old main ditch from West, Southwest and South thereof shall remain connected therewith or if found beneficial to land owners to connect these last named Laterals with the new main ditch by passing under the Tile in the Old Main ditch the same must be done at their own expense and no cost of doing so is estimated or included in the apportionment contained in this report.

Sizes of tile have reference to inside diameter.

All Tile shall be of first quality of drain tile and must be Cylindrical in form and free from cracks or breaks or other defects. The estimate for tile and Ys includes their delivery on the line of the ditch each size of Tile and Y in its proper place.

Any expense caused the contractor for construction by failure to deliver on time or by improper delivery, will be charged against the contracts for

## The Hedrick Ditch Improvement.

same and deducted therefrom at time of settlement.

The Trench for receiving the tile and also the channel of the open ditch shall be cut in a straight line from one angle to another.

The trench for tile shall be cut down to the grade line as shown on the profile filed herewith and as indicated in schedule "A" of this report.

The tile shall be smooth and evenly laid and closely jointed together so as to prevent dirt and sediment from entering the tile, only enough dirt shall be placed on or around the tile to hold them in place until after they have been inspected by the Engineer in charge of the work. After examination if found satisfactory they shall be covered by filling the trench full wherever new cuts have been made and where the tile have vbeen laid in the bottom of an open ditch enough dirt shall be put on the tile to prevent them from injury by freezing, by being tramped by stock or by farming over them. If the dirt taken from the trench is not sufficient the banks of the open ditch shall be plowed down and filled in to make sufficient covering.

All brush standing within the banks of ditch shall be grubbed and all green timber standing within twenty feet of the tile shall be deadened.

Open Ditch.

The open ditch shall be made two feet wide on the bottom and have side slopes of  $-1\frac{1}{2}$  horizontal to 1 Vertical.

The dirt shall be removed at least fifteen feet from the top of the banks and well scattered beyond the fifteen foot limit.

A clear right of way of thirty feet on each side of the ditch is reserved for the delivery of materials and constructing the ditch,

Bulkhead.

At station 132+60 of the Main ditch a concrete Bulkhead shall be constructed of the following dimensions.

Wall 30' X 9' X  $\frac{2\frac{1}{2} \times 1\frac{1}{2}}{2}$

Apron 6' X 8' X 2'

do Walls 8' X 4' X 1'

Materials to be used as follows; One part best Portland Cement and 5 parts sand and gravel.

See Commissioners' Journal entry of February 13, 1911, Volume 11, Page 325.

## The Hedrick Ditch Improvement.

## AUDITOR'S OFFICE, MADISON COUNTY.

In the matter of Ditch Improvement  
No... Petitioned for by M. Hedrick,  
et al.

We the undersigned persons, whose lands are to be assessed for said assessment, hereby except to the finding of the County Commissioners as to whether the improvement will be conducive to the public health, convenience, or welfare; also except to the apportionment of the expenses and costs of the same, as to each of us, for the reason that said costs and assessments are excessive and unreasonable. And we each hereby give notice of our intention to appeal, to the Probate Court of this County, from the decision of the Board of County Commissioners, on the following questions, to-wit;

- (1) Whether the route thereof is practicable.
- (2) Whether the said improvement is necessary, or will be conducive to the public health, convenience, or welfare.
- (3) The compensation for land appropriated.
- (4) The damage claimed to property affected by the improvement.

I. H. Braithwaite

Wm. Pennybaker

Perry Young

U. S. Grant Timmons

Owen Harbage

J. W. Goodson

Chas. W. McCoy

E. H. Stuckey

FILED  
Jan. 24 1911  
J. J. SHAFFER,  
Auditor.

## DITCH SALE.

## NOTICE TO CONTRACTORS.

The undersigned County Surveyor will sell at public outcry to the lowest and best bidder on Tuesday, February 21, 1911, at 10 o'clock a.m., standard time, at the County Surveyor's office in the basement of the court house, at London, the labor of constructing and furnishing all necessary materials for The Hedrick Ditch, located in Jefferson township, Madison county, Ohio, and about 2½ miles north of West Jefferson. Said ditch will be sold in sections as follows;

## MAIN DITCH OPEN.

Section 1. Station 139+77 to Station 132+60.

700 cubic yards, at 25c

\$175.00

Average depth, 3 feet 10 inches.

## MAIN DITCH TILE.

Section 2. Station 132+60 to Station 119+47.

79.58 rods 18-inch tile, at \$4.20

\$334.24

79.58 rods construction, at \$3.00

238.74 \$ 572.98

Average cut, 5 feet 6 inches.

## The Hedrick Ditch Improvement.

Section 3.	Station 119+47 to Station 94+47.	
	151.51 rods 18-inch tile, at \$4.20	\$636.34
	151.51 rods construction, at \$2.50	378.78....\$1015.12
	Average cut, 4 feet 8 inches.	
Section 4.	Station 94+47 to Station 74.	
	124.06 rods 12-inch tile, at \$1.70	\$210.90
	124.06 rods construction, at \$2.25	279.14....\$ 490.04
	Average cut, 5 feet 2 inches.	
Section 5.	Station 74 to Station 49.	
	151.51 rods 12-inch tile, at \$1.70	\$257.57
	151.51 rods construction, at \$2.00	303.02....\$ 560.59
	Average cut, 4 feet 9 inches.	
Section 6.	Station 49 to Station 25.	
	145.46 rods 10-inch tile, at \$1.20	\$174.55
	145.46 rods construction, at \$2.00	290.92....\$ 465.47
	Average cut, 4 feet 10 inches.	
Section 7.	Station 25 to Station 0.	
	151.51 rods 10-inch tile, at \$1.20	\$181.81
	151.51 rods construction, at \$1.50	227.27....\$ 409.08
	Average cut, 4 feet 10 inches.	
	Lateral No. 1, at Station 49+10.	
Section 8.	Station 39+65 to Station 24.	
	94.85 rods 10-inch tile, at \$1.20	\$113.82
	94.85 rods construction, at \$1.25	118.56....\$ 232.38
	Average cut, 3 feet 10 inches.	
Section 9.	Station 24 to Station 0.	
	66.67 rods 6-inch tile, at 50c	\$ 33.34
	78.79 rods 8-inch tile, at 80c	63.03
	145.46 rods construction, at \$1.00	145.46....\$ 241.83
	Average cut, 3 feet 10 inches.	
RECAPITULATION TILE.		
	66.67 rods 6-inch tile, at 50c	\$ 33.34
	78.79 rods 8-inch tile, at 80c	63.03
	391.82 rods 10-inch tile, at \$1.20	470.18
	275.57 rods 12-inch tile, at 1.70	468.47
	231.09 rods 18-inch tile, at 4.20	970.58....\$2005.60

## The Hedrick Ditch Improvement.

## CONSTRUCTION.

Section 1.	700 cubic yards open ditch, at 25c	\$175.00
Section 2.	79.58 rods tile construction, at \$3.00	\$238.74
Section 3.	151.51 rods tile construction, at 2.50	378.78
Section 4.	124.06 rods tile construction, at 2.25	279.14
Section 5.	151.51 rods tile construction, at 2.00	303.02
Section 6.	145.46 rods tile construction, at 2.00	290.92
Section 7.	151.51 rods tile construction, at 1.50	227.27
Section 8.	94.85 rods tile construction, at 1.25	118.56
Section 9.	145.46 rods tile construction, at 1.00	145.46 <del>\$1981.89</del>
Total,		\$4162.49

Bidders are required to deposit \$25, cash or certified check, before any bid will be considered. Contract and bond must be entered into within five days from date of sale.

Persons desiring to view the ditch should do so prior to time of sale.

Specifications now on file in the Auditor's office at London, Ohio.

The right to reject any or all bids is reserved.

By order County Commissioners of Madison county, Ohio.

J. J. SHAFFER, Auditor.

H.L. McCAFFERTY, County Surveyor.

PLEASE POST.

Auditor's Office, Madison County, Ohio.

In the matter of County Ditch Improvement) Feby. A.D. 1911.

No...Petitioned for by M. Hedrick. )Contract for Labor of Construction.

WHEREAS, The above styled improvement has been duly ordered, and advertised for sale according to law, and the construction of Working Section No. 7-8 and 9 of 6465 feet 151.51 Rods of Section No. 7 of the Main Ditch and 240.31 Rods of Lat. No. 1 Sec. No. 8 and 9 was sold by the County Surveyor, on the 21<sup>st</sup> day of Feby. 1911, to the undersigned, for \$468.34/100, pursuant to said order and notice. Now, in consideration of the premises, it is agreed by me, to and with whomsoever may be interested therein, that-I will do and perform all the labor of constructing said improvement in accordance with the specifications for constructing the same, as shown in the record of the proceedings thereof, the same to be completed on or before the 21st day of June, 1911; Provided, however, this contract shall be of no force and effect until approved by the Board of Commissioners of Madison County, Ohio.

H. L. McCafferty,  
County Surveyor.

George Nabergall,  
Contractor.

The Hedrick Ditch Improvement..

Auditor's Office, Madison County, Ohio.

In the matter of County Ditch Improve- )  
ment Petitioned for by M. Hedrick. )

Feby. 21<sup>st</sup>, 1911.

Contractor's Bond.

Know all Men by these Presents, That George Nabergall as principal, and.... and ..... as sureties, are firmly held and bound unto the STATE OF OHIO, in the penal sum of Nine hundred and Thirty Seven Dollars, good and lawful money.

Signed and dated this 21st day of Feby. 1911.

The Condition of the Above Obligation is such, however, that whereas, the above bounden principal contractor has bid off the labor of constructing Working Section No. 7-8 and 9, has duly entered into the annexed account, subject to the condition that the same shall be approved by the Commissioners of said Madison County, and has agreed to fully do and perform all labor of constructing said improvement in accordance with the plans and specifications of said improvement, as shown on the record of said proceedings, on or before the 21st day of June, 1911.

Now, if the said George Nabergall shall well and truly perform all the obligations of his said contract and complete the same within the time fixed by said contract and pay all damages which may accrue by reason of a failure to complete the same within the time agreed upon in said contract, and pay for all labor and material and for all debts incurred in the performance of this contract, then this obligation shall be void, otherwise to be in full force and effect in law.

George Nabergall

Charles Silver

George Reardean

This Contract and Bond, and Sureties on said Bond approved this 21 day of February, 1911.  
H. L. McCafferty, County Surveyor. J. W. Bowers, President of Board of Com'rs.

Auditor's Office, Madison County, Ohio.

In the matter of County Ditch Improvement )  
No...Petitioned for by M. Hedrick. )

Feby. 21<sup>st</sup>, A.D. 1911.

Contract for Labor of Construction.

WHEREAS, The above styled improvement has been duly ordered, and advertised for sale according to law, and the construction of Working Section No. 4-5 and 6 of 6947 feet of Tile ditch construction - 421.03 rods was sold by the County Surveyor, on the 21st day of Feby. 1911, to the undersigned, for \$832.23 Dollars, pursuant to said order and notice. Now, in consideration of the premises, it is agreed by me, to and with whomsoever may be interested therein, that I will do and perform all the labor of constructing said improvement in accordance with the specifications for constructing the same, as shown in the record of the proceedings thereof, the same to be completed on or before the 21st day of June, 1911; Provided, however, this contract shall be of no force and effect until approved by the Board of Commissioners of Madison County, Ohio.

H. L. McCafferty,  
County Surveyor.

George Reardean,  
Contractor.

.....=====.....



The Hedrick Ditch Improvement.

Auditor's Office, Madison County, Ohio.

In the matter of County Ditch Improvement)

Feby. 21st, 1911.

No... Petitioned for by M. Hedrick . )

Contractor's Bond.

Know all Men by these Presents, That Leonard Morgan as principal, and .... and .... as sureties, are firmly held and bound unto the STATE OF OHIO, in the penal sum of Fifteen hundred and Twelve Dollars, good and lawful money.

Signed and dated this 21st day of Feby. 1911.

The Condition of the Above Obligation is such, however, that whereas, the above bounden principal contractor has bid off the labor of constructing Working Section No. 1-2 & 3, has duly entered into the annexed account, subject to the condition that the same shall be approved by the Commissioners of said Madison County, and has agreed to fully do and perform all labor of constructing said improvement in accordance with the plans and specifications of said improvement, as shown on the record of said proceedings, on or before the 21st day of May, 1911..

Now, if the said Leonard Morgan shall well and truly perform all the obligations of his said contract and complete the same within the time fixed by said contract and pay all damages which may accrue by reason of a failure to complete the same within the time agreed upon in said contract, and pay for all labor and material and for all debts incurred in the performance of this contract, then this obligation shall be void, otherwise to be in full force and effect in law.

Leonard Morgan

J. W. Van Cleve

Harry Van Cleve

This Contract and Bond, and Sureties on said Bond approved this 21 day of February, 1911.  
H. L. McCafferty, County Surveyor. J. W. Bowers, President of Board of Com'rs.

CONTRACT FOR DRAIN TILE.

Auditor's Office, Madison County, Ohio.

In the matter of Ditch Improvement No.. )

Feby., 21", A.D. 1911.

Petitioned for by M. Hedrick. )

CONTRACT FOR DRAIN TILE.

WHEREAS, THE above styled improvement has been duly ordered, and advertised for sale according to law, and the construction of Working Section No. 2-3-4-5-6-7-8 and 9 of 17225 feet, was sold by the County Surveyor, on the 21st day of Feby., 1911, to the undersigned, for the sum of \$1975.00. Now, in consideration of the premises, it is agreed by me, to and with whomsoever may be interested therein, that I will furnish 66.67/100 rods of 6 inch Drain Tile from Station 0 to Station 11; and 78.79 rods of 8 inch Drain Tile from Station 11 to Station 24; and 391.82 rods 10" tile from Sta. 24 to 39+65 of Lat. No. 1 and from Sta. 0 to Sta. 49 of Main ditch and 275.57 rods 12" tile from Sta. 49 to Sta. 94+47, and 231.09 rods 18" tile from Sta. 94+47 to 132+60, delivered on line of above styled improvement in lots as needed, the same to be delivered on or before the 21st day of May, 1911; provided this contract shall be of no force and effect until approved by the Board of Commissioners of Madison County, Ohio.

H. L. McCafferty, County Surveyor.

Madison Tile Co., Per H.V.C. Contractor.

.....=====.....

## CONTRACTOR'S BOND FOR DRAIN TILE.

Auditor's Office, Madison County, Ohio.

In the matter of Ditch Improvement ) Feby. 21<sup>st</sup>, A.D. 1911.

No. Petitioned for by M. Hedrick. )

Know all Men by these Presents, That Madison Tile Co. as principal, and  
 ..... and ..... as sureties, are firmly held and bound unto the STATE OF OHIO,  
 in the penal sum of Thirty Nine and 50/100 Dollars, good and lawful money.

Signed and dated this 21<sup>st</sup> day of Feby. 1911.

The Condition of the Above Obligation is such, however, that whereas,  
 the above bounden principal contractor has bid off the furnishing and deliver-  
 ing the Drain Tile for constructing Working Section No. 2-3-4-5-6-7-8-9, has  
 duly entered into the annexed contract, subject to the condition that the same  
 shall be approved by the Commissioners of said County.

Now, if the said Madison Tile Co. shall well and truly perform all the  
 obligations of his said contract and complete the same within the time fixed  
 by said contract and pay all damage which may occur by reason of a failure to  
 complete the same within the time agreed upon in said contract, then this  
 obligation shall be void, otherwise to be in full force and effect in law.

Madison Tile Co.  
Per H.:V.C.

J.W. Van Cleve

S.S. Van Cleve

This Contract and Bond, and Sureties on said Bond approved this 21 day of  
 February, 1911.

H. L. McCafferty,

County Surveyor,

J.W. Bowers,

President of Board of Com'rs.

## CONTRACT FOR VITRIFIED SEWER PIPE Ys.

Auditor's Office, Madison County, Ohio

In the matter of Ditch Improvement ) March 4<sup>th</sup>, A.D. 1911.

No. ... Petitioned for by M. Hedrick. ) CONTRACT FOR.

WHEREAS, The above styled improvement has been duly ordered, and advertised  
 for sale according to law, and the furnishing of 81 Vitrified Sewer Pipe Ys  
 sold by the County Surveyor, on the 4th day of March, 1911, to the undersigned  
 for the sum of \$85.05 Dollars. Now, in consideration of the premises, it is  
 agreed by me, to and with whomsoever may be interested therein, that I will  
 furnish 7-6 inch, 7-8 inch, 8-10 inch, 14-12 inch and 20-18 inch Vitrified  
 Sewer Pipe Ys F.O.B., West Jefferson, Ohio, the same to be delivered on or  
 before the 1st day of April, 1911; provided this contract shall be of no  
 force and effect until approved by the Board of Commissioners of .....  
 County, Ohio.

H. L. McCafferty,

County Surveyor.

Jno. B. Van Wagener,

Contractor.

.....=====.....

The Hedrick Ditch Improvement.

CONTRACTOR'S BOND FOR

Auditor's Office, Madison County, Ohio.

In the matter of Ditch Improvement No. )  
Petitioned for by M. Hedrick. )

March A.D. 1911.

Know all Men by these Presents, That John B. Van Wagener as principal, and ....  
and ..... as sureties, are firmly held and bound unto the STATE OF OHIO, in the penal  
sum of One hundred and Seventy Dollars, good and lawful money.

Signed and dated this 4<sup>th</sup> day of March, 1911.

The Condition of the Above Obligation is such, however, that whereas, the above bounden  
principal contractor has bid off the furnishing, has duly entered into the annexed con-  
tract, subject to the condition that the same shall be approved by the Commissioners of  
said County.

Now, if the said John B. Van Wagener shall well and truly perform all the obligations  
of his said contract and complete the same within the time fixed by said contract and pay  
all damage which may occur by reason of a failure to complete the same within the time  
agreed upon in said contract, then this obligation shall be void, otherwise to be in full  
force and effect in law.

Jno. B. Van Wagener.

This Contract and Bond, and Sureties on said Bond approved this 13<sup>th</sup> day of March, 1911.

H. L. McCafferty,  
County Surveyor.

J. W. Bowers,  
President of Board of Com'rs.

See Commissioners' Journal entry of February 20, 1911, Volume 11, Page 327.

See Commissioners' Journal entry of March 13, 1911, Volume 11, Page 334.

See Commissioners' Journal entry of October 16, 1911, Volume 11, Page 466.