

DITCH PETITION.

London, Ohio, Sep. 17, A.D. 1910, Petition for location, construction and tiling of a Ditch. To the Honorable Board of Commissioners Madison County, Ohio;

The undersigned owners of lots and land which will be drained or benefited by the improvement herein prayed for, hereby make application to your honorable body; and now file with the Auditor of said County, this, their petition, and now and hereby pray for the location, construction and tiling of a ditch on the route hereinafter set forth.

The necessity for and the benefits of the improvements so prayed for is that it will drain and reclaim the lands along the line thereof and adjacent thereto, and will promote the public health, convenience and welfare.

The following is the beginning, route and termini of said proposed improvement, to-wit; Commencing at or near the end of a 15 inch tile on the south side of the Patrick road on the lands of Burnham and Patrick; thence following an open ditch or as near thereto as practical in a general north easterly direction, through lands of said Burnham and Patrick, crossing said road, W.P. Patrick and R.B. Guy to Springfork and there terminating. Petitioners also ask for the location, construction and tiling of the following lateral.

Beginning at the end of a 12 inch tile at or near the line between the lands of J. W. Bookwalter and W. P. Patrick; thence following an open ditch or as near thereto as practical through the land of W. P. Patrick to and intersecting the main ditch about 60 rods from the line of said Bookwalter.

The names of all persons and corporations, either public or private, who in the opinion of the petitioners are in any way affected or benefited thereby are as follows;

- | | |
|------------------|------------------|
| Joseph Ware | Herbert Newman |
| J. W. Bookwalter | Lide Newman |
| D. J. Burnham | Magdalene Newman |
| W. P. Patrick | Martha Johannes |
| R. B. Guy | H. C. Guy |
| Marion Howard | H. C. Rogers |
| Edgar Patrick | |

FILED
SEP. 21 1910.
J. J. SHAFFER
Auditor.

Wm. P. Patrick)Petitioners.

PETITIONER'S BOND.

KNOW ALL MEN BY THESE PRESENTS, That W. P. Patrick as principal, and E.W. Patrick and Jos. Williams as sureties, are held and firmly bound unto the State of Ohio in the penal sum of Two hundred Dollars, good and lawful money, for which we bind ourselves, and our heirs, executors and administrators.

Signed by us and dated this 17 day of September, A.D. 1910.

The condition of the above obligation is such, nevertheless, that, whereas, on the 21st day of September, A.D. 1910, the above bounden W. P. Patrick made application to the Commissioners of Madison County, and on said day filed with the Auditor of said County and he petitioned for location, construction and tiling of a ditch in pursuance of the statute in such case made and provided, on the following route and termini, to-wit; Commencing at or near the end of a 15 inch tile on the south side of the Patrick Road on the lands of Burnham and Patrick; thence following an open ditch or as near thereto as practical, in a general north easterly direction through lands of said Burnham and Patrick, crossing said road, W. P. Patrick and R.B. Guy to Springfork and there terminating.

Petitioners also ask for the location, construction and tiling of the following lateral.

Beginning at the end of a 12 inch tile at or near the line between the lands of J. W. Bookwalter and W. P. Patrick; thence following an open ditch or as near thereto as

practical through the land of W. P. Patrick to and intersecting the main ditch about 60 rods from the line of said Bookwalter.

Now if the above bounden W. P. Patrick shall pay all costs, if the prayer of said petition be not granted, or if for any other cause the same shall be dismissed, then this obligation shall be void.

The above bond and the sureties thereon, are approved by me this 21st day of Sept. A.D. 1910.

J. J. Shaffer,
County Auditor.

Wm. P. Patrick

E. W. Patrick

Jos. Williams.

FILED
SEP. 21, 1910.
J. J. SHAFER,
Auditor.

NOTICE TO COMMISSIONERS
OF PETITION FILED AND TIME FOR HEARING.

Office of Auditor, Madison County, O., Sept. 21st, 1910.

To the Honorable Board of Commissioners of said County;

GENTLEMEN; You are hereby notified that a petition and bond for a Ditch improvement has been filed in this office on the 21st day of Sept. 1910, a copy of which petition is attached below; and as required by law I have fixed the 18th day of October, A.D. 1910, at 10 o'clock a.m., at the beginning of said proposed ditch described in said petition, for your hearing of said matter.

J. J. Shaffer, Auditor.

COPY OF DITCH PETITION.

London, Ohio, Sept. 17th, 1910, Petition for location, construction and tiling of a Ditch.
To the Honorable Board of Commissioners of Madison County, Ohio;

The undersigned owners of lots and land which will be drained or benefited by the improvement herein prayed for, hereby make application to your honorable body, and now file with the Auditor of said County, this, their petition, and now and hereby pray for the location, construction & tiling of a ditch on the route hereinafter set forth.

The necessity for and the benefits of the improvements so prayed for is that it will drain and reclaim the lands along the line thereof and adjacent thereto, and will promote the public health, convenience and welfare.

The following is the beginning, route and termini of said proposed improvement, to wit; Commencing at or near the end of a tile on the south side of the Patrick road on the lands of Burnham and Patrick; thence following an open ditch or as near thereto as practical in a general north easterly direction, through lands of said Burnham and Patrick, crossing said road, W.P. Patrick and R. B. Guy to Spring fork and there terminating.

The petitioners also ask for the location, construction and tiling of the following lateral;

Beginning at the end of a 12 inch tile at or near the line between the lands of J. W. Bookwalter and W. P. Patrick; thence following an open ditch or as near thereto as practical through the lands of W. P. Patrick to and intersecting the main ditch about 60 rods from the line of said Bookwalter.

The names of all persons and corporations, either public or private, who in the opinion of the petitioners are in any way affected or benefited thereby are as follows;

The Wm. P. Patrick Ditch Improvement.

Joseph Ware

J. W. Bookwalter

D. J. Burnham

W. P. Patrick

R. B. Guy

Marion Howard

Edgar Patrick

Herbert Newman

Lide Newman

Magdalene Newman

Martha Johannes

H. C. Guy

H. C. Rogers

Wm. P. Patrick)Petitioners.

I. Hereby Certify the foregoing to be a true copy of a Ditch Petition filed in my office on the 21st day of September, 1910.

J. J. Shaffer, County Auditor.

See Commissioners' Journal entry of September 21st, 1910, Volume 11, Page 230.

Auditor's Office, Madison County, Ohio.

Sept. 21st, A.D. 1910.

In the matter of Ditch Improvement No..)

Petitioned for by Wm. P. Patrick, et al.) Notice to Lot or Land Owners.

To the Lot or Land Owners, and to the Corporations, either Public or Private, affected by said Improvement;

You, and each of you, are hereby notified that on the 21st day of Sept. 1910, WM. P. Patrick and others, filed a petition with the Auditor of Madison County, the prayer of which is for the location, construction and tiling of a Ditch on the following starting point, route and terminus, to-wit; Commencing at or near the end of a 15 inch tile on the south side of the Patrick road on the lands of Burnham and Patrick; thence following an open ditch or as near thereto as practical in a general north-easterly direction through the lands of said Burnham and Patrick, crossing said road, W. P. Patrick and R. B. Guy to Springfork and there terminating. :

The petitioners also ask for the location, construction and tiling of the following lateral;

Beginning at the end of a 12 inch tile at or near the line between the lands of J. W. Bookwalter and W.P. Patrick; thence following an open ditch or as near thereto as practical through the land of W. P. Patrick to and intersecting the main ditch about 60 rods from the line of said Bookwalter.

You are also notified that the following time and place have been fixed when and where the Commissioners of said County will meet for the hearing of said petition, to-wit; Tuesday, Oct. 18th, 1910, at 10 o'clock A.M. at the beginning of said proposed ditch, for the purpose of hearing any and all proof offered by any of the parties affected by said ditch improvement, whether the said ditch will be conducive to the public health, convenience and welfare; and whether the route described is the best route; and any and all objections to said proposed ditch improvement.

Any application for compensation or damage, or for any change of route, must be in writing and filed with the Commissioners on or before the day set for hearing.

No further notice of any proceedings in this matter will be given.

J. J. Shaffer, Auditor of Madison County.
Per B.

THE STATE OF OHIO,)

Madison County,) SS.

M. H. Wallace, being duly sworn, says he is the Business Manager of The London Semi-Weekly Enterprise, a newspaper printed and in general circulation in said county, and that a notice, of which the annexed is a copy, was published in said newspaper for at least 2 consecutive weeks prior to the 18th day of Oct. 1910.

M. H. Wallace.

Sworn to and subscribed by said this ...day of189...

Printer's Fees, \$5.44

#

#

#

DITCH NOTICE.

In the Matter of Ditch Improvement Petitioned for by William P. Patrick, et al.
Notice to Non-Resident Lot or Land Owners.

Auditor's Office, Madison County, Ohio.)

September 21, 1910.)

To the Lot or Land Owners and to the Corporations, either Public or Private affected by said Improvement;

You, and each of you, are hereby notified that on the 21st day of September, 1910, William P. Patrick and others filed a petition with the Auditor of Madison county, the prayer of which is for the location, construction and tiling of a ditch on the following starting point, route and terminus to-wit;

Commencing at or near the end of a 15-inch tile on the south side of the Patrick road on the lands of Burnham and Patrick; thence following an open ditch or as near thereto as practical in a general northeasterly direction through the lands of said Burnham and Patrick, crossing said road, W.P. Patrick, and R.B. Guy to Springfork and there terminating. The petitioners also ask for the location, construction and tiling of the following lateral;

Beginning at the end of a 12-inch tile at or near the line between the lands of J. W. Bookwalter and W. P. Patrick; thence following an open ditch or as near thereto as practical through the lands of W. P. Patrick to and intersecting the main ditch about 60 rods from the line of said Bookwalter.

You are also notified that the following time and place have been fixed when and where the Commissioners of said county will meet for the hearing of said petition, to-wit; Tuesday, Oct. 18, 1910, at 10 o'clock a.m., at the beginning of said proposed ditch improvement, for the purpose of hearing any and all proof offered by any of the parties affected by said ditch improvement, whether said ditch improvement will be conducive to the public health, convenience and welfare; and whether the route described is the best route; and any and all objections to said proposed ditch improvement.

Any application for compensation or damage, or for any change of route, must be in writing and filed with the Commissioners on or before the day set for hearing.

No further notice of any proceedings in this matter will be given.

J. J. SHAFFER,

Auditor of Madison County.

London, Ohio, Sept. 23, 1910.

The Wm. P. Patrick Ditch Improvement.

See Commissioner's Journal entry of October 18, 1910, Volume 11, Page 256.

See Commissioners' Journal entry of October 24, 1910, Volume 11, Page 258.

FILED
NOV. 29 1910
J. J. SHAFER, Auditor.

Auditor's Office, Madison County, Ohio.

In the matter of Ditch Improvement) Nov. 28th, A D. 1910.

NO...Petitioned for by Wm.P.Patrick.) Report and Schedules of Engineer.

To the Honorable, the Board of Commissioners of Madison County, Ohio;

The undersigned Engineer, in obedience to the direction of your Honorable Body, made on the 18th day of October, 1910, has proceeded in the above matter, and has made a level and survey of the line of said proposed ditch improvement, and set a stake at every hundred feet numbering down stream; and I have made a note of the intersections of lines and boundaries of lands, township and county lines, land marks, bench marks, and road and railroad crossings; and I herewith make report of the same, with profile, and plat and an estimate of the number of the cubic yards of earth or other substance to be removed, and the cost per cubic yard for each working section on said report indicated and of each section of one hundred feet.

I have also made, and return herewith, a schedule of all the lots and lands, and public and corporate roads and railroads, together with the name of the owners of such railroad companies, and the names of the lessees operating the same, that will be benefited by said improvement; and an apportionment of the cost of location and construction, in money, to each lot and tract of land, road and railroad, according to the benefits which will result to each from the said improvement; and in apportioning the costs of such improvement the benefits to any lots or lands by diking the same in whole or in part, have been by me considered with other benefits; and a specification of the manner in which the improvement shall be made and completed; the number of flood gates, water-ways, farm crossings and bridges, including kinds and dimensions thereof; and such other matters as the undersigned deems important. The said survey, level reports and schedules are hereunto attached and made a part hereof.

The following is an itemized cost bill, made by me, in the proper discharge of my duty, under your order.

H. L. McCafferty,	Engineer,	3 days, at \$5.00 per day,	\$15.00
J. H. Asher,	Engineer,	2 " " \$5.00 " "	\$10.00
W. R. Rainey,	Draughtsman,	3 " " \$4.00 " "	\$12.00
Jesse Paine,	Chainman,	1 " " \$2.00 " "	\$ 2.00
Chas. Lohr,	"	1 " " \$2.00 " "	\$ 2.00
A. T. O'Neill	"	1 " " \$2.00 " "	\$ 2.00
Earl Prugh,	Axman,	1 " " \$2.00 " "	\$ 2.00
Edgar Patrick,	Flag,	1 " " \$2.00 " "	\$ 2.00
Other Expenses;			
Burnham and Gordin,			
Team and hand,			\$ 4.25

M. B. Irwin,			
65-- 18" Stakes @ 1 1/2			.98
65-- 12" do " 1 1/4			.81

Urban Allen Horse and buggy, 2.00

Watkin and Minshall- Horse and Buggy, 1.50

Total, \$56.54

The Foregoing Cost Bill allowed by us....19..

) County Commissioners.

H.L.McCafferty, Engineer.

The Wm. P. Patrick Ditch Improvement.

REPORT OF ENGINEER.

SLOPE ...

SCHEDULE "A".

Stake every 100 feet numbered from stream	Surface Elevation	Grade Elevation	Ortal fall from station 0	Centre Depth	Course and Distance.	
0	100.00	95.50		4.50	0 To 150	Begin on land of
1	98.69	94.70	1.80	3.99	N. 7° E. 150	Burnham and Patrick
+46	102.29	94.33		7.96		1+46=Center of pike Nail in Telephone Pole East of ditch.
B	100.77	—				
B	101.09	—				
+80	98.97	94.06		4.91		Distance on Burnham & Patrick 146'
2	99.51	93.90		5.61		
3	98.27	93.10		5.17		
4	98.30	92.30		6.00		Burnham and Patrick)
5	98.17	92.10	20	6.07		W.P.Patrick } 1+46 =Line
6	97.68	91.90		5.78		
7	97.27	91.70		5.57		
8	97.06	91.50		5.56	1+80 To 8+55	
+55	97.20	91.39		5.81	N. 25½° E. 675'	
B	98.89	—				Elm Left.
9	97.00	91.30		5.70		
10	96.43	91.10		5.33		
11	96.21	90.90		5.31		
12	96.10	90.70		5.40		
13	96.09	90.50		5.59		
14	95.40	90.30		5.10		
15	95.60	90.10		5.50		
16	95.00	89.90		5.10		
17	94.50	89.70		4.80	8+55 To 1800	
18	94.89	89.50		5.39	N. 73½° E. 945'	
19	94.62	89.30		5.32		
20	94.08	89.10		4.98		
21	94.37	88.90		5.47	1800 To 2150	
+50	92.90	88.80		4.10	N. 39½° E. 350'	
22	93.06	88.70		4.36		
23	93.28	88.50		4.78		W.P.Patrick) 24+91
24	93.25	88.30		4.95		R.B. Guy)=Line
25	93.23	88.10		5.13		Distance on W.P. Patrick 2345'
B	95.65	—				Hickory Left
26	93.00	87.90		5.10		
27	92.55	87.70		4.85		
28	92.50	87.50		5.00		
29	92.08	87.30		4.78	2150 To 3000	
30	92.35	87.10		5.25	N. 20½° E. 850	
31	92.55	86.90	8.60	5.65		
32	92.43	86.70		5.73	3000 To 3320	
33	92.49	86.50		5.99	N. 19° E. 320'	
+20	91.85	86.46		5.39		
34	91.14	86.30		4.84		
35	90.28	86.10		4.18		
36	92.20	85.90		6.30		

The Wm. P. Patrick Ditch Improvement.

Stake every 100 feet numbered from stream.	Surface Elevation.	Grade Elevation.	Total fall from station 0.	entire Depth.	Course and Distance.
37	91.55	85.70		5.85	
38	90.55	85.50		5.05	
39	89.98	85.30		4.68	R. B. Guy) 3950
40	89.50	85.10		4.40	H. C. Guy) = Line
41	90.65	85.00		5.65	3320 To 4125
42	89.77	84.90		4.87	N. 26 1/2° E. 805'
43	89.03	84.80		4.23	Distance on
44	89.09	84.70		4.39	R. B. Guy 1459'
45	89.00	84.60		4.40	4125 To 4555
55	89.05	84.56	10.94	4.49	N. 70 1/4° E. 430'
B	87.67	--			Distance on H. C. Guy 605'

← Nail in Blaze on Ash Right.

Lateral No. 1 @ Station 8+55.

0	102.04	98.00		4.04	0 To 500	Begin on lands of
1	102.15	96.50		5.65	S. 81° E. 500'	J. W. Bookwalter
2	101.75	96.20		5.55		30' West of his E. line
3	101.23	95.90		5.43		and 311 N. from his S.E. Corner.
4	100.65	95.60		5.05		J. W. Bookwalter) 0+30
5	100.35	95.30		5.05		W. P. Patrick) =Line
6	98.87	95.00		3.87		Distance on J.W.
7	99.05	94.45		4.60		Bookwalter 30'
8	98.58	93.90		4.68	500 To 930	
9	98.23	93.35		4.88	N. 89 1/2° E. 430'	
30	97.88	93.18		4.70		
10	96.11	92.80		3.31	930 To 1065	Distance on
65	97.20	92.00	6.00	5.20	N. 79° E. 135'	W. P. Patrick 1035'
B	98.89					Elm-Left.

#

The Wm. P. Patrick Ditch Improvement.

Report of Engineer.

Schedule A A.

Statement of Working Sections of theDitch.

No. of Working Section	No. of Stakes		No. of Linear Feet.	Price per yard.	Amount	Remarks
	From	To.				
1	45+55	25	2055			
	30	Rods	24" Tile	@ \$9.00	\$270.00	
	94.55	"	20" "	" 6.00	567.30	Average Cut 5.09'
	124.55	"	Construction.	" 2.25	<u>280.24</u>	
			Total		1117.54	

2.	25	0	2500			
	99.70	Rods	20" Tile	" 6.00	598.20	
	51.81	"	15" "	" 2.80	145.07	
	151.51	"	Construction	" 2.00	<u>303.02</u>	Average Cut 4.68'
			Total,		1046.29	

Lateral No. 1 @ Sta. 8+55.

3	10+65	0	1065			
	64.54	Rods	15" Tile.	@ 2.80	180.71	
	64.54	"	Construction	@ 1.50	<u>96.81</u>	Average Cut 3.25'
			Total		277.52	

4. Concrete Bulkhead @ Station 45+55.

Wall 10' X 6.50 X $\frac{3' \times 2}{2}$
 = 6 Cu. Yds. @ 6.00 = 36.00

Estimate for Ys.

1-24 X 12	@ 3.65	3.65
1-20 X 15	" 3.50	3.50
1-20 X 10	" 2.50	2.50
5-20 X 6	" 2.50	12.50
7-20 X 4	" 2.50	17.50
1-15 X 6	" 1.50	1.50
5 15 X 4	" 1.50	<u>7.50</u>
	Total	48.65

Recapitulation.

30 Rods 24" Tile	9.00	270.00
194.25 " 20" "	6.00	1165.50
116.35 " 15" "	2.80	<u>325.78</u>
	Total Tile	1761.28

Estimate For Ys. 48.65
 Total Tile & Ys. 1809.93

The Wm. P. Patrick Ditch Improvement.

Construction.		Pieces per Yard	Amount
124.55 Rods	Construction	@ \$2.25	\$280.24
151.51 "	"	" 2.00	303.02
64.54 "	"	" 1.50	<u>96.81</u>
Total			680.07
Total Tile			1761.28
Total Ys			48.65
Total Construction			680.07
Total Concrete			<u>36.00</u>
Total Estimate			2526.00

REPORT OF ENGINEER

Owner's Name As Found On Duplicate.	Survey #	Description	Acres Owned.	Acres Benefited	Estimated Cost of Construction.	SCHEDULE "B" Estimated Cost of Location	Total Cost Apportioned
✓ Joseph Ware	6877	Pike Tp. Main Ditch Lateral No. 1.	140.50	30.50 110.	265.00	5.93	270.93
✓ J. W. Bookwalter	7230	Pike Tp. Main Ditch Lateral No. 1.	350.	165 165	488.00	10.93	498.93
✓ D. J. Burnham and W. P. Patrick	6006 7230 6006 8085	Pike Tp. Somerset Tp. do do Main Ditch	88 87.50 14.18 4.40	88 87.50 14.18 4.40	181.35 180.35 29.24 9.06	4.10 4.03 .65 .20	185.45 184.38 29.89 9.26
✓ W. P. Patrick	7230 6320	Pike Tp. do Main Ditch	63.00 62.50	60.00 40.00	570.00 380.00	12.76 8.51	582.76 388.51
✓ Rolla B. Guy	6320	Pike Tp. Main Ditch	71.06	15	150.00	3.36	153.36
H. C. Guy	6320	Pike Tp. Main Ditch	24.94	5	5.00	.10	5.10
✓ Lafayette Newman	7230	Pike Tp. Main Ditch	125.	3	3.00	.05	3.05

The Wm. P. Patrick Ditch Improvement

Owner's Name as Found On Duplicate	Survey	Description	Acres Owned	Acres Benefited	Estimated Cost of Construction	Estimated Cost of Structure	Total Cost Appraised
✓ Marion Howard	6877	Pike Tp.	23	23	39.90	.89	40.79
	"	Somerford Tp.	17.25	17.25	29.90	.67	30.57
	5479	do	113.	52.	90.20	2.02	92.22
		Main Ditch					
R. B. Rodgers	8685	Somerford Tp.	34.56	20	35.00	.78	35.78
		Main Ditch					
✓ Lizzie M. Bowshire	6877	Pike Tp.	5.	5.	10.00	.22	10.22
		Lateral No.1.					
Madison County					60.00	1.34	61.34

In addition to the above there should be added \$150.00 for cost of Engineering expenses, also Interest on bonds if any are issued and the same apportioned on the above assessment.

Report of Engineer. Schedule "C".
 Auditor's Office, Madison County, Ohio.
 Nov. 28th, A.D. 1910.

In the matter of County Ditch)
 Improvement No.... Petitioned) Specifications of the Manner of
 for by Wm. P. Patrick.) Construction.

The within ditch and laterals must be cut fully down to the grade line at all points and must be made to conform to the gradients shown on profile and at Schedule "A" of this report.

The main ditch is to be tiled as follows; from station 45+55 to station 40+60 with 24 inch tile; from station 40+60 to station 8+55 with 20 inch tile; from station 8+55 to station 0 with 15 inch tile. Lateral No.1 is to be tiled throughout its entire length with 15 inch tile.

All tile to be first class cylindrical well burned drain tile, selected 2nd class sewer pipe, or well seasoned cement pipe, but whichever is used the pipe must be sound in every respect and subject to inspection by the Engineer in charge of the work before they are placed in the ground.

The tile or pipe are to be delivered upon the line of the ditch, each size in its proper place. The estimated cost includes the furnishing of all Ys named and specified in this report, each Y to be delivered in its proper place.

Any delay caused the contractor for construction by failure to deliver the tile at the proper time or by faulty or improper delivery of any of the tile or Ys will be estimated and allowed to the contractor so delayed and the amount thereof will be deducted from the tile contract at time of settlement.

The trenches for receiving the tile shall be carefully graded and the tile carefully laid, care being taken to have all tile closely jointed and truly aligned. The trench to be cut in a straight line from angle to angle except an easy curve to be made at each angle.

No earth shall be placed over the tile until they have been examined by the Engineer in charge of the work, except a sufficient amount at each side to

secure them in position.

After such inspection it shall be the duty of the contractor to cover said tile by using all material excavated in filling over them.

The contractor to put in all Ys and connect all laterals not exceeding one rod in length without extra compensation therefor.

The land owners to furnish the tile for making these connections. The contractor will not be bound to make them unless tile are there for the purpose of doing so at the time he passes their location.

All green trees, bushes &c standing nearer than 20 feet of these ditches to be deadened by the contractor, but this does not include the removal of willows &c in the old channel—these are to be removed by the land owner on whose premises they are found and the same is to be done by grubbing, and if not done by said land owners within a reasonable time the same will be done at their expense and an assessment placed against their lands to pay for the same.

At station 45+55 a concrete bulkhead will be built of the dimensions shown elsewhere in this report to be composed of Best Portland Cement 1 part, Good clean gravel 5 parts, To be built in a neat and workmanlike manner and to the satisfaction of the Engineer in charge of the work.

H. L. McCafferty,
County Surveyor,
Madison Co., Ohio.

The within report approved as amended, this 29th day of November, 1910.

J. W. Bowers, Pres. (Commissioners
E. C. Breyfogle (of
J. F. Martin (Madison County.

See Commissioners' Journal entry of November 29, 1910, Volume 11, Page 281.

DITCH SALE.

...NOTICE TO CONTRACTORS...

The undersigned County Surveyor will sell at public outcry to the lowest and best bidder on Wednesday, December 14, 1910, at 10 o'clock a.m., standard time, at the County Surveyor's office in the basement of the court house, at London, the labor of constructing and furnishing all necessary materials for The Patrick Ditch, located in Pike township, Madison county, Ohio, and about 4 miles east of Mechanicsburg, Said ditch will be sold in sections as follows;

MAIN DITCH.

Section 1. Station 45+55 to Station 25.

30 rods 24-inch tile, at \$9	\$270.00
94.55 rods 20 inch tile at \$6	567.30
124.55 rods construction (cut 5.09) at \$2.25	<u>280.24</u>
Total,	\$1117.54

Section 2. Station 25 to Station 0.

99.70 rods 20 inch at \$6.	\$598.20
51.81 rods 15 inch tile at \$2.80	145.07
151.51 rods construction (cut 4.68) at \$2.	<u>303.02</u>
Total,	\$1046.29

The Wm. P. Patrick Ditch Improvement.

Section 3. Lateral 1.

Station 10+65 to Station 0.

64.54 rods 15 inch tile at \$2.80	\$180.71
64.54 rods construction (cut 3.25) at \$1.50	<u>96.81</u>
Total	\$277.52

LIST OF Ys.

1 24 inch X 12 inch	\$ 3.65
1 20 inch X 15 inch	3.50
1 20 inch X 10 inch	2.50
5 20 inch X 6 inch	12.50
7 20 inch X 4 inch	17.50
1 15 inch X 6 inch	1.50
5 15 inch X 4 inch	<u>7.50</u>
Total	\$48.65

RECAPITULATION.

30 rods 24 inch tile at \$9	\$270.00
194.25 rods 20 inch tile at \$6	1165.50
116.35 rods 15 inch tile at \$2.80	325.78
Estimate for Ys	48.65

CONSTRUCTION.

124.55 rods at \$2.25	\$280.24
151.51 rods at \$2.	303.02
64.54 rods at \$1.50	96.81

Total tile and Ys	1809.93
Total construction	<u>680.07</u>
Total estimate	\$2490.00

Bidders are required to deposit \$25, cash or certified check, before any bid will be considered. Contract and bond must be entered into within five days from date of sale.

Persons desiring to view the ditch should do so prior to time of sale.

Specifications now on file in the Auditor's office at London, Ohio.

The right to reject any or all bids is reserved.

By order County Commissioners of Madison County, Ohio.

J. J. SHAFFER, Auditor.

H.L. McCAFFERTY, County Surveyor.

PLEASE POST.

The Wm. P. Patrick Ditch Improvement.

Auditor's Office, Madison County, Ohio.

Dec. 14th, A.D. 1910.

In the matter of Ditch Improvement -)
No. Petitioned for by W. P. Patrick.) Report of Sale of the Labor of Construction.

To the Honorable Commissioners of Madison County, Ohio;

Gentlemen; In obedience to your direction and also in pursuance of the notice, duly given by the Auditor of the sale of the work of constructing the above styled improvement, at the time and place therein specified, I offered the said several working sections for sale to the lowest responsible bidder at public out-cry and sold the same to the persons hereinafter named, at the prices herein stated, and took their contracts and bonds respectively conditioned according to law, and return the same herewith for your approval.

Tile.

1-2-3 Madison Tile Co.

London, Ohio.

\$1390.00 \$1809.93

Delivery to begin at once and to be completed on or before April 1st, 1911.

Construction.

1-2-3 Edgar Patrick

550.00

680.07

April 15th, 1911.

Respectfully submitted,

H. L. McCafferty,

Engineer.

CONTRACT FOR DRAIN TILE.

Auditor's Office, Madison County, Ohio.

Dec. 14th, A.D. 1910.

In the matter of Ditch Improvement No.)

Petitioned for by W.P. Patrick.)

CONTRACT FOR DRAIN TILE.

WHEREAS, The above styled improvement has been duly ordered, and advertised for sale according to law, and the construction of Working Section No. 1-2-3 of 5620 feet sold by the County Surveyor, on the 14th day of December, 1910, to the undersigned, for the sum of Thirteen hundred and ninety Dollars. Now, in consideration of the premises, it is agreed by me, to and with whomsoever may be interested therein, that I will furnish 30 rods of 24 inch Drain Tile from Station 45.55 to Station 40.60; and 194.25 rods of 20 inch Drain Tile from Station 40.60 to Station 8.55; and 116.35 rods of 15 inch drain tile from station 8.55 to station 0 of main ditch, and from station 10.65 to station 0 of lateral No. 1, also 1-24X12" Y, 1-20X10" Y, 6-20X6" Ys, 7-20X4" Ys, 1-15X6" Y and 5-15X4" Ys, delivered on line of above styled improvement in lots as needed rods, the same to be delivered on or before the 1st day of April, 1911; provided this contract shall be of no force and effect until approved by the Board of Commissioners of Madison County, Ohio.

H. L. McCafferty,

Madison Tile Co.

County Surveyor.

Contractor.

#

#

#

The Wm. P. Patrick Ditch Improvement.

CONTRACTOR'S BOND FOR DRAIN TILE.

Auditor's Office, Madison County, Ohio
Dec. 14th, A.D. 1910.

In the matter of Ditch Improvement No.)
Petitioned for by W. P. Patrick.)

Know all Men by these Presents, That Madison Tile Co. as principal, and
..... and as sureties, are firmly held and bound unto the
STATE OF OHIO, in the penal sum of Two thousand seven hundred and eighty
Dollars, good and lawful money.

Signed and dated this 14th day of Dec. 1910.

The Condition of the Above Obligation is such, however, that whereas,
the above bounden principal contractor has bid off the furnishing and
delivering the Drain Tile for constructing Working Section No. 1-2-3, has
duly entered into the annexed contract, subject to the condition that the
same shall be approved by the Commissioners of said County.

Now, if the said Madison Tile Co. shall well and truly perform all the
obligations of his said contract and complete the same within the time
fixed by said contract and pay all damage which may occur by reason of a
failure to complete the same within the time agreed upon in said contract,
then this obligation shall be void, otherwise to be in full force and
effect in law.

Madison Tile Co.

J. W. Van Cleve

Van Cleve Clay Mfg. Co.

This Contract and Bond, and Sureties on said Bond approved this 19th day
of Dec. 1910.

H. L. McCafferty,
County Surveyor.

J. W. Bowers,
President of Board of Com'rs.

Auditor's Office, Madison County, Ohio.

In the matter of Ditch Improvement) Dec. 14th, A.D. 1910.
No. Petitioned for by W.P. Patrick.) Contract for Labor of Construction.

WHEREAS, The above styled improvement has been duly ordered, and adver-
tised for sale according to law, and the construction of Working Section No.
1-2-3 of 5620 feet was sold by the County Surveyor, on the 14th day of
December, 1910, to the undersigned, for Five hundred and fifty Dollars,
pursuant to said order and notice. Now, in consideration of the premises,
it is agreed by me, to and with whomsoever may be interested therein, that I
will do and perform all the labor of constructing said improvement in
accordance with the specifications for constructing the same, as shown in
the record of the proceedings thereof, the same to be completed on or before
the 15th day of April, 1911; Provided, however, this contract shall be of
no force and effect until approved by the Board of Commissioners of Madison
County, Ohio.

H.L. McCafferty,
County Surveyor.

Edgar Patrick
Contractor.

#

#

#

The Wm. P. Patrick Ditch Improvement.

Auditor's Office, Madison County, Ohio.

In the matter of Ditch Improvement)
No...Petitioned for by W.P.Patrick.) Dec. 14th, 1910.
Contractor's Bond.

Know all Men by these Presents, That Edgar Patrick as principal, and and as sureties, are firmly held and bound unto the STATE OF OHIO, in the penal sum of Eleven hundred Dollars, good and lawful money.

Signed and dated this 14th day of Decr 1910.

The Condition of the Above Obligation is such, however, that whereas, the above bounden principal contractor has bid off the labor of constructing Working Section No. 1-2-3, has duly entered into the annexed account, subject to the condition that the same shall be approved by the Commissioners of said Madison County, and has agreed to fully do and perform all labor of constructing said improvement in accordance with the plans and specifications of said improvement, as shown on the record of said proceedings, on or before the 15th Day of April, 1911.

Now, if the said Edgar Patrick shall well and truly perform all the obligations of his said contract and complete the same within the time fixed by said contract and pay all damages which may accrue by reason of a failure to complete the same within the time agreed upon in said contract, and pay for all labor and material and for all debts incurred in the performance of this contract, then this obligation shall be void, otherwise to be in full force and effect in law.

Edgar Patrick
Wm. P. Patrick
Jos. Williams

This Contract and Bond, and Sureties on said Bond approved this 19 day of December, 1910.
H. L. McCafferty, County Surveyor. J. W. Bowers, President of Board of Com'rs.

Auditor's Office, Madison County, Ohio.

In the matter of Ditch Improvement)
No..Petitioned for by W.P.Patrick.) Sept. 11th, A.D. 1911.
Contract for Labor of Construction.

WHEREAS, The above styled improvement has been duly ordered, and advertised for sale according to law, and the construction of Working Section No. 4 of...feet, a concrete bulkhead 10' X 6' X 2' = 4½ Cu. Yds. @ Station 45+55 of the Patrick Ditch was sold by the County Surveyor, on the 11th day of September, 1911, to the undersigned, for Thirty Six Dollars, pursuant to said order and notice. Now, in consideration of the premises, it is agreed by me, to and with whomsoever may be interested therein, that I will do and perform all the labor of constructing said improvement in accordance with the specifications for constructing the same, as shown in the record of the proceedings thereof, the same to be completed on or before the 1st day of October, 1911; Provided, however, this contract shall be of no force and effect until approved by the Board of Commissioners of Madison County, Ohio.

H.L. McCafferty, County Surveyor. T. C. Gill, Contractor.

#

The Wm. P. Patrick Ditch Improvement.

Auditor's Office, Madison County, Ohio.

In the matter of Ditch Improvement) Sept. 11th, 1911.

No. ... Petitioned for by W.P. Patrick) Contractor's Bond.

Know all men by these Presents, That T. C. Gill as principal, and and as sureties, are firmly held and bound unto the STATE OF OHIO, in the penal sum of Thirty Six Dollars, good and lawful money.

Signed and dated this 11th day of Sept. 1911.

The Condition of the Above Obligation is such, however, that whereas, the above bounden principal contractor has bid off the labor of constructing Working Section No. 4, has duly entered into the annexed account, subject to the condition that the same shall be approved by the Commissioners of said Madison County, and has agreed to fully do and perform all labor of constructing said improvement in accordance with the plans and specifications of said improvement, as shown on the record of said proceedings, on or before the 1st day of October, 1911.

Now, if the said T. C. Gill shall well and truly perform all the obligations of his said contract and complete the same within the time fixed by said contract and pay all damages which may accrue by reason of a failure to complete the same within the time agreed upon in said contract, and pay for all labor and material and for all debts incurred in the performance of this contract, then this obligation shall be void, otherwise to be in full force and effect in law.

T. C. Gill.

This Contract and Bond, and Sureties on said Bond approved this 11 day of Sept. 1911.

County Surveyor.

J. W. Bowers, President of Board of Com'rs.

See Commissioners' Journal entry of December 19, 1910, Volume 11, Page 293.

(See Page 191.)

Auditor's Office, County, Ohio .

.....19..

THE STATE OF OHIO,)

Madison County, ss)

PROOF OF PERSONAL NOTICE.

On this 1st day of October, 1910, personally came E.W.Patrick who being duly sworn according to law, deposes and says that on the days hereinafter named, he served the annexed notice on the persons hereinafter named, by delivering to each person opposite whose name appears "D" a true copy of the annexed notice; and on those opposite whose name appears "R" by leaving the same at their usual place of residence.

NAME OF PERSON SERVED.	How Served D. or R.	WHEN SERVED.
Herbert Newman	D	Sep. 30, 1910.
R. B. Guy	D	Sep. 30, 1910.
Marion Howard	D	Oct. 1, 1910.

FILED OCT. 1, 1910, J.J. SHAFER Auditor.

and further this deponent saith not.

E.W.Patrick

Sworn to by E.W.Patrick before me, and by him subscribed in my presence this 1st day of Oct. 1910.

Ella Blizzard, Deputy County Auditor.