

DITCH PETITION.

London, Ohio, September 12th, A.D. 1912, Petition for County Ditch of a Ditch.
To the Honorable Board of Commissioners, Madison County, Ohio;

The undersigned owners of lots and land which will be drained or benefited by the improvement herein prayed for, hereby make application to your honorable body, and now file with the Auditor of said County, this, their petition, and now and hereby pray for the location and construction and tiling of a ditch on the route hereinafter set forth.

The necessity for and the benefits of the improvement so prayed for is that it will drain and reclaim the lands along the line thereof and adjacent thereto, and will promote the public health, convenience and welfare.

The following is the beginning, route and termini of said proposed improvement, to-wit; Commencing at a point in the lands of Edward and Lyda Ball (formerly the Grant Timmons land), running thence in a South-easterly direction across the lands of Edward and Lyda Ball, the lands of Asa Carter to the Middle Pike; thence, continuing in a south-easterly direction, across the Middle Pike, the lands of Charles Silvers, the lands of Owen Harbage, to the East Pike; thence, continuing in same direction, across the East Pike; and the lands of Lilly Maude Beach to the High Free Pike; and thence across the High Free Pike to the South side thereof and there terminating.

The names of all Persons and Corporations, either public or private, who in the opinion of the petitioners are in any way affected or benefited thereby are as follows;

Edward Ball and Lyda Ball, Asa Carter, Charles Silvers, Maurice Hedrick, Owen Harbage, Lilly Maude Beach and Gus Deitch.

FILED
OCT. 24, 1912,
H.M. CHANEY,
Auditor.

Charles Silver A.F. Deitsch)
Morris Hedrick)
Mrs. Maud Beach.) Petitioners.

#####

PETITIONER'S BOND.

KNOW ALL MEN BY THESE PRESENTS, That Charles Silvers as principal, and and.... as sureties, are held and firmly bound unto the State of Ohio in the penal sum of Two Hundred Dollars, good and lawful money, for which we bind ourselves, and our heirs, executors and administrators.

Signed by us and dated this ...day of..... AD.19..

The condition of the above obligation is such, nevertheless, that, whereas, on theday of September, 1912, the above bounden...made application to the Commissioners of Madison County, and on said day filed with the Auditor of said County his petition for location, construction and tiling of a ditch in pursuance of the statute in such case made and provided, on the following route and termini, to-wit; Commencing at a point in the lands of Edward and Lyda Ball (formerly the Grant Timmons land) running thence in a South-easterly direction across the lands of Edward and Lyda Ball, the lands of Asa Carter to the Middle Pike; thence continuing in a south-easterly direction, across the Middle Pike, the lands of Charles Silvers, the lands of Owen Harbage to the East Pike; thence, continuing

The Charles Silver Ditch Improvement.

in same direction, across the East Pike, and the lands of Lilly Maude Beach to the High Free Pike, and thence across the High Free Pike to the south side thereof and there terminating.

Now if the above bounden Charles Silver shall pay all costs, if the prayer of said petition be not granted, or if for any other cause the same shall be dismissed, then this obligation shall be void.

The above bond and the sureties thereon
are approved by me this 24 day of Oct. 1912.

H. M. Chaney

County Auditor.

Charles Silver

Geo. T. Silver

Myron A. Silver

FILED
OCT. 24, 1912,
H. M. CHANEY,
Auditor.

#####

NOTICE TO COMMISSIONERS
OF PETITION FILED AND TIME FOR HEARING.

Office of Auditor of Madison County, O., October 26, 1912, A.D.

To the Honorable Board of Commissioners of said County;

GENTLEMEN; You are hereby notified that a petition and bond for a ditch improvement has been filed in this office on the 24th day of October, 1912, a copy of which petition is attached below; and as required by law I have fixed the 20 day of Nov. 1912, at 10 o'clock A.M., at the beginning of said proposed ditch described in said petition, for your hearing of said matter.

H. M. Chaney, Auditor.

COPY OF DITCH PETITION.

London, Ohio, September 12th, A.D. 1912, Petition for County Ditch of a Ditch.
To the Honorable Board of Commissioners, Madison County, Ohio;

The undersigned owners of lots and land which will be drained or benefited by the improvement herein prayed for, hereby make application to your honorable body, and now file with the Auditor of said County, this, their petition, and now and hereby pray for the location, and construction and tiling of a ditch on the route hereinafter set forth.

The necessity for and the benefits of the improvement so prayed for is that it will drain and reclaim the lands along the line thereof and adjacent thereto, and will promote the public health, convenience and welfare.

The following is the beginning, route and termini of said proposed improvement, to-wit; Commencing at a point in the lands of Edward and Lyda Ball (formerly the Grant Timmons land), running thence in a South-easterly direction across the lands of Edward and Lyda Ball, the lands of Asa Carter to the Middle Pike; thence, continuing in a southeasterly direction, across the Middle Pike, the lands of Charles Silver, the lands of Owen Harbage to the East Pike; thence, continuing in same direction, across the East Pike, and the lands of Lilly Maude Beach to the High Free Pike, and thence across the High Free Pike to the south side thereof and there terminating.

The Names of all Persons and Corporations, either public or private, who in the opinion of the petitioners are in any way affected or benefited thereby are as follows; Edward Ball and Lyda Ball, Asa Carter, Charles Silver, Maurice Hedrick, Owen Harbage, Lilly Maude Beach and Gus Deitch.

The Charles Silver Ditch Improvement.

Charles Silver	A. F. Dietsch	} Petitioners.
Morris Hedrick		
Mrs. Maud Beach		

I HEREBY Certify the foregoing to be a true copy of a Ditch Petition filed in my office on the 24th day of October, 1912.

H. M. Chaney, County Auditor.

#####

See Commissioners' Journal entry of October 28, 1912, Volume 12, Page 28.

#####

Auditor's Office, Madison County, Ohio.

October 28, A.D. 1912.

In the matter of Ditch Improvement No.) Notice to Lot or Land Owners.

Petitioned for by Charles Silver, et al.) ed by said Improvement;
 To the Lot or Land Owners and to the Corporations, either Public or Private affect-
 You, and each of you, are hereby notified that on the 24th day of October, 1912,

Charles Silver and others, filed a petition with the Auditor of Madison County, the prayer of which is for the location, and construction and tiling of a Ditch on the following starting point, route and terminus, to-wit; Commencing at a point in the lands of Edward and Lyda Ball (formerly the Grant Timmons land), running thence in a South-easterly direction across the lands of Edward and Lyda Ball, the lands of Asa Carter to the Middle Pike; thence, continuing in a south-easterly direction, across the Middle Pike; the lands of Charles Silver, the lands of Owen Harbage to the East Pike; thence, continuing in same direction, across the East Pike; and the lands of Lilly Maude Beach to the High Free Pike, and thence across the High Free Pike to the south side thereof and there terminating.

You are also notified that the following time and place have been fixed when and where the Commissioners of said County will meet for the hearing of said petition, to-wit; Wednesday, November 20, 1912, at 10 o'clock A.M., at the beginning of said proposed ditch, for the purpose of hearing any and all proof offered by the parties affected by said ditch improvement, whether the said improvement will be conducive to the public health, convenience and welfare; and whether the route described is the best route; and any and all objections to said proposed ditch improvement.

Any application for compensation or damage, or for any change of route, must be in writing and filed with the Commissioners on or before the day set for hearing.

No further notice of any proceedings in this matter will be given.

H. M. Chaney, Auditor of Madison County.

#####

The Charles Silver Ditch Improvement.

Auditor's Office, Madison County, Ohio.

Nov. 1, A.D. 1912.

THE STATE OF OHIO,)

Madison County, ss.)

PROOF OF PERSONAL NOTICE.

On this 1st day of Nov. 1912, personally came James Minshall who being duly sworn according to law, deposes and says that on the days hereinafter named, he served the annexed notice on the persons hereinafter named, by delivering to each person opposite whose name appears "D" a true copy of the annexed notice; and on those opposite whose name appears "R" by leaving the same at their usual place of residence.

NAME OF PERSON SERVED.	How Served D. or R.	WHEN SERVED.
Asa Carter	D	Oct. 30 th , 1912.
Charles Silver	D	" " "
Maurice Hedrick	R	" " "
Owen Harbage	D	" " "
Lilly Maude Beach	D	" 31 st "
Gus Deitch	R	" 30 th "

FILED
NOV. 1, 1912,
H.M. CHANEY,
Auditor.

and further this deponent saith not.

James Minshall

Sworn to by James Minshall before me, and by him subscribed in my presence this 1st day of Nov. 1912.

Ella Blizzard
Deputy County Auditor.

#####

The State of Ohio,)
Madison County,) ss;

M. H. Wallace, being duly sworn, says he is the Business Manager of THE LONDON ENTERPRISE, a newspaper printed and in general circulation in said county, and that a notice, of which the annexed is a copy, was published in said newspaper for at least 1 consecutive weeks prior to the 20 day of Nov. 1912.

M. H. Wallace.

Sworn to and subscribed by said M. H. Wallace this 19 day of Nov. 1912.

Printer's Fees, \$3.75

H. M. Chaney.

.....

DITCH NOTICE.

In the Matter of the Ditch Improvement Petitioned for by Charles Silver, Et Al.
Notice to Non-Resident Lot or Land Owners.

Auditor's Office, Madison County, Ohio.

October 28, A.D. 1912.

To the Non-Resident Lot or Land Owners and to the Corporations, either Public or Private, affected by said Improvement;

You, and each of you, are hereby notified that on the 4th day of October, 1912, Charles Silver and others filed a petition with the Auditor of Madison county, the prayer of which is for the location and construction and tiling of a Ditch on the following starting point, route and terminus, to wit; Commencing at a point in the lands of Edward and Lyda Ball (formerly the Grant Timmons land), running thence in a southeasterly

The Charles Silver Ditch Improvement.

direction across the lands of Edward and Lyda Ball, the lands of Asa Carter to the Middle Pike; thence continuing in a southeasterly direction across the Middle pike, the lands of Charles Silver, the lands of Owen Harbage to the East pike; thence continuing in same direction across the East pike and the lands of Lilly Maud Beach to the High Free Pike; and thence across the High Free pike to the south side thereof and there terminating.

You are also notified that the following time and place have been fixed when and where the Commissioners of said County will meet for the hearing of said petition, to-wit; Wednesday, November 20, 1912, at 10 o'clock a.m., at the beginning of said proposed ditch for the purpose of hearing any and all proof offered by any of the parties affected by said ditch improvement, whether the said ditch will be conducive to the public health, convenience and welfare, and whether the route described is the best route; and any and all objections to said proposed ditch improvement.

Any application for compensation or damage, or for any change of route, must be in writing and filed with the Commissioners on or before the day set for hearing.

No further notice of any proceedings in this matter will be given.

H. M. CHANEY,

Auditor Madison County.

London, Ohio, Oct. 29, 1912.

#####

See Commissioners' Journal entry of November 20, 1912, Volume 12, Page 47.

#####

West Jefferson, Ohio.

November 20th, 1912.

To the Honorable Commissioners of Madison County, Ohio.

Gentlemen;

The undersigned complainant hereby enters his remonstrance and objection to the granting of the County Ditch, petitioned for by Charles Silver et al.

Said objection is entered for the reason that said ditch will not be for the general health and welfare of the community through which said ditch is to be constructed.

Complainant further says that the construction of said ditch through his lands will not only be ^{of} no benefit to him, but will damage him in the sum of Three Hundred Dollars by the construction as proposed. Said damage will be caused by the injury to and destruction of the timber through which the ditch is to be constructed, as well as the injury to his fields and crops.

For which aforesaid reasons, complainant asks that said ditch be not granted, and if the same is granted then asks damages in the sum of Three Hundred Dollars.

Owen Harbage.

#####

See Commissioners' Journal entry of November 25, 1912, Volume 12, Page 48.

#####

See Commissioners Journal entry of December 23, 1912, Volume 12, Page 64.

#####

See Commissioners Journal entry of January 2, 1913, Volume 12, Page 66.

#####

The Charles Silver Ditch Improvement.

Auditor's Office, Madison County, Ohio.

January 2, A.D. 1913.

In the matter of Ditch Improvement No..)
 Petitioned for by Charles Silver, et al.) Report and Schedules of Engineer.
 To the Honorable, the Board of Commissioners of Madison County, Ohio;

The undersigned Engineer, in obedience to the direction of your Honorable Body, made on the 25th day of November, 1912, has proceeded in the abovematter, and has made a level and survey of the line of said proposed ditch improvement, and set a stake at every hundred feet numbering down stream; and I have made a note of the intersections of lines and boundaries of lands, township and county lines, land marks, bench marks, and road and railroad crossings; and I herewith make report of the same, with profile, and plat and an estimate of the number of the cubic yards of earth or other substance to be removed, and the cost per yard for each working section on said report indicated and of each section of one hundred feet.

I have also made, and return herewith, a schedule of all the lots and lands, and public and corporate roads and railroads, together with the name of the owners of such railroad companies, and the names of the lessees operating the same, that will be benefited by said improvement; and an apportionment of the cost of location and construction, in money, to each lot and tract of land, road and railroad; according to the benefits which will result to each from the said improvement; and in apportioning the costs of such improvement the benefits to any lots or lands by diking the same in whole or in part, have been by me considered with other benefits; and a specification of the manner in which the improvement shall be made and completed; the number of flood gates, water ways, farm crossings and bridges, including kinds and dimensions thereof; and such other matters as the undersigned deems important. The said survey, level reports and schedules are herewith attached and made a part hereof.

The following is an itemized cost bill, made by me, in the proper discharge of my duty, under your order.

H. L. McCafferty,	Engineer, 10 days, at	\$5.00 per day,	\$ 50.00
W.R. Rainey,	Dept. 4 " "	\$5.00 " "	\$ 20.00
Chas. Lohr,	Dept. 7 " "	\$4.00 " "	\$ 28.00
G. T. Clark, Jr.	Draughtsman 10 " "	\$3.00 " "	\$ 30.00
Jesse Paine,	Rodman, 5 " "	\$2.00 " "	\$ 10.00
Ed. Carlon,	Chainman, 1 " "	\$2.00 " "	\$ 2.00
Chas. Silver,	Axman, 1 " "	\$2.00 " "	\$ 2.00

Other Expenses;

Thos. Largey - team & driver,	4.00
Wm. Baber- 6- horse & buggy	9.00
M. B. Irwin -- stakes 133 - 18" @ 1 ¹ / ₂	
133 - 12" @ 1 ¹ / ₂	3.65

\$158.65

The foregoing Cost Bill allowed by us 19...

H. L. McCafferty, Engineer,.

)
) County Commissioners.
)

#####

The Charles Silver Ditch Improvement.

REPORT OF ENGINEER.				SLOPE....	SCHEDULE "A".
<i>Stake every 100 feet, numbered down stream.</i>	<i>Surface Elevation,</i>	<i>Grade Elevation,</i>	<i>Total fall from station 0.</i>	<i>Course and Distance.</i>	
			<i>Entire Depth</i>		
			<i>Cut.</i>		
<u>Main Ditch.</u>					
0	96.21	91.90	4.31	0-300-- S. 49° E.	Beginning: in south line of Edw. and Lyda Ball
BM	97.94	91.30		Walnut right	on fence line.
1	96.03	91.60	4.43		
2	96.11	91.30	4.81		
3	95.34	91.00	4.43	300-400-- S. 53° E.	
4	95.43	90.70	4.73		
+40	95.26	90.58	4.68	440-700-- N. 86½° E.	
5	95.89	90.40	4.49		Distance on land of Asa Carter= 1059 feet
6	94.37	90.10	4.27		
7	94.41	89.80	5.61	700-1100-- N. 70¼° E.	
8	93.94	89.50	4.44		
9	93.18	89.20	3.98		
10	92.61	88.90	3.71		
BM	95.50	88.40		Telephone pole east side of road.	
11	91.39	88.50	2.89		
12	91.33	88.10	2.23	1100-1350-- N. 75½° E.	10+59 = west line of Chas. Silver
13	91.57	87.70	3.87		
+50	91.00	87.50	3.50	1350-1860-- N. 69¼° E.	
14	90.80	87.30	3.50		
15	90.47	86.90	3.57		
BM	91.04			Shellbark Hickory on right.	
16	90.06	86.50	3.56		
17	89.73	86.10	3.63		
18	89.43	85.70	3.73		
+60	88.93	85.46	3.47	1860-2170-- S. 79° E.	
19	89.19	85.30	3.89		
20	89.14	84.90	4.24		Distance on land of Chas. Silver=2195 feet
21	88.87	84.50	4.37		
+70	87.46	84.22	3.24	2170-2300-- S. 40° E.	
22	87.68	84.10	3.58		
23	86.99	83.70	3.29	2300-2400-- S. 70° E.	
24	87.06	83.30	3.76	2400-2475-- S. 87° E.	
BM	88.59			Jack oak on left.	
+75	87.54	83.00	4.54	2475- 2785-- S. 69¼° E.	
25	87.06	82.90	4.16		
26	85.84	82.50	3.34		
27	85.88	82.10	3.78		
+85	86.10	81.76	10.14	2785- 3100-- N. 74½° E.	
28	86.04	81.70	4.34		
29	84.88	81.30	3.58		
30	84.69	80.90	3.79		
31	84.67	80.40	4.27	3100-3300-- N. 59° E.	
32	84.32	79.90	4.42		32+54= line of Chas. Silver and Owen Harbage.
33	84.41	79.40	5.01	3300-3700-- N. 64¼° E.	
34	83.70	78.90	4.80		

7.48

10+59

section #5

3.54

section #4 - 10+59 to 32+54

The Charles Silver Ditch Improvement.

Stake every 10 feet marked down stream.	Surface Elevation	Grade Elevation	Total fall from Station 0.	Entire Depth.	Cut.	Course and Distance.
35	82.96	78.40		4.56		
36	82.68	77.90		4.78		
37	82.06	77.40		4.66		37.00-39.00-N.57½° E.
BM	82.22					18" Jack oak to left.
38	80.88	76.90		3.98		
39	80.51	76.40		4.11		39.00-40.60- N.80½° E.
40	80.16	75.90		4.26		
+60	79.39	75.60		3.79		40.60-42.50- S.71° E.
41	79.51	75.40		4.11		
42	79.10	74.90		4.20		
+50	78.56	74.65		3.91		42.50-43.00--S.50¾° E.
43	76.82	74.40		2.42	386	43.00-44.00- S.80° E.
44	77.31	73.90		3.51		44.00-48.00- N. 68½° E.
45	76.50	73.40		3.10		
46	77.73	72.90		4.83		
47	77.03	72.40		4.63		
BM	77.43					Burr oak on right .
48	75.13	71.90		3.23		48.00-50.85- N. 59½° E.
49	74.96	71.40		3.56		
50	74.90	70.90		4.00		
+85	74.03	70.47		3.56		50.85-52.90 N.18½° E.
51	73.60	70.40		3.20		
52	73.21	69.90		3.31		
+90	72.60	69.45		3.15		52.90-54.32- N. 61½° E. Distance on land of
53	72.58	69.40		3.18		Owen Harbage = 4010 feet.
54	72.71	68.90		3.81		
+32	72.06	68.74		3.32		54.32-55.75- S. 79° E.
55	72.52	68.40		4.12		
+75	71.86	68.02		3.74		55.75-56.55- N. 64½° E.
56	71.09	67.90		3.19		
+55	71.17	67.67		3.50		56.55-57.65- N.82° E.
57	71.25	67.40		3.85		
+65	70.69	67.07	14.63	3.62		57.65- 59.00- S. 42½° E.
58	70.07	66.90		3.17		
BM	72.63					Walnut on left.
59	70.05	66.40		3.65		59.00-60.00- S.32½° E.
60	70.15	65.90		4.25		60.00-61.00- S. 76° E.
61	69.30	65.40		3.90		
+60	69.87	65.10		4.77		61.60- 64.30- N. 35° E.
62	68.95	64.90		4.05		
63	69.03	64.40		4.63		
64	68.00	63.90		4.10		
+30	67.61	63.75		3.86		64.30- 66.50- N. 35° E.
65	68.32	63.40		4.92		
66	67.97	62.90		5.07		
+50	66.57	62.65		3.92		66.50- 67.00- N. 52° E.
67	66.33	62.40		3.93		67.00- 68.00- N. 85½° E.

The Charles Silver Ditch Improvement.

Stake and 100 foot numbered down stream	Surface Elevation	Grade Elevation	Total fall from station 0	Entire Depth	Cut	Course and Distance
68	65.63	61.90		3.73		68.00-70.60- S. 88° E.
69	65.95	61.40		4.55		
70	65.15	60.90 -1.00		4.25		
+60	65.02	60.30		4.72	5.00	70.60-71.75- N. 69° E.
71	64.73	59.90		4.83		
+75	64.08	59.15		4.93		71.75-73.00- N. 47° E.
72	64.11	58.90		5.21		
BM	66.60					Maple on right.
73	63.28	57.90		5.38		73.00-77.00- N. 76° E. 72+64= line of Owen
74	62.76	56.90		5.86	84	Harbage and Delilah
75	61.08	55.90 -1.50		5.18		Worthington
76	59.13	54.40		4.73	to	
77	59.48	52.90		6.58	57+54 to	77.00-80.60- N. 66½° E.
78	57.30	51.40		5.90		Distance on land of
79	56.88	49.90		6.98		Delilah Worthington=
80	54.57	48.40 -1.00		6.17		1117 feet.
+60	55.04	47.80		7.24	2	80.60-81.50- N. 85½° E.
81	55.85	47.40		8.45	Section # 2	
+50	53.82	46.90		6.92		81.50-83.45- S. 75½° E.
82	53.05	46.40		6.65		83+81 = line of Delilah
83	50.37	45.40		4.97		Worthington & A. Dietch et al.
BM	53.88					+on east end of north abutment
84	51.65	44.40	22.50	7.25		of culvert Distance on land of
+45	47.95	43.95		4.00		D. Dietch= 64 feet.
						Tile ends 84+45.
Lateral No. 1.						
BM	100.00					Ash to left of Sta. 5.
0	100.60	97.00 -1.20		3.60		0-2.00- S. 75° E.
1	100.11	96.80		3.31		
2	99.78	96.60		3.18		2.00-5.00- N. 66½° E.
3	99.59	96.40		3.19		
4	99.85	96.20		3.65		
5	99.58	96.00 -1.00		3.95		5.00-6.00- N. 49° E.
6	99.23	95.00		4.23	4.2 3	6.00-8.00- N. 19° E.
7	98.58	94.00		4.58		
8	98.33	93.00 -1.15		5.33		8.00-12.00- N. 76° E.
9	98.13	92.85		5.28		
10	97.57	92.70		4.87		
11	97.57	92.55		5.02		
12	97.11	92.40		4.71		12.00-15.10- N. 85° E.
13	96.66	92.25		4.41		
14	96.52	92.10		4.42		
15	95.84	91.95		3.89		
+10	96.21	91.93		4.28		

The Charles Silver Ditch Improvement.

Stake every 100 feet marked from stream	Surface Elevation	Grade Elevation	Entire Depth Cuts	Course and Distance.
				Lateral No. 1 of Lat. No. 1.
0	96.42	94.00	2.42	0- 2.50 - S. 18½° E.
1	95.99	93.85	2.14	
2	97.52	93.70	3.82	
+50	97.64	93.63	4.01	2.50- 4.22- S. 84° E.
3	98.38	93.55	4.83	
4	98.48	93.40	5.08	
+22	98.34	93.37	4.97	

#####

Statement of Working Sections of the Silver Ditch.

Report of Engineer.

Schedule A A.

No. of Working Section	No. of Stakes From	No. of Stakes To	No. of Linear Feet	No. of Cubic Yards	Price per yard	Amount	Remarks
1	88	84	400	350	\$.20	\$ 70.00	
2	84	57+54	2646				
	160.36	rods 15" tile @		2.80		449.00	
	160.36	" construction @		2.00		320.72	Ave. depth 5.06'
						769.72	
3	57+54	32+54	2500				
	151.51	rods 15" tile @		2.80		424.23	
	151.51	" construction @		2.00		303.02	Ave. depth 3.86'
						727.25	
4	32+54	10+59	2195				
	133.00	rods 12" tile @		1.65		219.45	
	133.00	" construction @		1.50		199.50	Ave. depth 3.54'
						418.95	
5	10+59	0	1059				
	64.20	rods 10" tile @		1.20		77.04	
	64.20	" construction @		1.50		96.30	Ave. depth 4.48'
						173.34	

Lateral No. 1.

6	15+10	0	1510				
	91.52	rods 10" tile @		1.20		109.82	
	91.52	" construction @		1.50		137.28	Ave. depth 4.23'

Lateral No. 1 of 1.

	4+22	0	422				
	25.58	rods 8" tile @		.80		20.46	
	25.58	" construction @		.80		20.46	Ave. depth 3.90'
						288.02	

The Charles Silver Ditch Improvement.

No. of working sections	No. of cubic yards	Price per yard	Amount	Remarks
-------------------------	--------------------	----------------	--------	---------

Recapitulation.

Estimate for Tile.

25.58	rods 8" tile	@ \$.80	\$20.46	
155.72	" 10" "	@ 1.20	186.86	
133.00	" 12" "	@ 1.65	219.45	
311.87	" 15" "	@ 2.80	<u>873.23</u>	
			1300.00	

Estimate for Construction.

#6	{ 25.58 rods const.	@ .80	20.46	
	{ 91.52 " "	@ 1.50	137.28	
#5	64.20 " "	@ 1.50	96.30	
#4	133.00 " "	@ 1.50	199.50	
#3	151.51 " "	@ 2.00	303.02	
#2	160.36 " "	@ 2.00	<u>320.72</u>	
			1077.28	

Estimate for Open Ditch 350 .20 70.00

Total Const. ---

Estimate for Concrete Bulkhead at Sta. 84.00

1 wall	15' X $\frac{2 \times 1}{2}$ X 10			
1 apron	6' X 4' X 1'			
2 spandrels	6' X 5' X 1'			
2 wings	6' X 6' X 1'			
14 cu. yds.		@ 10.00	140.00	

Total Estimate.

Tile	1300.00
Construction	1077.28
Open work	70.00
Y's	75.00
Superintending cost of const., survey, assistance, livery, etc.	500.00
Additional labor or material that may be needed,	100.00
Bulkhead	<u>140.00</u>
	3262.28 <u>Total Estimate.</u>

#####

The Charles Silver Ditch Improvement.

REPORT OF ENGINEER.				SCHEDULE "B".	
Owner's Name	As Found On Duplicate Survey.	Description.	Acres Owned.	Acres Assessed.	Total Cost Apportioned.
Edward and Lyda Ball	2682	Jefferson Twp.	111.93	60.	\$607.00
Asa Carter	2682		149.	20.	398.00
Charles Silver	8461		80.	20.	522.50
	2682		40.11	20.	522.50
Owen Harbage	2679		150.	40.	765.00
Delilah Worthington	2679		111.	10.	265.00
	2679		49.	5.	132.50
Morris Hedrick	2682 &c		80.	4.	20.00
Augusti and Augusta Ditch	2679		102.70		40.00
Madison County					39.78
Total,					3312.28

H. L. McCafferty,
Co. Surveyor.

Approved Jan. 6- 1913.

E. C. Breyfogle

E. E. Willard

Jas. F. Martin

County Commissioners.

#####

The Charles Silver Ditch Improvement.

Report of Engineer.

Schedule "C"

Auditor's Office, Madison County, Ohio.
January 2ⁿ, A.D. 1913.In the matter of Ditch Improvement No.) Specifications of the Manner of
Petitioned for by Charles Silver, et al.) Construction.

Specifications.

This improvement shall be made a Tile ditch from Station 0 to Station 84 and an open ditch from Station 84 to Station 88 of the Main ditch. All laterals to be tiled.

Tile.

The Main ditch shall be tiled from Station 0 to Station 1059 with 10 inch tile, From Station 1059 to Station 3254 with 12 inch tile, and From Station 3254 to Station 8400 with 15 inch tile.

Lateral No. 1.

Lateral No. 1 shall be tiled with 10" tile.

Lateral No. 1 of 1.

Lateral No. 1 of 1 shall be tiled with 8" tile.

All tile shall be well burned cylindrical drain tile and be delivered on the ground in lots as needed, each size in its proper place.

Tile Construction.

The trench for receiving the tile shall be cut down to the grade line and the tile laid and closely jointed.

No covering shall be placed over the tile until inspected by the engineer. After inspection the trench shall be filled full and where it may be necessary to secure ample filling banks are to be plowed and the plowed material to be filled over tile. The Engineer in charge of the work to be judge when this is sufficient.

Open Work.

The open ditch shall be cut 2 feet wide on bottom and have side slopes of 1½ horizontal to 1 vertical. All excavated material shall be carried back at least 20 feet from the banks of the ditch and well scattered.

Grubbing.

Each land owner shall do his own grubbing, or an assessment will be placed against him for the same.

Owen Harbage Grubbing & Cleaning \$50.00. He to have the timber.

Bulkhead.

At Station 84 of the Main Ditch there will be constructed a Concrete Bulkhead, according to plans and specifications on file.

15- X $\frac{2x1}{2}$ X 10'

Apron 6 X 4 X 1

2 Spandrels 6 X 1 X 5

2 Wings 6 X 6 X 1-

A clear right of way of 30 feet on each side of the ditch is reserved for delivering the tile and construction of the ditch.

#####

See Commissioners' Journal entry of January 6, 1913, Volume 12, Page 68.

#####

The Charles Silver Ditch Improvement.

DITCH SALE

NOTICE TO CONTRACTORS.

The undersigned County Surveyor will sell at public outcry to the lowest and best bidder on Tuesday, January 21, 1913, at 10 o'clock a.m., standard time, at the County Surveyor's office in the basement of the court house, at London, the labor of constructing and furnishing all necessary materials for The Charles Silver Ditch, located in Jefferson Township, 3 miles north of West Jefferson, Ohio.

MAIN DITCH OPEN.

Section No. 1 From Station 88 to Station 84.
350 cubic yards at 20c \$ 70.00

MAIN DITCH TILE.

Section No. 2. From Station 84 to Station 5754.
160.36 rods 15-inch tile, at \$2.80 \$449.00
160.35 rods construction, at \$2.00 320.72
Average depth, 5 feet 1 inch. Total, \$769.72

Section No. 3. From Station 5754 to Station 3254.
151.51 rods 15-inch tile, at \$2.80 424.23
151.51 rods construction at \$2.00 303.02
Average depth 3 feet 10 inches. Total, \$727.25

Section No. 4. From Station 3254 to Station 1059.
133 rods 12-inch tile, at \$1.65 219.45
133 rods construction at \$1.50 199.50
Average depth 3 feet 6 inches. Total, \$418.95

Section No. 5. From Station 1059 to Station 0.
64.20 rods 10-inch tile, at \$1.20 77.04
64.20 rods construction at \$1.50 96.30
Average depth 4 feet 6 inches. Total, \$173.34

Lateral No. 1 At Station 0.

Section No. 6. From Station 1510 to Station 0.
91.52 rods 10-inch tile, at \$1.20 \$109.82
91.52 rods construction at \$1.50 137.28
Average depth 4 feet 3 inches. Total, \$247.10

Lateral No. 1 of 1.

From Station 422 to Station 0.
25.58 rods 8-inch tile at 80c \$ 20.46
25.58 rods construction at 80c 20.46
Total, \$40.92

Recapitulation.

25.58 rods 8-inch tile at 80c \$ 20.46
155.72 rods 10-inch tile at \$1.20 186.86
133.00 rods 12-inch tile at \$1.65 219.45
311.87 rods 15-inch tile at \$2.80 873.23
Total Tile, \$1300.00

Construction.

350 cubic yards open ditch at 20c 70.00
626.17 rods tile construction 1077.28
Total, \$1147.28

Bidders are required to deposit \$25 cash--no checks taken-- before any bid will be considered. Contract and bond must be entered into within five days from date of sale.

The Charles Silver Ditch Improvement.

Persons desiring to view the ditch should do so prior to time of sale. Specifications now on file in the Auditor's office at London, Ohio. The right to reject any or all bids is reserved.

By order County Commissioners of Madison County, Ohio:

H.M. CHANEY, Auditor.

H.L. McCafferty, County Surveyor.

PLEASE POST.

#####

Auditor's Office, Madison County, Ohio.

January 21, A.D. 1913.

In the matter of Ditch Improvement No...) Report of Sale of the Labor of
Petitioned for by Charles Silver, et al.) Construction.

To the Honorable Commissioners of Madison County, Ohio;

Gentlemen; In obedience to your direction and also in pursuance of the notice, duly given by the Auditor of the sale of the work of constructing the above styled improvement, at the time and place therein specified, I offered the said several working sections for sale to the lowest responsible bidder at public out-cry and sold the same to the persons hereinafter named, at the prices herein stated, and took their contracts and bonds respectively conditioned according to law, and return the same herewith for your approval.

<i>No. of Working Sections</i>	<i>To Whom Sold.</i>	<i>Amount for which it sold</i>	<i>Amount for which it was estimated.</i>	<i>When To Be Completed.</i>
2-6	Madison Tile Co.	\$1000.00	\$1500.00	May 21st, 1913.
	<u>Tile Sects.</u>			

Construction.

1-6	Wm. Watson and Geo. Nabergall	\$08.00	1147.28	May 21st, 1913.
-----	----------------------------------	---------	---------	-----------------

H. L. McCafferty,
Co. Surveyor.

#####

The Charles Silver Ditch Improvement.

Auditor's Office, Madison County, Ohio.
January 21st, A.D. 1913.

In the matter of Chas. Silver Ditch Improvement)
No..Petitioned for by Chas. Silver, et al.) Contract for Labor of Construction.

WHEREAS, The above styled improvement has been duly ordered, and advertised for sale according to law, and the construction of Working Section Nos. 1-6 of 10732 feet was sold by the County Surveyor, on the 21st day of January, 1913, to the undersigned, for eight hundred eight (808.00) Dollars, pursuant to said order and notice. Now, in consideration of the premises, it is agreed by me, to and with whomsoever may be interested therein, that I will do and perform all the labor of constructing said improvement in accordance with the specifications for constructing the same, as shown in the record of the proceedings thereof, the same to be completed on or before the 21st day of May, 1913; Provided, however, this contract shall be of no force and effect until approved by the Board of Commissioners of Madison County, Ohio.

H. L. McCafferty,
County Surveyor.

his
Wm. X Watson
mark
Geo. Nabergall
Contractor.

Auditor's Office, Madison County, Ohio.
January 21st, 1913.

In the matter of Chas. Silver Ditch Improvement)
No..Petitioned for by Chas. Silver, et al.) Contractor's Bond.

Know all Men by these Presents, That Wm. Watson and Geo. Nabergall as principals, and... and as sureties, are firmly held and bound unto the STATE OF OHIO, in the penal sum of sixteen hundred sixteen and no/100 (1616.00) Dollars, good and lawful money.

Signed and dated this 21st day of January, 1913.

The Condition of the Above Obligation is such, however, that whereas, the above bounden principal contractor has bid off the labor of constructing Working Section Nos. 1-6, has duly entered into the annexed account, subject to the condition that the same shall be approved by the Commissioners of said Madison County, and has agreed to fully do and perform all labor of constructing said improvement in accordance with the plans and specifications of said improvement, as shown on the record of said proceedings, on or before the 21st day of May, 1913.

Now, if the said Wm. Watson & Geo. Nabergall shall well and truly perform all the obligations of his said contract and complete the same within the time fixed by said contract and pay all damages which may accrue by reason of a failure to complete the same within the time agreed upon in said contract, and pay for all labor and material and for all debts incurred in the performance of this contract, then this obligation shall be void, otherwise to be in full force and effect in law.

Witnesses,
S. S. Van Cleve
Harry Van Cleve

his
Wm. X Watson
mark
Madison Tile Co. by SS.Van Cleve
Geo. Nabergall
E.W. Johnson

This Contract and Bond, and Sureties on said Bond approved this 21 day of January, 1913.
H. L. McCafferty, County Surveyor. E. C. Breyfogle President of Board of Com'rs.

#####

The Chas. Silver Ditch Improvement.

See Commissioners' Journal entry of January 21, 1913, Volume 12, Page 81, approval of contract and bond of Wm. Watson.

#####

CONTRACT FOR DRAIN TILE.

Auditor's Office, Madison County, O.
January 21st, A.D. 1913.

In the matter of Ditch Improvement No...)
Petitioned for by Chas. Silver, et al.)

CONTRACT FOR DRAIN TILE.

WHEREAS, The above styled improvement has been duly ordered and advertised for sale according to law, and the construction of Working Section No. 2-6 of 10332 feet 25.58 rods 8" tile, 155.72 rods of 10" tile, 133.00 rods of 12" tile and 311.87 rods of 15" tile; sold by the County Surveyor, on the 21st day of January, 1913, to The Madison Tile Co. Now, in consideration of the premises, it is agreed by me, to and with whomsoever may be interested therein, that I will furnish 25.58 rods of 8" Drain Tile from Station 0 to Station 4+22 on Lat. 1 of 1, and 155.72 rods of 10 inch Drain Tile from Station 0 to Station 15+10 on Lat.#7, and Sta. 0 - Sta. 10+59 main, 133.00 rds. 12" tile from Sta. 10+59 to Sta. 32+54, 311.87 rods 15" tile from Sta. 32+54 to Sta. 84+00., delivered on line of above styled improvement in lots as needed, the same to be delivered on or before the 1st day of April, 1913; provided this contract shall be of no force and effect until approved by the Board of Commissioners of Madison County, Ohio.

H. L. McCafferty,
County Surveyor.

Madison Tile Co.,
by S.S. Van Cleve.
Contractor.

.....

CONTRACTOR'S BOND FOR DRAIN TILE.

Auditor's Office, Madison County, Ohio.
January 21st, A.D. 1913.

In the matter of Ditch Improvement No..)
Petitioned for by Chas. Silver.)

KNOW ALL MEN BY THESE PRESENTS, That The Madison Tile Co., as principal, and S.S. Van Cleve and Minnie H. Van Cleve assureties are firmly held and bound unto the State of Ohio, in the penal sum of Two Thousand (2000.00) Dollars, good and lawful money.

Signed and dated this 21st day of January, 1913.

THE CONDITION OF THE ABOVE OBLIGATION is such, however, that whereas, the above bounden principal contractor has bid off the furnishing and delivering the Drain Tile for constructing Working Section No. 2-6, has duly entered into the annexed contract, subject to the condition that the same shall be approved by the Commissioners of said County.

Now, if the said The Madison Tile Co., shall well and truly perform all the obligations of his said contract and complete the same within the time fixed by said contract and pay all damage which may occur by reason of a failure to complete the same within the time agreed upon in said contract, then this obligation shall be void, otherwise to be in full force and effect in law.

Madison Tile Co. By SS. VanCleve.
S.S. Van Cleve
Minnie H. Van Cleve

The Chas. Silver Ditch Improvement.

FILED
JAN. 30, 1913,
H.H. CHANEY,
Auditor.

This Contract and Bond, and Sureties on said Bond approved this 3 day of Feb. 1913.
H. L. McCafferty, County Surveyor.

E. C. Breyfogle,
President of Board of Commissioners

#####

See Commissioners' Journal entry of February 3, 1913, Volume 12, Page 84, approval of contract and bond of Madison Tile Co.

#####