

MADISON COUNTY HIGHWAYS

4.52

NO. <u>59</u>	SECTION(S) <u>A</u>	NAME <u>Anderson - Antioch Rd.</u>
FROM <u>Junction SR #56</u>	TO <u>Junction C-54 (Kious - Peckstone)</u>	
LENGTH <u>9082 9398</u>	(IN FEET) MILES <u>1.72 1.78</u>	
PAVEMENT TYPE <u>Bit Surf. treated</u>	WIDTH <u>18</u>	
WIDTH OF R OF W <u>45</u>	WIDTH OF BERMS <u>4</u>	
TWP. <u>Pleasant</u>	FEET <u>9082</u>	FEET _____
MILES <u>1.78</u>	MILES _____	MILES _____
REMARKS <u>land out 1835 see Kious Rd RR #1 pg 44</u>		

COUNTY ROAD HISTORY

PETITIONED	ROAD RECORD BOOK	COMM. VOL.	JOURNAL PAGE	REMARKS
	#1		97 & 98	Alt. 1849 - Longs Alt & Walker's Alt
	Comf.	VOL E	34 & 373	Impr. 1876 Rob Rd Imp.

IMPROVEMENTS

YEAR	TYPE OF	APPLIED BY	REMARKS
1952	Tar & 6 stone	County	Surface treated to junction C-54 (1.72 miles)
1956	Tar & 4/8 stone	"	Surface treated

IMPROVEMENTS Cont.

594.52

YEAR	TYPE OF	APPLIED BY	REMARKS
1959	RT9 ⁸ #6 stone	County	Surface treated
1963	Tar E ⁸ #6 stone	"	Surface treated
1966	^{MACS} Tar E ⁸ #6 stone	County	Surface treated
1968	T-35	VAN CAMP	ENTIRE LENGTH - 2,908.25 tons - Burned
1976	RS2	COUNTY	13,118 GAL RS2 - 579.95 TON #8 GRAVEL - 4.0
1978	6,800 - RS2	Ray Hensley	surface treated - 214.20 tons #8 limestone
1981	156,000 TON #8 5,935 GAL RS2	W. KIMB COUNTY	SURFACE TREATED C
1985	RS2 #8 STONE	^{NORTHWOOD} KOCK &	12,817 GAL RS2 - 381.05 TON #8 - LIMESTONE
199?	Pave	State ^{Local} District	Ton 404
1999	Chip & Seal	County	7030 Gal CRS2P from Terry Mat. 224 Ton #8 from National
1999	Paint Strips	Chemical Tool	Center & Edge Lines
2006	Chip & Seal	County	
2014	chip & Seal	County	

MADISON COUNTY HIGHWAYS

452

NO. 59	SECTION(S) B.	NAME Anderson - Antioch Rd
FROM Junction C-54 (Kiousv. Palest.)		TO Pikeaway Co Line
LENGTH 12404 14467 (IN FEET)		MILES 2.35 2.74
PAVEMENT TYPE Gravel Bit Surf. Treated		WIDTH 16
WIDTH OF R OF W 40'		WIDTH OF BERMS 3
TWP. Pleasant	FEEET. 12404	MILES 2.74
MILES 4.72	TWP.	MILES
REMARKS COUNTY ROAD		

HISTORY

PETITIONED	ROAD RECORD BOOK	COMM. VOL.	JOURNAL PAGE	REMARKS
				See section A

IMPROVEMENTS

YEAR	TYPE OF	APPLIED BY	REMARKS
1955	Top 4" Gstone	County	Road bed built up to 8" and Bit. Surf. treated (Blach topped)
1957	" 6 stone	"	Surface treated.

