

Boyd North Road  
MADISON CO. ROAD RECORD

IMPROVED

Township DARBYNo. 61-C

Sec. \_\_\_\_\_

Shipping Point \_\_\_\_\_

Class of Traffic \_\_\_\_\_

Distance \_\_\_\_\_

Built by \_\_\_\_\_

Date 1884

Price \$ \_\_\_\_\_

Surveyed by J. Converse

BRICK	CONCRETE	SLAG—LIMESTONE	GRAVEL
Kind of foundation _____	Thickness _____	Bottom { Filler..... Thickness } Center..... Binder..... Size } Edge.....	Thickness <u>9"</u>
Thickness of foundation _____	Kind of Cement _____		Width <u>10'</u>
Make of brick _____	Mixture _____	Top Course { Thickness } Center..... Filler..... Size } Edge..... Binder.....	Crown <u>4"</u>
Width _____	Material { Gravel..... Slag..... Stone.....		Cu. yds. Mat. <u>1466 p.m.</u>
Crown _____	Width _____	Binder, Method _____	
Cushion _____	Crown _____	Width _____	
Kind of curb _____	Kind of expansion joints } _____	Crown _____	
Size of curb <u>X</u>		Cu. yds. concrete _____	Cu. yds. Mat. _____
<input type="checkbox"/> yds brick _____			
Cu. yds of base _____			

## GENERAL

Total length 0.28 miles.Distance berm to berm 24Width of R. W. 40'

Distance C. to C. Ditch \_\_\_\_\_

No. of steel bridges \_\_\_\_\_

No. Con. bridges \_\_\_\_\_

No. of stone culverts \_\_\_\_\_

No. concrete culverts \_\_\_\_\_

No. of wood bridges \_\_\_\_\_

No. of C. I. P. \_\_\_\_\_

No. of cor. pipe \_\_\_\_\_

Total excavation \_\_\_\_\_

Depth of Ditches \_\_\_\_\_

Has location been changed NoLocation on R. W. Side

# INSPECTION OF IMPROVED ROADS.

Date of Inspection				
BRICK				
Condition of brick				
Condition of filler				
Condition of curb				
CONCRETE				
Condition of concrete				
Condition of surface				
SLAG-LIMESTONE				
Condition of foundation				
Condition of top				
Does top need to be scarified				
Are there ruts in road				
GRAVEL				
Condition of surface				
Is road rutted				
GENERAL	- 5		- 1	
Condition of ditches				
Condition of berms				