

MADISON COUNTY HIGHWAYS

1.88

NO. 115	SECTION (S)	NAME Byerly Rd			
Twp Road	FROM	Junction US #40	TO	Junction SR #29	
	LENGTH	<del>8712</del> 9924	(IN FEET) MILES	<del>165</del> 1.88	
	PAVEMENT TYPE	Gravel	WIDTH	<del>18</del> 16	
	WIDTH OF R OF W	40'	WIDTH OF BERMS	2	
	099.25%	FEET 2118 2218	25% 15%	FEET 6594 7709	66%
TWP. Deer Creek	MILES .42	TWP. Jefferson	MILES 1.46	TWP. Village	MILES
REMARKS TOWNSHIP ROAD					

HISTORY

PETITIONED	ROAD RECORD BOOK	COMM. VOL.	JOURNAL PAGE	REMARKS
	RR #1		78	Laid out 1844

IMPROVEMENTS

YEAR	TYPE OF	APPLIED BY	REMARKS
1959	Black Top	County	Road underdred by msa ditches cut and roadbed built up. Primed & sealed

## IMPROVEMENTS Cont.

115

1.88

YEAR	TYPE OF	APPLIED BY	REMARKS
1960	ML 5 #6 STONE	COUNTY	SURFACE SEALED ENTIRE LENGTH
1963	RT #9 #6 stone	"	Surface treated
1966	tar #6 stone	County	Surface treated
1969	Tar #6 stone	County	Surface treated
1972	RS-2 #8 Limestone	County	Surface treated
1975	7,348 GAL-RS-2	VAN CANNON & COUNTY	SURFACE TREATED - 17,145 TONS #8 LIMESTONE
1978	6,900 GAL-RS-2	HENSLEY	SURFACE TREATED - (S.R. 29 TO TWP. LINE) 15,600 TONS #8 LIMESTONE
1979	1,000 gal. RS-2	Hensley	surface treated (S.R. 40 to Deepcreek Twp line)
1981	197,900 TONS #8 5,852 GAL-RS-2	W.K.W. & COUNTY	SURFACE TREATED - (S.R. 29 TO TWP. LINE)
1982	64.7 tons #8 1,000 gal RS-2	Quincy County	Surface treated (U.S. 40 to Twp line)
1986	29,000 TON #8 1,150 GAL-RS-2	195 COUNTY A.M. & W.K.W.	SURFACE TREATED - (DEERCREEK TWP) All
1986	16,400 TON #8 6,306 GAL-RS-2	7456 COUNTY A.M. & W.K.W.	SURFACE TREATED - (JEFFERSON TWP)
1989	60 tons #8	County	Surface treated - US 40 to twp line
1989	237 tons #8 6261.94 gal RS-2	County	Surface treated S-R 29 to Twp line
1996	CRSDP #8 Limestone	County	chip seal (Jefferson) 6,700 Gal 152 Ton
11	11	11	(Deer Creek) 1,700 Gal 63 Ton

DEERCREEK 1981' X 8  
20%

JEFFERSON 2174' SINGLE X 8  
80% 2473' DOUBLE X 16

---

Deer Crk 15,048 SQ. FT.

Jeff

17,392

+ 39,568

---

56,960

72,008

②