

**Charleston-Chillicothe Road
MADISON CO. ROAD RECORD**

THE COLUMBUS BLANK BOOK MFG. CO., COL., O. 5908

IMPROVED

Township STOKES

No. 15-7

Sec. _____

Shipping Point _____

Class of Traffic MEDIUM

Distance _____

Built by _____

Date _____

Price \$ _____

Surveyed by _____

BRICK	CONCRETE	SLAG-LIMESTONE	GRAVEL
Kind of foundation _____	Thickness _____	Bottom { Filler..... Thickness } Center..... Binder..... Size..... Edge.....	Thickness _____
Thickness of foundation _____	Kind of Cement _____		Width _____
Make of brick _____	Mixture _____	Top Course { Thickness } Center..... Filler..... Size..... Binder..... Edge.....	Crown _____
Width _____	Material { Gravel..... Slag..... Stone.....		Cu. yds. Mat. _____
Crown _____	Width _____	Binder, Method _____	
Cushion _____	Crown _____	Width _____	
Filler _____	Kind of expansion joints } _____	Crown _____	
Kind of curb _____		Cu. yds. concrete _____	Cu. yds. Mat. _____
Size of curb _____ X			
<input type="checkbox"/> yds brick _____			
Cu. yds of base _____			

GENERAL

Total length 4.37 miles.

Distance berm to berm _____

Width of R. W. _____

Distance C. to C. Ditch _____

No. of steel bridges _____

No. Con. bridges _____

No. of stone culverts _____

No. concrete culverts _____

No. of wood bridges _____

No. of C. I. P. _____

No. of cor. pipe _____

Total excavation _____

Depth of Ditches _____

Has location been changed _____

Location on R. W. _____

INSPECTION OF IMPROVED ROADS.

Date of inspection					
BRICK					
Condition of brick					
Condition of filler					
Condition of curb					
CONCRETE					
Condition of concrete					
Condition of surface					
SLAG—LIMESTONE					
Condition of foundation					
Condition of top					
Does top need to be scarified					
Are there ruts in road					
GRAVEL					
Condition of surface					
Is road rutted					
GENERAL					
Condition of ditches					
Condition of berms					

Ref-Laid out 1833. See "Thomas Rd" Rd. Rec. No. 1. page 40

alt See B - Thom. Mallon

Charleston-Chillicothe Road
MADISON CO. ROAD RECORD

THE COLUMBUS BLANK BOOK MFG. CO., COL., O. 5908

IMPROVED

Township RANGE STOKES No. 15-C

Sec. _____

Shipping Point _____

Class of Traffic MEDIUM

Distance _____

Built by _____

Date 1908

Price \$ 3990⁰⁰

Surveyed by H. L. McCafferty

BRICK	CONCRETE	SLAG-LIMESTONE	GRAVEL
Kind of foundation _____	Thickness _____	Bottom { Filler _____ Thickness Center _____ Binder _____ Size Edge _____	Thickness <u>12"</u>
Thickness of foundation _____	Kind of Cement _____		Width <u>10'</u>
Make of brick _____	Mixture _____	Top Course { Thickness Center _____ Filler _____ Size Edge _____ Binder _____	Crown <u>6"</u>
Width _____	Material { Gravel _____ Slax _____ Stone _____		Cu. yds. Mat. _____
Crown _____	Width _____	Binder, Method _____	
Cushion _____	Crown _____	Width _____	
Filler _____	Kind of expansion joints } _____	Crown _____	
Kind of curb _____		Cu. yds. concrete _____	Cu. yds. Mat. _____
Size of curb <u>X</u>			
<input type="checkbox"/> yds brick			
Cu. yds of base _____			

GENERAL

Total length 2.83 miles.

Distance berm to berm 24

Width of R. W. 40'

Distance C. to C. Ditch _____

No. of steel bridges _____

No. Con. bridges _____

No. of stone culverts _____

No. concrete culverts _____

No. of wood bridges _____

No. of C. I. P. _____

No. of cor. pipe _____

Total excavation _____

Depth of Ditches _____

Has location been changed No

Location on R. W. Center

INSPECTION OF IMPROVED ROADS.

Date of Inspection _____

BRICK

Condition of brick _____

Condition of filler _____

Condition of curb _____

CONCRETE

Condition of concrete _____

Condition of surface _____

SLAG—LIMESTONE

Condition of foundation _____

Condition of top _____

Does top need to be scarified _____

Are there ruts in road _____

GRAVEL

Condition of surface _____

Is road rutted _____

GENERAL

Condition of ditches _____

Condition of berms _____

Ref. - Laid out 1833. See "Thomas Road" Rd. Rec. No. 1, page 40

Improved 1903 See "Selsor-Moon Rd." Rd. Imp. Rec. No. 3 page 385

1908 "Dorn Road Imp." " " " 4 " 240