

Conversz Chapel Road
MADISON CO. ROAD RECORD

IMPROVED

Township DARBY

No. 41-C

Sec. _____

Shipping Point _____

Class of Traffic _____

Distance _____

Built by _____

Date 1888

Price \$ 1726²⁰

Surveyed by J. Converse

BRICK	CONCRETE	SLAG-LIMESTONE	GRAVEL
Kind of foundation _____	Thickness _____	Bottom { Filler _____ Thickness } Center _____ Binder _____ Size _____	Thickness <u>10"</u>
Thickness of foundation _____	Kind of Cement _____		Width <u>11'</u>
Make of brick _____	Mixture _____	Top Course { Thickness } Center _____ Filler _____ Size _____ Binder _____	Crown <u>6"</u>
Width _____	Material { Gravel _____ Slag _____ Stone _____		Cu. yds. Mat. <u>1695 p. mi.</u>
Crown _____	Width _____	Binder, Method _____	
Cushion _____	Crown _____	Width _____	
Filler _____	Kind of expansion joints } _____	Crown _____	
Kind of curb _____		Cu. yds. concrete _____	Cu. yds. Mat. _____
Size of curb <u>X</u>			
<input type="checkbox"/> yds brick			
Cu. yds of base _____			

GENERAL

Total length 114 miles.
Distance C. to C. Ditch _____
No. of stone culverts 2
No. of C. I. P. _____
Depth of Ditches 2 1/2 min
No. Vit. Pipe 2

Distance berm to berm 26'
No. of steel bridges _____
No. concrete culverts 1
No. of cor. pipe 1
Has location been changed No

Width of R. W. 50
No. Con. bridges _____
No. of wood bridges _____
Total excavation _____
Location on R. W. Side

INSPECTION OF IMPROVED ROADS.

Date of Inspection					
BRICK					
Condition of brick					
Condition of filler					
Condition of curb					
CONCRETE					
Condition of concrete					
Condition of surface					
SLAG—LIMESTONE					
Condition of foundation					
Condition of top					
Does top need to be scarified					
Are there ruts in road					
GRAVEL					
Condition of surface					
Is road rutted					
GENERAL					
Condition of ditches					
Condition of berms					

Ref. See "Newton's Alt." Rd. Rec. No. 1, page 54 Alt. 1836.
 Improved 1880 See "Converse Chapel" Com. J. Vol. F. p. 200, 16