

Pleasant; one lane from Oak Run; 90° Curve to S-Curve / Fairfield; CR4 TO
 #53 To 1st Curve, 1/2 ^{Fairfield} Oak Run / ~~Home #53 To 1st Curve 1/2 Pleasant~~ ^{(N) Curve of S-Curve} 1 lane #53 to 1st Curve 1/2 Pleasant

MADISON COUNTY HIGHWAYS

NO. 63	SECTION (S) A	NAME Home - Lever
FROM Kiousville - Palestine Rd. TO Bigflam - Circleville Rd.		
LENGTH 16,368 (IN FEET) MILES 3.1		
PAVEMENT TYPE 404 Asphalt WIDTH 20'		
WIDTH OF R OF W 50' WIDTH OF BERMS 3'		
TWP. Pleasant ^{04%} FEET 792 MILES 1.15 TWP. Oak Run ^{63%} FEET 10,190.4 MILES 1.93 TWP. Fairfield ^{33%} FEET 5385.6 MILES 1.02		
REMARKS Township Road		

HISTORY

PETITIONED	ROAD RECORD BOOK	COMM. VOL.	JOURNAL PAGE	REMARKS

IMPROVEMENTS

YEAR	TYPE OF	APPLIED BY	REMARKS
1993	404 asphalt	Heffner Paving	Widen 2' on each side (Fairfield Twp)
1993	404 asphalt	Heffner Paving	Pave 2" in 2 courses

(SEE OTHER SIDE)

4.86

MADISON COUNTY HIGHWAYS

NO. 63	SECTION(S) A	NAME Home Lever
FROM Junction C-54 (Kiousi-Palast) TO Junction C-4 (Big Plain Rd)		
LENGTH 15210 10230 (IN FEET) MILES 3.07		
PAVEMENT TYPE Bit Surf. treated WIDTH 16 + 20'		
WIDTH OF R OF W 50' WIDTH OF BERMS 3.		
TWP. Pleasant FEET 740 739 MILES .14 TWP. Oak Run FEET 5775 10190 MILES 2.93 TWP. Fairfield FEET 10296 MILES 1.95		
REMARKS TOWNSHIP ROAD 1.93		

Twp Rd

HISTORY

PETITIONED	ROAD RECORD BOOK	COMM. VOL.	JOURNAL PAGE	REMARKS
	RR # 2		15-41	Lever Rd 1903 s
				Home Rd Final Record 1 page 179. Prob. et.

IMPROVEMENTS

YEAR	TYPE OF	APPLIED BY	REMARKS
1954	Black topped	County	Roadbed built up to 8" Primed & Sealed Tove 46 stone
1957	Pop 2" 46 stone	"	Roadbed built up in spots. Entire Rd Surf. treated.

63

IMPROVEMENTS Cont.

4.86

YEAR	TYPE OF	APPLIED BY	REMARKS
1959	Cutpack	County	Road repaired by approx 200 tons of cutpack
"	MC #6 stone	"	Surface treated Box culvert #3-8 rebuilt under and guard rails installed.
"		"	
1962	MC5 #46 st	"	Surface treated C. 54 to C. 4
1965	TAR & #6 STONE	COUNTY	Surface treated from xiouville to the S curve
1969	Tar & #6 Stone	County	Surface treated
1973	RS25 #8 stone	County	Surface treated (FR C.R. 4 TO "S" CURVE)
1973	402 AND 404	VAN CAMP	Hot mix 2610 tons 402 AND 404 (FR "S" CURVE TO KROSSLER)
1974	40641 H.A. RS25	County	Surface treated (C.R. 4 TO S CURVE) 143.85 tons #8 stone
1978		HENSLEY	SURFACE TREATED TO CURVE FROM C.R. 4
1981		WIKIWI COUNTY	SURFACE TREATED TO CURVE FROM C.R. 4 \$700. 170 ton.
1985	RS25 #8 STONE	ROCKY NORTHWOOD COUNTY	45 GAL. RS2 - 15 TON #8 - LIMESTONE - FAIRFIELD PLEASANT TWP. END
1986	24400 TON #8 7,787 GAL. RS2	KOCH & WELW	SURFACE TREATED - (OAK RUN TWP)
1989	7910 gal RS2 354 tons #8	County	Surface treated S curve to sup. line
1989	570 gal RS2 20 tons #8	County	Surface treated Pleasant Twp. end.

4,866

MADISON COUNTY HIGHWAYS

NO. 63	SECTION(S) B	NAME Home Lever
FROM Junction C-4 (Big Plain Rd) TO Junction C-64 (McGuire Rd)		
LENGTH 9346 (IN FEET) 1.77 MILES 2.79		
PAVEMENT TYPE Gravel WIDTH 16		
WIDTH OF R OF W 50 WIDTH OF BERMS 3		
TWP Fairfield FEET 9346 MILES 1.77 TWP. FEET MILES		
REMARKS TOWNSHIP		

Twp Rd

HISTORY

PETITIONED	ROAD RECORD BOOK	COMM. VOL.	JOURNAL PAGE	REMARKS
				See sect. A.

IMPROVEMENTS

YEAR	TYPE OF	APPLIED BY	REMARKS
1958		County	Berms & ditches cut from C-4 (Big Plain Rd) to /c C-64 (McGuire Rd)



IMPROVEMENTS Cont. 63 486

YEAR	TYPE OF	APPLIED BY	REMARKS
1962	Blocktop	County	440064 Road built up to 8" thickness birms and ditches recast. Road primed & sealed with #46 stone
1963	RS9 #6 stone	County	Surface treated
1966	Tar #6 stone	County	Surface treated
1969	Tar #6 stone	County	Surface treated
1972	RS-2 #8 Limestone	County	Surface treated
1975	6,452 GAL. RS-2	VAN CAIN #7 COUNTY	SURFACE TREATED - 205.47 TONS #8 GRAVEL from C.R. 64 to 4 + 450 to M.C.R. 10
1978	9,400 GAL. RS2 235.00 TON #8	HENSLEY	SURFACE TREATED - 157.70 TON #8 GRITVEL-10
1981	8,860 GAL. RS2	WILKINSON COUNTY	SURFACE TREATED - 440064 + 4 to corner
1985	RS2 #8 STONE 78500 TONS #8	KOCK # NORTHWOOD COUNTY #	8,275 GAL. RS2 - 155.16 TON #8 - LIMESTONE (ALL FAIRFIELD TWP.) (FAIRFIELD)
1987	9,500 GAL. RS2	CENTRAL OIL	SURFACE TREATED - (C.R. 64 TO TWP. LINE)
1989	307 gal. RS2 20.7 TONS #8 / 58 tons #9	County	Surface treated Fairfield Twp. end.
1990	6542.94 gals. liquid asphalt 232 tons #8	County	Surface treated
1996	CRSAP #0 Stone	County	Chip Seal 4893 Gal 185 Ton