

MADISON COUNTY HIGHWAYS

NO. <u>72</u>	SECTION(S) <u>A</u>	NAME <u>Lilly Chapel - O'Possum Run</u>
FROM <u>West Jefferson - Knoxville</u> TO <u>Knoxville - Georgetown</u>		
LENGTH <u>11352</u> (IN FEET) MILES <u>2.15</u>		
PAVEMENT TYPE <u>404 asphalt</u> WIDTH <u>19'</u>		
WIDTH OF R OF W _____ WIDTH OF BERMS <u>3</u>		
FEET <u>11352</u> FEET _____ FEET _____		
TWP. <u>Fairfield</u> MILES <u>2.15</u> TWP. _____ MILES _____ TWP. _____ MILES _____		
REMARKS <u>County Road</u>		

HISTORY

PETITIONED	ROAD RECORD BOOK	COMM. VOL.	JOURNAL PAGE	REMARKS

IMPROVEMENTS

YEAR	TYPE OF	APPLIED BY	REMARKS
<u>1992</u>	<u>404 asphalt</u>	<u>Madison Co. Road crew</u>	<u>Widen 1'6" on each side</u>
<u>1992</u>	<u>404 asphalt</u>	<u>County Road crew</u>	<u>Spot patch & Level 6' on each side</u>

(SEE OTHER SIDE)

MADISON COUNTY HIGHWAYS

333

NO. <u>72</u>	SECTION(S) <u>A</u>	NAME <u>Lilly Chapel - O'Possum Run</u>
FROM <u>Junction C-22 (w. Jeff-Kious)</u> TO <u>Junction C-53 (Kiousville-Georgsv.)</u>		
LENGTH <u>12275</u> <u>11352</u> (IN FEET) MILES <u>2.342.15</u>		
PAVEMENT TYPE <u>Bit Surf. treated</u> WIDTH <u>16</u>		
WIDTH OF R OF W <u>40</u> WIDTH OF BERMS <u>3</u>		
TWP <u>Fairfield</u> FEET <u>12275</u> FEET _____ FEET _____		
MILES <u>2.3415</u> MILES _____ MILES _____		
REMARKS <u>Laid out 1836 See Bells Rd RR#1 pg 50</u>		

COUNTY ROAD

HISTORY

PETITIONED	ROAD RECORD BOOK	COMM. VOL.	JOURNAL PAGE	REMARKS
	<u>RR#1</u>		<u>69</u>	<u>Alt 1839 See Holand Rd</u>
	<u>"</u>		<u>204</u>	<u>1876 Joe Davidson Rd</u>

IMPROVEMENTS

YEAR	TYPE OF	APPLIED BY	REMARKS
	<u>RR Imp. R#1</u>	<u>pg 359</u>	<u>Impr 1882 See O'Possum Run Rd</u>
	<u>" R#2</u>	<u>" 352</u>	<u>" 1894 " Fitzgerald R</u>

IMPROVEMENTS Cont.

70 3.32

YEAR	TYPE OF	APPLIED BY	REMARKS
1955	Blacktopped	County	Roadbed built up to 8" - Primed & Sealed with #4 1/2 stone
1958	Asph #6 stone	"	Surface treated
1960	TAR #6 STONE	"	SURFACE SEALED SECTION "A" (2.34 MI.)
1963	" "	"	Surface treated
1966	Tar #6 stone	County	Surface treated, 03 of a mile off off Big plain pipe
1967	TAR #6 STONE	County	Surface treated
1968	Tar #6 stone	County	Surface treated
1971	RS2 #8 stone	County	Surface treated
1974	7,975 Gal. RS2S	County	Surface treated - 762.10 ton gravel.
1977	6,330 Gal. RS2	County - V.C.	Surface treated - 778.10 ton #8 Gravel
1980	3,120 Gal. RS2 7,187 Gal. RS2	County W.K.D.	Surface treated
1983	350 tons #8 6,700 Gal. RS2	County	Surface Treated (C.R. #22 to C.R. #53)
1986	3,580 Gal. RS2 7,967 Gal. RS2	COUNTY KOCH & WILKINSON	SURFACE TREATED

Changed To 1144

MADISON COUNTY HIGHWAYS

Total all three sections 3.33

NO. 72	SECTION(S) B.	NAME Lilly Chapel - O'Possum Run
Imp. Road.	FROM Junction CR 4 CR 4	TO Junction Franklin Co. Line
	LENGTH 6230 1230	(IN FEET) MILES .23 1.15
	PAVEMENT TYPE Gravel Paved	WIDTH 16
	WIDTH OF R OF W 40'	WIDTH OF BERMS 3
	TWP. Fairfield	MILES 1.15 .23
REMARKS TOWNSHIP ROAD		

HISTORY

PETITIONED	ROAD RECORD BOOK	COMM. VOL.	JOURNAL PAGE	REMARKS
				See Section A.

IMPROVEMENTS

YEAR	TYPE OF	APPLIED BY	REMARKS
1969	T-35	SOUTHWEST PALENG	CR4 TO FRANKLIN CO. LINE



MADISON COUNTY HIGHWAYS

NO. 72C	SECTION (S)	NAME Lilly Chapel - Opossum Run
FROM CR-59 , <i>Kimsville - Doergewille</i>		TO T-147 <i>Davidson</i>
LENGTH 4840		(IN FEET) MILES 0.92 .92
PAVEMENT TYPE Gravel Chip & Seal <i>1999</i>		WIDTH 12 14 <i>2000</i>
WIDTH OF R OF W 40'		WIDTH OF BERMS 2'
TWP. Fairfield	FEET _____	FEET _____
MILES .92	TWP. _____	MILES _____
REMARKS Township Rd.		

HISTORY

PETITIONED	ROAD RECORD BOOK	COMM. VOL.	JOURNAL PAGE	REMARKS

IMPROVEMENTS

YEAR	TYPE OF	APPLIED BY	REMARKS
1999	Grade & level	County	Prepare for Chip & Seal
1999	Add stone	County	98 Ton # 8 from National

(SEE OTHER SIDE)

