

IMPROVED

MADISON CO. ROAD RECORD

Township PLEASANT No. 60 - C

Sec. A
Jc. 59 To Jc. No. 55.

Shipping Point _____

Class of Traffic _____

Distance _____

Built by _____ Date 1878 Price \$ 1564.29 p.mi.

Surveyed by J. Arnett

BRICK	CONCRETE	SLAG—LIMESTONE	GRAVEL
Kind of foundation _____	Thickness _____	Bottom { Filler _____	Thickness <u>12"</u>
Thickness of foundation _____	Kind of Cement _____	{ Thickness } Center _____	Width <u>13'</u>
Make of brick _____	Mixture _____	{ Binder _____	Crown <u>6"</u>
Width _____	Material { Gravel _____	{ Size _____	Cu. yds. Mat. <u>2542 p.mi.</u>
Crown _____	{ Slax _____	Top Course { Thickness } Center _____	
Cushion _____	{ Stone _____	{ Filler _____	
Filler _____	Width _____	{ Size _____	
Kind of curb _____	Crown _____	{ Binder _____	
Size of curb <u>X</u>	Kind of expansion joints _____	Binder, Method _____	
<input type="checkbox"/> yds brick _____	Cu. yds. concrete _____	Width _____	
Cu. yds of base _____		Crown _____	
		Cu. yds. Mat. _____	

GENERAL

Total length <u>1.14</u> miles.	Distance berm to berm <u>24'</u>	Width of R. W. <u>50'</u>
Distance C. to C. Ditch _____	No. of steel bridges _____	No. Con. bridges _____
No. of stone culverts _____	No. concrete culverts _____	No. of wood bridges _____
No. of C. I. P. _____	No. of cor. pipe _____	Total excavation _____
Depth of Ditches <u>2 1/2</u> min.	Has location been changed <u>No</u>	Location on R. W. <u>Center</u>

INSPECTION OF IMPROVED ROADS.

Date of inspection					
BRICK					
Condition of brick					
Condition of filler					
Condition of curb					
CONCRETE					
Condition of concrete					
Condition of surface					
SLAG—LIMESTONE					
Condition of foundation					
Condition of top					
Does top need to be scarified					
Are there ruts in road					
GRAVEL					
Condition of surface					
Is road rutted					
GENERAL					
Condition of ditches					
Condition of berms					

Ref. Laid out.

Improved 1878. See Cal. & L.C. Rd. Imp. Com. J. Vol. E. p 583. Vol. F. p 1

IMPROVED

MADISON CO. ROAD RECORD

Township PLEASANT FAIRFIELD No. 60 - T

Sec. _____

Shipping Point _____

Class of Traffic _____

Distance _____

Built by _____

Date _____

Price \$ _____

Surveyed by _____

BRICK	CONCRETE	SLAG—LIMESTONE	GRAVEL
Kind of foundation _____	Thickness _____	Bottom { Filler..... Thickness } Center..... Binder Size } Edge.....	Thickness _____
Thickness of foundation _____	Kind of Cement _____		Width _____
Make of brick _____	Mixture _____	Top Course { Thickness } Center..... Filler..... Size Binder } Edge.....	Crown _____
Width _____	Material { Gravel..... Slag..... Stone.....		Cu. yds. Mat. _____
Crown _____	Width _____	Binder, Method _____	<i>From N. Junction with C.H. #55 to County line</i>
Cushion _____	Crown _____	Width _____	
Filler _____	Kind of } expansion joints }	Crown _____	
Kind of curb _____		Cu. yds. concrete _____	
Size of curb _____ X _____			
<input type="checkbox"/> yds brick _____			
Cu. yds of base _____			

GENERAL

Total length 2.06 miles.

Distance berm to berm _____

Width of R. W. _____

Distance C. to C. Ditch _____

No. of steel bridges _____

No. Con. bridges _____

No. of stone culverts _____

No. concrete culverts _____

No. of wood bridges _____

No. of C. I. P. _____

No. of cor. pipe _____

Total excavation _____

Depth of Ditches _____

Has location been changed _____

Location on R. W. _____

INSPECTION OF IMPROVED ROADS.

Date of Inspection					
BRICK					
Condition of brick					
Condition of filler					
Condition of curb					
CONCRETE					
Condition of concrete					
Condition of surface					
SLAG—LIMESTONE					
Condition of foundation					
Condition of top					
Does top need to be scarified					
Are there ruts in road					
GRAVEL					
Condition of surface					
Is road rutted					
GENERAL					
Condition of ditches					
Condition of berms					