

A+B = 3.09

MADISON COUNTY HIGHWAYS

| | | |
|--|------------------------|-----------------------------|
| NO 60 | SECTION(S) A | NAME Nioga-Tooops |
| FROM Junction C-54 (Kiousj-Pakesh) TO Junction C-55 (McKendree) | | |
| LENGTH 6778 ⁹²⁴⁰ (IN FEET) MILES 1.17 ^{1.75} | | |
| PAVEMENT TYPE Bit. Surf. treated WIDTH 16 (20' Near I-71) | | |
| WIDTH OF R OF W 45 WIDTH OF BERMS 4 | | |
| TWP Pleasant FEET 6778 MILES 1.17 TWP. FEET MILES | | |
| REMARKS COUNTY ROAD Includes WOA, Dead End | | |

HISTORY

| PETITIONED | ROAD RECORD BOOK | COMM. VOL. | JOURNAL PAGE | REMARKS |
|------------|------------------|---------------|--------------|--|
| | Com. J. | Vol. E | 583 | Impr 1878 See Cal & L. C. Rd Imp. |

IMPROVEMENTS

| YEAR | TYPE OF | APPLIED BY | REMARKS |
|-------------|---------------------------|---------------|-------------------------|
| 1952 | Tar & 4" Stone | County | Surface treated. |
| 1956 | Tar & 4" Stone | " | " |

C-60A

IMPROVEMENTS Cont.

60 309

| YEAR | TYPE OF | APPLIED BY | REMARKS |
|-------------|-----------------------------------|--------------------------------|---|
| 1959 | RT9#6stone | County | Surface treated |
| MAY 1960 | T-35 | " | BROKEN PARTS OF ROAD REPAIRED AND SPOT TREATED All |
| 1962 | Tar #6stone | " | Surface treated |
| 1963 | | " | Ditched, bermed and graveled |
| 1964 | M.C. #6STONE | " | SURFACE TREATED |
| 1967 | TR9#6STONE | COUNTY | SURFACE TREATED |
| 1970 | TAR #6STONE | COUNTY | SURFACE TREATED |
| 1973 | RS-25#stone | County | Surface treated |
| 1976 | RS2 | COUNTY | 7,330 Gal. RS2 - 215,00 ton #8 gravel - 4.0 |
| | | | Surface treated (C-60B) (Preston Co.) |
| 1982 | 308 tons #8 6,158 gal. RS2 | Buckeye County NORTHWOOD | Surface treated |
| 1985 | RS2 & #8STONE | KOCK & | 5,400 GAL. RS2 - 192,80 TON #8 - LIMESTONE |
| 1998 | Chip & Seal ^{Whole} Road | County | 15,837 Gal CRS2P - 483 Ton #8 (also see C-60B) |
| 2003 | Chip & Seal ^{Whole} Road | County | 10,951 Gal CRS2P 345 Ton #8 (Also see Card C-60B) |
| | | | |
| | | | |

MADISON COUNTY HIGHWAYS

A+B = 3.09

| | | |
|---|------------------------------|-------------------------------|
| NO. <u>60</u> | SECTION(S) <u>B.</u> | NAME <u>Nioga-Tooops</u> |
| FROM <u>Jc. CR 55 (McKendree)</u> | | TO <u>Pickaway Co line</u> |
| LENGTH <u>10870</u> <u>9000</u> (IN FEET) | | MILES <u>2.04</u> <u>1.83</u> |
| PAVEMENT TYPE _____ | | WIDTH <u>16</u> |
| WIDTH OF R OF W <u>40</u> | | WIDTH OF BERMS <u>3</u> |
| FEET <u>1594</u> <u>16112</u> <u>1320</u> | | FEET <u>4593</u> <u>18342</u> |
| TWP. <u>Pleasant</u> | MILES <u>7.11</u> <u>.25</u> | TWP. <u>Fairfield</u> |
| MILES <u>87</u> | | TWP. _____ |
| REMARKS <u>COUNTY & TOWNSHIP</u> | | |

HISTORY

| PETITIONED | ROAD RECORD BOOK | COMM. VOL. | JOURNAL PAGE | REMARKS |
|------------|------------------|------------|--------------|-------------------|
| | | | | <u>See Sect A</u> |

IMPROVEMENTS

| YEAR | TYPE OF | APPLIED BY | REMARKS |
|----------------|---------|---------------|--|
| <u>1960</u> | | <u>County</u> | <u>Broken parts of road repaired. Road bed built</u> |
| <u>1962-63</u> | | <u>"</u> | <u>up with crusher run & 46 stone and graded</u> |

IMPROVEMENTS Cont.

60 3.09

| YEAR | TYPE OF | APPLIED BY | REMARKS |
|------|---------------------------------|--------------------------|---|
| 1963 | road & fill | County | Fences and utility poles moved to 40' R/W line |
| " | | " | Low part of road (approx. 500ft) raised approx 24". Berms and ditches cut. Road ^{bed} built up to approx. 8" thickness by "3 & 46 stone. |
| 1964 | M.C. #46 STONE | " | SURFACE TREATED All |
| 1965 | TAR & #6 STONE | COUNTY | SURFACE TREATED |
| 1968 | Tar & #6 stone | County | Surface treated |
| 1971 | R.S. #9 #5 stone | County | Surface treated |
| 1974 | 7,054 Hol. RS25 | County | Surface treated - 223.60 tons #8 Gravel |
| 1977 | 3,662 Hol. RS2 | County-V.C. | Surface treated - 258.60 tons #8 Gravel |
| 1980 | 234 TON - #8 6,591 GAL. RS2 | COUNTY W.K.W. | SURFACE TREATED |
| 1983 | 322 tons #8 6,606 Gal. RS2 | County | Surface Treated (C.R. 55 to Pickaway Co. line) |
| 1986 | 784.45 TON #8 6,826 GAL. RS2 | COUNTY KOECH - W.K.W. | SURFACE TREATED |
| 1998 | Chip & Seal | County | Whole Road (See Card C-60A) |
| 2003 | Chip & Seal | County | Whole Road (See Card C-60A) |