

MADISON COUNTY HIGHWAYS

NO. <i>12</i>	SECTION(S) <i>A</i>	NAME <i>Old Venia Road</i>
FROM <i>SR #56</i>		TO <i>SR #38</i>
LENGTH <i>17371 14309</i>		(IN FEET) MILES <i>3.29 2.71</i>
PAVEMENT TYPE <i>Bit. Surf. Treated</i>		WIDTH <i>18' ave</i>
WIDTH OF R OF W <i>50'</i>		WIDTH OF BERMS <i>4' arc</i>
TWP. <i>Union</i>		MILES <i>3.29 2.71</i>
REMARKS <i>COUNTY ROAD</i>		

HISTORY

PETITIONED	ROAD RECORD BOOK	COMM. VOL.	JOURNAL PAGE	REMARKS
	<i>RR #1</i>	<i>pg 84</i>		<i>Laidout 1846 See Mc Dowell Rd</i>

IMPROVEMENTS

YEAR	TYPE OF	APPLIED BY	REMARKS
<i>1951</i>	<i>Asph & 6 stone</i>	<i>County</i>	<i>Surface treated from SR 56 to junct. E-83. Arush #2</i>
<i>1955</i>	<i>see next page</i>		

CR# 12A

IMPROVEMENTS Cont.

YEAR	TYPE OF	APPLIED BY	REMARKS
1952	T-35	Fenton Concrete Co	Entire road covered with 1 3/4" T-35 Concrete price \$40750.00
1962	I-18	County	Road buried from SR 38 to Clark Co line
1964	R.S LAGSTONE	COUNTY	SURFACE TREATED All of road
1967	R.S 2 1/2 STONE	COUNTY	SURFACE TREATED " " "
1968	T-35	VAN CAMP COUNTY	S.R. 56 to S.R. 38 - 3,120.65 Tons - Buried
1986	360.00 TON #8 12,026 GAL RS2	KOCH + WKW	SURFACE TREATED All of road
1991	13,960.68 Gal. CRS2P	County	Surface treated 379 tons #8
1995	40-1 asphalt	County Road Crew	1,155.51 Ton Trench & Widen To 20'
1995	404 asphalt	"	289 Ton Spot Patch, wedge & Level
1995	4-11 Limestone	"	296.9 Ton Berm
1995	CRS2P #0 Stone	"	17,187.62 Dal, 593 Ton Chip Seal - Resurface
2000	CRS2P #8 Stone	"	Chipseal 15,232 total gal. 533 tons.
2006	CRS2P #8 Stone	County Forces	Chip & seal
2014	CRS 2P / #8 Stone	County	Chip & seal

MADISON COUNTY HIGHWAYS

NO.	SECTION (S)	NAME	
12	B.	Old Xenia Rd	
FROM		TO	
S.R. # 38		Clark Co. Line	
LENGTH		(IN FEET) MILES	
35587 39494		6.74 7.48 6.90	
PAVEMENT TYPE		WIDTH	
Bit. Surf. Treated		16' 18" 19' (1992)	
WIDTH OF R OF W		WIDTH OF BERMS	
40'		16' 18" 3'	
FEET		FEET	
1109		34478	
TWP.		TWP.	
Union		Paint	
MILES		MILES	
21.17		6.53	
REMARKS		TWP.	
COUNTY ROAD		7.31	

HISTORY

PETITIONED	ROAD RECORD BOOK	COMM. VOL.	JOURNAL PAGE	REMARKS
	R. R. #1		pg 84	Laid out 1846 see McDowell Rd

IMPROVEMENTS

YEAR	TYPE OF	APPLIED BY	REMARKS
1953	Tar & 40 stone	County	Surface Treated.
1957	T-35	Trenton Contr Co	Road surface healed to jct of Neil Rd see card "A"

IMPROVEMENTS Cont.

YEAR	TYPE OF	APPLIED BY	REMARKS
1958	Mc3e #6 stone	County	Spotsealed from Heat Rd to Clark Co line
1958	T-35	Co. Blue Rock	Road covered with T-35-1 1/2 thick - 16' wide from to TR 92 to Clark Co line.
1962	J-18	County	Road birmed from SR #38 to Clark Co line
1964	R.S. #1 #1 CACSTONE	COUNTY	SURFACE TREATED
1967	R.S. 24 #1 CACSTONE	COUNTY	SURFACE TREATED
1973	R.S. 25 #8 Stone	COUNTY	SURFACE TREATED
1976	21,581 GAL. R.S. 2	COUNTY	SURFACE TREATED - 809.94 TONS #8 LIMESTONE - 3.5
1980	918.20 TONS #8 22,060 Gals. R.S. 2	County W.R.W.	Surface Treated
1986	751.00 TON #8 25,171 GAL. R.S. 2	COUNTY KOCH & KW	SURFACE TREATED 142
1992		County	Trench & Widen / Wedge / Spot pave Centers
		County	Tar & Chip
1999	Chip & Seal	County Rd Crew	27,466 Gal CRS2P From Terry Mat. 980 Tons #8 from National
2000	CRS 2P / #8 stone	County	chip & seal 15232 gal 562 ton