

SPARLING ROAD (40')
(COUNTY ROAD No. 152)

BEARINGS ARE BASED UPON THE GRID AZIMUTH (AZ. 251°17'00.2") BETWEEN NATIONAL GEODETIC SURVEY CORNS STATION "COLB" AND MCCARTY ASSOCIATES LOCAL CONTROL MONUMENT "2001" AND DERIVED FROM GPS OBSERVATIONS TAKEN JULY 2, 2019, UTILIZING THE TRIMBLE ODOT CORS VRS (VIRTUAL REFERENCE SYSTEM). (TRIMBLE FILE 19773 07-05-19)

VOLUME _____ PLAT NO. _____
HIGHLAND COUNTY ENGINEER'S RECORD OF LAND SURVEYS
 DATE JULY 17, 2019
 SCALE 1"=400'
 DEED REFERENCE OFFICIAL RECORD 351 PAGE 1358
 TOWNSHIP FAIRFIELD
 MILITARY SURVEY NUMBERS 7812 & 10430 AND 11096 & 12141

JAMES E. DURBAN
AND
JUDITH M. DURBAN
O.R. 191, PAGE 2481
3,2881 Ac.
S.R. 28-82

CENTERLINE OF A 200' WIDE RIGHT OF WAY AND EASEMENT TO OHIO POWER COMPANY D.B. 198, PAGE 484

JAMES M. PHILLIPPI II,
TRUSTEE OF THE
JAMES M. PHILLIPPI II, TRUST
O.R. 338, PAGE 2468
187.782 Ac.
S.R. 7-08
S.R. 79-08

90.192 Ac.
(0.774 Ac. IN R/W OF WILSON ROAD)

WILSON ROAD (50')
(COUNTY ROAD No. 103)

THE BOARD OF THE MADISON COUNTY METROPOLITAN PARK DISTRICT
O.R. 172, PAGE 1353

GLADE RUN ROAD (40')
(COUNTY ROAD No. 70)

36.300 Ac.
(1.339 Ac. IN R/W OF WILSON ROAD)

LAKEVIEW GRAINS LLC
O.R. 312, PAGE 1429
PARCEL 3
12.2102 Ac.
S.R. 103-90

THOMAS A. DREBS
(1/4 INTEREST)
SANDRA K. DREBS
(1/4 INTEREST)
BRIAN C. O'HARRA
(1/2 INTEREST)
O.R. 241, PAGE 111
PARCEL ONE
ORIG. 123.209 Ac.
S.R. FA-25A

BERNARD S. SNYDER
TRUSTEE OF THE
BARBARA H. SNYDER MARITAL TRUST #1
O.R. 186, PAGE 1262
PARCEL 1
TRACT 1
ORIG. 58.75 Ac.

CLEA PROPERTIES, LLC
O.R. 253, PAGE 1459
24.043 Ac.
S.R. 10-88

JASON E. SALYERS
AND
ANGELA L. SALYERS
O.R. 151, PAGE 1534
3/4 Ac.

LILLY CHAPEL-GEORGESVILLE ROAD (45')
(COUNTY ROAD No. 102)

BERNARD S. SNYDER
TRUSTEE OF THE
BARBARA H. SNYDER MARITAL TRUST #1
O.R. 186, PAGE 1262
PARCEL 1
TRACT 2
ORIG. 252.3 Ac.

NAME	NAD 83 (2011)		ELLIPSOID OHIO STATE PLANE		COORDINATES NAVD 88		ELEVATION
	LATITUDE	LONGITUDE	NORTHING	EASTING	NORTHING	EASTING	
COLUMBUS CORNS (COLB)	39°57'35.11255"N	83°02'44.74694"W	611.603	714254.2703	1815510.6865	1815510.6865	-
FRA CO WE 20	39°51'40.96776"N	83°14'50.65186"W	844.876	678.825.4566	1758691.0232	1758691.0232	954.722
MAD CO	39°53'51.21919"N	83°19'03.23571"W	873.276	692175.1839	1739115.1339	1739115.1339	981.18
MAD 12-39	39°53'51.21919"N	83°19'03.23571"W	873.276	692175.1839	1739115.1339	1739115.1339	981.18
LOCAL CONTROL MONUMENT "2001"	39°53'12.90336"N	83°19'05.48220"W	872.933	688299.896	1738904.927	1738904.927	980.823
LOCAL CONTROL MONUMENT "2001"	39°53'12.90336"N	83°19'05.48220"W	872.933	688299.896	1738904.927	1738904.927	980.823

GROUND SCALE FACTOR: 1.00006734619702
 GEOD MODEL: GEOD12A (CONUS)
 LOCAL GROUND COORDINATES NAVD 88
 NORTHING 688299.896 EASTING 1738904.927 ELEVATION 980.823
 UNITS ARE IN U.S. SURVEY FEET (SFT)

P.O.B. 27.565 Ac. N 688,432.339' E 1,739,087.857'
 P.O.B. 36.301 Ac. N 689,310.343' E 1,740,197.776'
 P.O.B. 90.192 Ac. N 690,463.880' E 1,741,071.424'
 MAD 12-39 TO P.O.B. 27.565 Ac. S 00°25'09" W - 3,742.94'
 MAD 12-39 TO P.O.B. 36.301 Ac. S 20°42'01" E - 3,062.55'
 MAD 12-39 TO P.O.B. 90.192 Ac. S 48°49'12" E - 2,599.08'

DEED REFERENCE:
JAMES R. STAHL
(1/2 INTEREST)
TOMMY J. STAHL,
TRUSTEE
(1/2 INTEREST)
 O.R. 351, PAGE 1358
 TRACT TWO
 ORIG. 130.06 Ac.
 ORIG. 27.50 Ac.
 P.N. 07-00728.000

LEGEND

- 5/8" IRON PIN (SET) WITH PLASTIC CAP STAMPED "MCCARTY ASSOCIATES"
- 5/8" IRON PIN (FOUND)
- ⊙ 3/4" IRON PIPE (FOUND)
- ⊗ RAILROAD SPIKE (FOUND)
- STONE (FOUND)
- 3" PIPE (FOUND) IN CONCRETE
- ⊠ METAL ELECTRIC TOWER
- ⊗ RAILROAD SPIKE (SET)
- MAG NAIL (SET)
- 1" IRON PIPE (FOUND)
- ⊗ SPIKE (FOUND) UNDER PAVEMENT
- LARGE NAIL (FOUND)
- ▲ MCCARTY ASSOCIATES SURVEY CONTROL MONUMENT "2001", 5/8" IRON PIN (SET) WITH PLASTIC CAP STAMPED "MCCARTY TRAVERSE"
- OVERHEAD ELECTRIC
- x— WOVEN WIRE FENCE GENERALLY ON OR NEAR LINE UNLESS OTHERWISE SHOWN.

REVISIONS
7/18/19



I HEREBY CERTIFY THIS TO BE A PLAT OF A SURVEY MADE UNDER MY DIRECTION IN JULY, 2019.

Jason C. McConnaughey
 JASON C. MCCONNAUGHEY, P.S. 8509

NOTES
 THE ABOVE LISTED DEED REFERENCES WERE USED AS A BASIS FOR CARRYING OUT THE WORK.
 NO EVIDENCE OF OCCUPATION EXISTS ALONG PROPERTY LINES INDICATED BY SOLID LINES.
 ALL MONUMENTS FOUND OR SET ARE IN GOOD CONDITION UNLESS OTHERWISE INDICATED.



SURVEY for
JAMES R. STAHL
 PROPERTY
 FAIRFIELD TOWNSHIP
 MADISON COUNTY, OHIO
 V.M.S. Nos. 7812 & 10430, AND 11096 & 12141

MCCARTY ASSOCIATES, LLC
 ARCHITECTS — ENGINEERS — SURVEYORS

213 N. HIGH ST., HILLSBORO, OHIO 45133 PH. 937-393-9971 FAX 937-393-2480
 1515 ST. RT. 28 SUITE E, LOVELAND, OHIO 45140 PH. 513-722-0300 FAX 513-722-0500
 304 E. MARKET ST., WASHINGTON C.H., OHIO 43160 PH. 740-335-3816 FAX 740-335-5828
 www.mccartyassociates.com

DATE	SCALE	PROJECT NO.
JULY 17, 2019	1"=400'	S19-773

L:\Current Projects\2019\19-773 James R. Stahl, et al\AutoCAD\Project\dwg\19773 Survey Plat.dwg, 7/18/2019 1:28:04 PM, DWG To PDF.pc3

McCARTY ASSOCIATES, LLC

ARCHITECTS—ENGINEERS—SURVEYORS

HILLSBORO ————— WASHINGTON C.H. ————— LOVELAND

213 N. HIGH ST., HILLSBORO, OHIO 45133 PH 937-393-9971 FAX 937-393-2480
Michael L. McCarty, P.E., P.S. Thomas E. Purtell, P.S. Loren M. Puckett, P.E. Jerrold B. Bradley, AIA

File No. S19-773

July 18, 2019

LEGAL DESCRIPTION

James R. Stahl
And
Tommy J. Stahl, Trustees
90.192 Acres Tract

Situated in the Township of Fairfield, County of Madison, State of Ohio, being a part of V.M.S. Nos. 7812 and 10430, and being a part (90.192 acres) of the original 130.06 acres "Tract Two" (Parcel No. 07-00728.000) as described in a deed to James R. Stahl, Trustee (1/2 interest) and Tommy J. Stahl, Trustee (1/2 interest) and recorded in Official Record 351, Page 1358 of the Madison County Recorder's Office, and being further bounded and described as follows:

Commencing at a large nail (found) at the intersection of Wilson Road (County Road No. 103) and Sparling Road (County Road No. 152), said nail marking the northeasterly corner of a 187.782 acres tract as described in a deed to James M. Phillippi II, Trustee of the James M. Phillippi II, Trust (O.R. 338, Page 2468) and found in Survey Record 79-08 of the Madison County Engineer's Record of Land Surveys;

thence with the easterly lines of the aforesaid 187.782 acres tract and the general centerline of Wilson Road for the next four calls:

- 1) S 16°38'21" W, a distance of 1012.90 feet to a point;
- 2) S 18°44'03" W, a distance of 503.67 feet to a point;
- 3) S 15°57'48" W, a distance of 859.95 feet to a point;
- 4) S 60°54'49" W, a distance of 44.88 feet to a railroad spike

(found) marking the true point of beginning of the tract of land herein described and having Ohio State Plane Coordinates Northing 690,463.880 feet, Easting 1,741,071.424 feet South Zone and based upon NAD 83 (2011);

thence with the centerline of Wilson Road S 37°08'20" W, a distance of 1344.74 feet to a railroad spike (found) in the northerly right-of-way of the former Cleveland, Cincinnati, Chicago, and St. Louis Railroad marking a northwesterly corner of a 12.2102 acres "Parcel 3" as described in a deed to Lakeview Grains, LLC (O.R. 312, Page 1429) and found in Survey Record 103-90 of the Madison County Engineer's Record of Land Surveys and a northeasterly corner of a tract as described in a deed to The Board of The Madison County Metropolitan Park District (O.R. 172, Page 1353);

thence with the northerly line of the former Cleveland, Cincinnati, Chicago, and St. Louis Railroad and the northerly line of The Board of The Madison County Metropolitan Park District's tract S 88°35'11" W passing a 5/8" iron pin (set) at 31.97 feet, a total distance of 2249.86 feet to a 5/8" iron pin (set) in the easterly line of the original 123.209 acres "Parcel One" as described in a deed to Thomas A. Drebs (1/4 interest), Sandra K. Drebs (1/4 interest), and Brian C. O'harra (1/2 interest) (O.R. 241, Page 111) and found in Survey Record FA-25A of the Madison County Engineer's Record of Land Surveys and in the easterly line of V.M.S. No. 12141;

thence with the easterly line of the aforesaid original 123.209 acres "Parcel One" and the easterly line of V.M.S. No. 12141 N 12°06'58" W, a distance of 534.76 feet to a 3" pipe (found) in concrete marking a southeasterly corner of the aforementioned 187.782 acres tract as described in a deed to James M. Phillippi II, Trustee of the James M. Phillippi II, Trust (O.R. 338, Page 2468) and found in Survey Record 79-08 of the Madison County Engineer's Record of Land Surveys;

thence with a southeasterly line the aforesaid 187.782 acres tract and continuing with an easterly line of V.M.S. No. 12141 N 12°52'37" W, a distance of 1166.11 feet to a 20" round stone (found) marking a corner of V.M.S. No. 12141 and V.M.S. No. 7812;

thence with a southerly line the aforesaid 187.782 acres tract with a southerly line of V.M.S. No. 12141 S 81°11'22" E passing a 5/8"

iron pin (set) at 3445.78 feet, a total distance of 3474.18 feet to true point of beginning, **containing 90.192 acres of land.**


Subject to a right-of-way and easement 200 feet in width for electric transmission line as recorded in Deed Book 196, Page 411 of the Madison County Recorder's Office.

Subject to all legal easements and rights-of-way of record.

Bearings are based upon the Grid Azimuth (Az. 251° 17' 00.2") between National Geodetic Survey CORS Station "COLB" and McCarty Associates Local Control Monument "2001" and derived from GPS observations taken July 2, 2019, utilizing the Trimble ODOT CORS VRS (Virtual Reference System).

Land surveyed in July 2019, under the direction of Jason C. McConnaughey, Registered Professional Surveyor No. 8509, the survey plat of which is referred to as Project No. S19-773 on file in the office of McCarty Associates, LLC, Washington C.H., Ohio.

All iron pins (set) are 5/8" diameter with 1-1/4" diameter plastic caps stamped "McCARTY ASSOCIATES".


Jason C. McConnaughey, P.S. 8509



McCARTY ASSOCIATES, LLC

ARCHITECTS—ENGINEERS—SURVEYORS

HILLSBORO ————— WASHINGTON C.H. ————— LOVELAND

213 N. HIGH ST., HILLSBORO, OHIO 45133 PH 937-393-9971 FAX 937-393-2480
Michael L. McCarty, P.E., P.S. Thomas E. Purtell, P.S. Loren M. Puckett, P.E. Jerrold B. Bradley, AIA

File No. S19-773

July 18, 2019

LEGAL DESCRIPTION

James R. Stahl
And
Tommy J. Stahl, Trustees
36.300 Acres Tract

Situated in the Township of Fairfield, County of Madison, State of Ohio, being a part of V.M.S. No. 7812, and being a part (36.300 acres) of the original 130.06 acres "Tract Two" (Parcel No. 07-00728.000) as described in a deed to James R. Stahl, Trustee (1/2 interest) and Tommy J. Stahl, Trustee (1/2 interest) and recorded in Official Record 351, Page 1358 of the Madison County Recorder's Office, and being further bounded and described as follows:

Commencing at a large nail (found) at the intersection of Wilson Road (County Road No. 103) and Sparling Road (County Road No. 152), said nail marking the northeasterly corner of a 187.782 acres tract as described in a deed to James M. Phillippi II, Trustee of the James M. Phillippi II, Trust (O.R. 338, Page 2468) and found in Survey Record 79-08 of the Madison County Engineer's Record of Land Surveys;

thence with the easterly lines of the aforesaid 187.782 acres tract and the general centerline of Wilson Road for the next four calls:

- 1) S 16°38'21" W, a distance of 1012.90 feet to a point;
- 2) S 18°44'03" W, a distance of 503.67 feet to a point;
- 3) S 15°57'48" W, a distance of 859.95 feet to a point;
- 4) S 60°54'49" W, a distance of 44.88 feet to a railroad spike

(found) marking the northeasterly corner of the original 130.06 acres "Tract Two" of which this is a part;

thence S 37°08'20" W passing a railroad spike (found) at 1344.74 feet in the northerly right-of-way of the former Cleveland, Cincinnati, Chicago, and St. Louis Railroad marking a northwesterly corner of a

12.2102 acres "Parcel 3" as described in a deed to Lakeview Grains, LLC (O.R. 312, Page 1429) and found in Survey Record 103-90 of the Madison County Engineer's Record of Land Surveys and a northeasterly corner of a tract as described in a deed to The Board of The Madison County Metropolitan Park District (O.R. 172, Page 1353), a total distance of 1447.03 feet to a railroad spike (found) in the southerly right-of-way of said Railroad and marking the southwesterly corner of Lakeview Grains, LLC's 12.2102 acres "Parcel 3" and the southeasterly corner of The Board of The Madison County Metropolitan Park District's tract, said railroad spike marking the true point of beginning of the tract of land herein described and having Ohio State Plane Coordinates Northing 689,310.343 feet, Easting 1,740,197.776 feet South Zone and based upon NAD 83 (2011);

thence with the centerline of Wilson Road S 37°06'03" W, a distance of 488.84 feet to a 5/8" iron pin (set) replacing a 1" iron pin (found,bent);

thence continuing with the centerline of Wilson Road S 59°05'00" W, a distance of 1862.45 feet to a railroad spike (found) marking a southeasterly corner of 123.209 acres "Parcel One" as described in a deed to Thomas A. Drebs (1/4 interest), Sandra K. Drebs (1/4 interest), and Brian C. O'harra (1/2 interest) (O.R. 241, Page 111) and found in Survey Record FA-25A of the Madison County Engineer's Record of Land Surveys and in the easterly line of V.M.S. No. 12141;

thence with the easterly line of the aforesaid original 123.209 acres "Parcel One" and the easterly line of V.M.S. No. 12141 N 12°06'58" W passing a 5/8" iron pin (set) at 26.41 feet, a total distance of 1322.71 feet to a 5/8" iron pin (set) in the aforementioned southerly right-of-way of the former Cleveland, Cincinnati, Chicago, and St. Louis Railroad and aforementioned tract as described in a deed to The Board of The Madison County Metropolitan Park District (O.R. 172, Page 1353);

thence with the southerly line of the former Cleveland, Cincinnati, Chicago, and St. Louis Railroad and the southerly line of The Board of The Madison County Metropolitan Park District's tract N

88°35'11" E passing a 5/8" iron pin (set) at 2139.04 feet, a total distance of 2170.99 feet to the true point of beginning, **containing 36.300 acres of land.**


Subject to a right-of-way and easement 200 feet in width for electric transmission line as recorded in Deed Book 196, Page 411 of the Madison County Recorder's Office.

Subject to all legal easements and rights-of-way of record.

Bearings are based upon the Grid Azimuth (Az. 251° 17' 00.2") between National Geodetic Survey CORS Station "COLB" and McCarty Associates Local Control Monument "2001" and derived from GPS observations taken July 2, 2019, utilizing the Trimble ODOT CORS VRS (Virtual Reference System).

Land surveyed in July 2019, under the direction of Jason C. McConnaughey, Registered Professional Surveyor No. 8509, the survey plat of which is referred to as Project No. S19-773 on file in the office of McCarty Associates, LLC, Washington C.H., Ohio.

All iron pins (set) are 5/8" diameter with 1-1/4" diameter plastic caps stamped "McCARTY ASSOCIATES".


Jason C. McConnaughey, P.S. 8509



McCARTY ASSOCIATES, LLC

ARCHITECTS—ENGINEERS—SURVEYORS

HILLSBORO — WASHINGTON C.H. — LOVELAND

213 N. HIGH ST., HILLSBORO, OHIO 45133 PH 937-393-9971 FAX 937-393-2480
Michael L. McCarty, P.E., P.S. Thomas E. Purtell, P.S. Loren M. Puckett, P.E. Jerrold B. Bradley, AIA

File No. S19-773

July 18, 2019

LEGAL DESCRIPTION

James R. Stahl
And
Tommy J. Stahl, Trustees
27.565 Acres Tract

Situated in the Township of Fairfield, County of Madison, State of Ohio, being a part of V.M.S. Nos. 12141 and 11096, and being all that remains (27.565 acres) of the original 27.50 acres "Tract Two" (Parcel No. 07-00728.000) as described in a deed to James R. Stahl, Trustee (1/2 interest) and Tommy J. Stahl, Trustee (1/2 interest) and recorded in Official Record 351, Page 1358 of the Madison County Recorder's Office, and being further bounded and described as follows:

Commencing at a large nail (found) at the intersection of Wilson Road (County Road No. 103) and Sparling Road (County Road No. 152), said nail marking the northeasterly corner of a 187.782 acres tract as described in a deed to James M. Phillippi II, Trustee of the James M. Phillippi II, Trust (O.R. 338, Page 2468) and found in Survey Record 79-08 of the Madison County Engineer's Record of Land Surveys;

thence with the easterly lines of the aforesaid 187.782 acres tract and the general centerline of Wilson Road for the next four calls:

- 1) S 16°38'21" W, a distance of 1012.90 feet to a point;
- 2) S 18°44'03" W, a distance of 503.67 feet to a point;
- 3) S 15°57'48" W, a distance of 859.95 feet to a point;

4) S 60°54'49" W, a distance of 44.88 feet to a railroad spike (found) marking the northeasterly corner of the original 130.06 acres "Tract Two" of which this is a part; thence with the centerline of Wilson Road for the next three calls:

1) S 37°08'20" W passing a railroad spike (found) at 1344.74 feet in the northerly right-of-way of the former Cleveland, Cincinnati, Chicago, and St. Louis Railroad marking a northwesterly corner of a 12.2102 acres "Parcel 3" as described in a deed to Lakeview Grains, LLC (O.R. 312, Page 1429) and found in Survey Record 103-90 of the Madison County Engineer's Record of Land Surveys and a northeasterly corner of a tract as described in a deed to The Board of The Madison County Metropolitan Park District (O.R. 172, Page 1353), a total distance of 1447.03 feet to a railroad spike (found) in the southerly right-of-way of said Railroad and marking the southwesterly corner of Lakeview Grains, LLC's 12.2102 acres "Parcel 3" and the southeasterly corner of The Board of The Madison County Metropolitan Park District's tract;

2) S 37°06'03" W, a distance of 488.84 feet to a 5/8" iron pin (set) replacing a 1" iron pin (found, bent);

3) S 59°05'00" W, a distance of 950.03 feet to a railroad spike (set) marking the northwesterly corner of an original 58.75 acres "Parcel 1, Tract 1" as described in a deed to Bernard S. Snyder, Trustee of the Barbara H. Snider Marital Trust #1 (O.R. 186, Page 1262), said railroad spike marking the true point of beginning of the tract of land herein described and having Ohio State Plane Coordinates Northing 688,432.339 feet, Easting

1,739,087.857 feet South Zone and based upon NAD 83

(2011);

thence with the westerly line of the aforesaid original 58.75 acres "Parcel 1, Tract 1" S 19°03'58" E passing a 5/8" iron pin (set) at 25.54 feet and passing a northwesterly corner to and continuing with the westerly line of a 3/4 acre tract as described in a deed to Jason E. Salyers and Angela L. Salyers (O.R. 151, Page 1534) and passing a 5/8" iron pin (set) at 1378.15 feet, a total distance of 1400.79 feet to a mag nail (set) in the centerline of Lilly Chapel-Georgesville Road (County Road No. 102);

thence with the centerline of Lilly Chapel-Georgesville Road S 77°15'47" W, a distance of 808.79 feet to a mag nail (set) marking a southeasterly corner to a 3.2881 acres tract as described in a deed to James E. Durban and Judith M. Durban (O.R. 191, Page 2481) and found in Survey Record 28-82 of the Madison County Engineer's Record of Land Surveys;

thence with the easterly line of the aforesaid 3.2881 acres tract N 10°59'07" W passing a 3/4" iron pipe (found) at 26.00 feet, a total distance of 285.57 feet to a 3/4" iron pipe (found);

thence with the northerly line of the aforesaid 3.2881 acres tract S 86°45'13" W, a distance of 419.81 feet to a 3/4" iron pipe (found) in the easterly line of a 24.043 acres tract as described in a deed to CLEA Properties, LLC (O.R. 253, Page 1459) and found in Survey Record 10-88 of the Madison County Engineer's Record of Land Surveys;

thence with the easterly line of the aforesaid 24.043 acres tract N 01°37'40" E passing a 1" iron pipe (found) at 752.12 feet, a total distance of 777.22 feet to a railroad spike (found) in the centerline of Wilson Road;

thence the centerline of Wilson Road N 59°05'00" E, a distance of 912.42 feet to the true point of beginning, **containing 27.565 acres of land.**

Subject to all legal easements and rights-of-way of record.

Bearings are based upon the Grid Azimuth (Az. 251° 17' 00.2") between National Geodetic Survey CORS Station "COLB" and McCarty Associates Local Control Monument "2001" and derived from GPS observations taken July 2, 2019, utilizing the Trimble ODOT CORS VRS (Virtual Reference System).

Land surveyed in July 2019, under the direction of Jason C. McConnaughey, Registered Professional Surveyor No. 8509, the survey plat of which is referred to as Project No. S19-773 on file in the office of McCarty Associates, LLC, Washington C.H., Ohio.

All iron pins (set) are 5/8" diameter with 1-1/4" diameter plastic caps stamped "McCARTY ASSOCIATES".




Jason C. McConnaughey, P.S. 8509